

AGRAL[®] 90
NON-IONIC WETTING AND SPREADING AGENT
LIQUID

AGRICULTURAL

FOR USE WITH ACTIVOL[†], AMBUSH[†] 500EC, REGLONE[®], TOUCHDOWN[®] 480,
TOUCHDOWN iQ, REFLEX[®] and Other Control Products as Labelled

GUARANTEE:

Nonylphenoxy polyethoxy ethanol 92%

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN**

REGISTRATION NO. **11809**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **500 mL, 4 L, 10 L, 55 L, 110 L, 115 L, 1000 L**

Syngenta Canada, Inc.
140 Research Lane, Research Park
Guelph, Ontario
N1G 4Z3
Telephone: 1-877-964-3682

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

FIRST AID

IN CASE OF POISONING, contact a physician or a poison control centre **IMMEDIATELY**. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

Swallowing may cause nausea and vomiting. Contact with the eye may cause severe irritation, treat symptomatically. Treat skin irritation symptomatically.

PRECAUTIONS

KEEP OUT REACH OF CHILDREN.

Avoid contact with eyes and skin. Causes painful stinging or burning of eyes and lids.

Prolonged contact with skin may cause irritation in some individuals. Wear long-sleeved shirt, long pants, socks and shoes during mixing, loading, applying, clean-up and repair. In addition, wear chemical resistant gloves and face protection (face shield) when handling the concentrate. Do not eat, drink or smoke when using. Wash hands before meals and after work.

STORAGE

Keep in original container tightly closed in a safe place when not in use. Store in a cool and dry location away from oxidizing and reducing agents. Keep away from heat, sparks and sources of ignition. Keep away from food, drink and animal feedstuffs.

SPILL CLEANUP

Eliminate sources of ignition and ventilate area. Soak up spill with absorbent material (kitty litter, granular clay, earth) and collect into a waste container. Wash spill site with water after material pick-up and dispose with waste. See DISPOSAL statement below.

DISPOSAL OF UNUSED, UNWANTED PRODUCT

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL:

For recyclable containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For refillable containers:

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not use this container for any other purpose.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

AGRAL 90 Non-Ionic Wetting & Spreading Agent mixes with all types of water. The rate of AGRAL 90 Non-Ionic Wetting & Spreading Agent is indicated for the control product spray mixtures or other uses listed below. Control product spray mixtures, their preparation and uses are to be derived from the individual labels for the control products.

| Control Product Spray Mixture or Other Use | Amount of this product per litres of spray mixture | Remarks |
|--|--|---|
| ACTIVOL | 250 mL/1000 L | For use on sweet and sour cherries |
| AMBUSH 500EC, POUNCE [†] | 300 mL/1000 L | For use on cole crops |
| REGLONE, REWARD [®] | 1 L/1000 L | Do not use this product with REGLONE for corn spurry control. Do not use this product with REGLONE for potato vine killing except as recommended for use in the prairie provinces with the 1.5L/ha rate of REGLONE. |
| PINNACLE [†] , REFLEX, TELAR [†] | 1 L/1000 L | Add this product as the last ingredient. An antifoam agent may be required. Consult each product label for use. |
| ACCENT [†] , ALLY [†] , REFINE [†] EXTRA, ULTIM [†] , ELIM [†] , PRISM [†] , MUSTER [†] , PEAK [®] , CLASSIC [†] , RELIANCE [†] STS [†] , ESCORT [†] , BEACON [†] , SUMMIT WG [®] , PEAK 75WG, CURTAIL M [†] , LONTREL [†] 360, PARDNER [†] | 2 L/1000 L | Add this product as the last ingredient. An antifoam agent may be required. Consult each product label for use. |
| PURSUIT [†] , AC 299, 263 70 WDG, ODYSSEY [†] , FIELDSTAR [†] , DISTINCT [†] , RELFEX + PURSUIT [†] UPBEET [†] UNITY [†] 280EC, FIRST RATE [†] , MERIDIAN [†] | 2.5 L/1000 L | Add this product as the last ingredient. Consult each product label for use. |
| ELEVATE [†] 50WDG | 200 mL/1000 L | Grapes |
| TOUCHDOWN 480, TOUCHDOWN 600, TOUCHDOWN iQ, ROUNDUP [†] , LAREDO [†] , VANTAGE [†] Plus, VANTAGE, ROUNDUP DRY, ROUNDUP Transorb, GLYFOS [†] , RENEGADE [†] , CREDIT, MANAGE 780 | 350 mL/50 to 100 L 500mL/100L | Quackgrass, Minimum or Zero Tillage Seeding and Summerfallow uses. Quackgrass - for water volumes of 150 to 300L/ha |
| Washing Out Spray Tanks and Equipment | 30 mL/50 L | Dispose of wastes according to municipal and provincial requirements. See DISPOSAL statement. |

NOTE: Do not exceed the recommended rate of AGRAL 90 Non-Ionic Wetting & Spreading Agent particularly with products containing their own wetting agent. Too much wetter can lead to loss of spray due to excessive run-off. Consult each product label for complete use instructions

Product names marked ® or ™ are registered trademarks of a Syngenta Group Company
[†] All other products listed are trademarks of their respective companies.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.