



# Material Safety Data Sheet

Chateau® Herbicide WDG

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**Product name:** Chateau® Herbicide WDG  
**PCPA REGISTRATION NUMBER:** 29231  
**Product code:** 88506  
**VC NUMBER(S):** 1420  
**SYNONYM(S):** none

### MANUFACTURER/DISTRIBUTOR

VALENT CANADA, INC.  
107 Woodlawn Road West  
Suite 502-B  
Guleph, Ontario N1H 1B4

### EMERGENCY TELEPHONE NUMBERS

HEALTH EMERGENCY OR SPILL (24 hr):  
(800) 682-5368  
TRANSPORTATION (24 hr.): CHEMTREC  
(800) 424-9300 or (202) 483-7616

### Product Information

AGRICULTURAL PRODUCTS: (800) 682-5368

## 2. HAZARDS IDENTIFICATION

### Emergency Overview

- Caution**
- Harmful if inhaled or absorbed through skin.
  - Avoid breathing dust or spray mist.
  - Avoid contact with eyes, skin and clothing
  - Keep out of reach of children.

### Potential health effects

**Acute Toxicity (Primary Routes of Exposure):** None known

**Acute Eye Contact:** Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor eye irritation. The expected adverse health effects resulting from an exposure may include redness and possible swelling.

**Acute Skin Contact:** Based on an evaluation of the ingredients and/or similar products, this product may cause brief and/or minor skin irritation. The expected adverse health effects resulting from an exposure may include redness and possibly some minor swelling. This product may be slightly toxic when absorbed through the skin. This product is not expected to cause allergic skin reactions.

**Acute Ingestion:** Based on an evaluation of the ingredients and/or similar products, this product may be minimally toxic when ingested.

**Acute Inhalation:** Based on an evaluation of the ingredients and/or similar products, this product is expected to be slightly toxic when inhaled. Exposure to high concentrations of dust may result in respiratory irritation. Signs and symptoms may include, but not be limited to, nasal discharge, sore throat, coughing and difficulty in breathing.

**Emergency Telephone:** 800-682-5368  
**REVISION NUMBER:** 5

**MSDS NO.:** CAN-0257  
**Revision Date:** 04/06/2009

**Chronic Toxicity (including cancer):** Repeated exposures to Flumioxazin Technical in animals have produced anemia and other blood formation changes, organ weight changes and changes in blood chemistry. Flumioxazin Technical did not produce cancer in life-time feeding studies in laboratory animals.

**Developmental Toxicity (birth defects):** Birth defects were produced in the offspring of female rats exposed to Flumioxazin Technical. No effects were observed in rabbits.

**Reproductive toxicity:** Reproductive effects were observed in rats exposed to Flumioxazin Technical.

**Signs and Symptoms of Systemic Effects:** No signs or symptoms occurred in animals exposed to high oral or dermal doses of Flumioxazin Technical. Exposure to very high concentrations of Flumioxazin Technical in the air resulted in breathing difficulties, decreased activity and some changes in the tissues of the respiratory system.

**Potentially Aggravated Medical Conditions:** Individuals with anemia or preexisting diseases of the blood may have increased susceptibility to the toxicity of excessive exposures.

For complete discussion of the toxicology data from which this evaluation was made, refer to Section 11. For Ecotox/Environmental Information, refer to Section 12. For Regulatory Information, refer to Section 15.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	Purpose
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione)	103361-09-7	40 - 70	Active ingredient
Kaolin clay	1332-58-7	15 - 40	Carrier
Others (including particulates not otherwise classified)	No CAS#	30 - 60	Other Ingredients

Other ingredients, which are maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identity is withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling **(800) 682-5368** at any time.

### 4. FIRST AID MEASURES

#### EMERGENCY NUMBER (800) 682-5368

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact **1-800-682-5368** for emergency medical treatment information.

#### Eye contact:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

#### Skin contact:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

#### Ingestion:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

#### Inhalation:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Emergency Telephone: 800-682-5368  
REVISION NUMBER: 5

MSDS NO.: CAN-0257  
Revision Date: 04/06/2009

**Notes to physician:**

none

**5. FIRE FIGHTING MEASURES**

**Flash point:** Not applicable  
**Extinguishing media:** Water fog, carbon dioxide, foam, dry chemical  
**FLAMMABLE LIMITS IN AIR - LOWER (%):** Not applicable  
**FLAMMABLE LIMITS IN AIR - UPPER (%):** Not applicable

**NFPA Rating:**

Health: 1  
 Flammability: 1  
 Reactivity: 0  
 Special: none

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

**Hazardous combustion products:** Normal combustion forms carbon dioxide, water vapor and may produce oxides of nitrogen, Combustion may produce toxic gases of: Nitrogen compounds Fluorine compounds. Incomplete combustion can produce carbon monoxide.

**6. ACCIDENTAL RELEASE MEASURES**

**VALENT EMERGENCY PHONE NUMBER: (800) 682-5368**  
**CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300**

**OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION**

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the **North American Emergency Response Guidebook**.

**UN/NA NUMBER:** Not applicable      **EMERGENCY RESPONSE GUIDEBOOK NO.:** Not applicable

**FOR SPILLS ON LAND:**

**CONTAINMENT:** Reduce airborne dust. Avoid runoff into storm sewers or other bodies of water.

**CLEANUP:** Clean up spill immediately. Vacuum or sweep up material and place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

**FOR SPILLS IN WATER:**

**CONTAINMENT:** This material will disperse or dissolve in water. Stop the source of the release. Contain and isolate to prevent further release into soil, surface water and ground water.

**CLEANUP:** Clean up spill immediately. Absorb spill with inert material. Remove contaminated water for treatment or disposal.

**Emergency Telephone:** 800-682-5368  
**REVISION NUMBER:** 5

**MSDS NO.:** CAN-0257  
**Revision Date:** 04/06/2009

## 7. HANDLING AND STORAGE

**END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.**

**Handling:**

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers.

**Storage:**

Do not store or transport near food or feed. Store in a cool, dry place, out of direct sunlight.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.**

**EYES & FACE:** Not usually required. If necessary, use safety glasses or goggles.

**Respiratory protection:** Use this material only in well ventilated areas. Unless ventilation is adequate to keep airborne concentrations below recommended exposure standards, approved respiratory protection should be worn.

**SKIN & HAND PROTECTION:** Avoid contact with skin or clothing. Skin contact should be minimized by wearing protective clothing including gloves.

**Exposure limits**

Chemical Name	Canadian OELs
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isindole-1,3(2H)-dione)	none
Kaolin clay	none
Others (including particulates not otherwise classified)	none

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical Form:</b>	Granule
<b>Colour:</b>	Beige to light brown
<b>Odour:</b>	Odourless
<b>Flash point:</b>	Not applicable
<b>Melting point:</b>	Not applicable
<b>Bulk density:</b>	0.49 g/cc (33.2 lb./cu. ft.)
<b>pH:</b>	5.9 @ 25°C (1% suspension)
<b>Corrosion Characteristics:</b>	Not corrosive to containers.
<b>Solubility:</b>	Dispersible in water

## 10. STABILITY AND REACTIVITY

<b>Chemical stability:</b>	This material is considered chemically and thermally stable.
<b>Incompatibility:</b>	May react with strong oxidizing agents, such as chlorates, nitrates, peroxides, etc.
<b>Oxidation/Reduction properties:</b>	Not an oxidizing or reducing agent.
<b>Explosibility:</b>	Not expected to be explosive.
<b>Hazardous decomposition products:</b>	No Data Available

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:**

Emergency Telephone: 800-682-5368  
 REVISION NUMBER: 5

MSDS NO.: CAN-0257  
 Revision Date: 04/06/2009

There is no toxicology information available for this specific formulation. The following information is based on data available for the technical material or a similar formulation.

Oral Toxicity LD <sub>50</sub> (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD <sub>50</sub> (rabbits)	> 2000 mg/kg	EPA Tox Category	III
Inhalation Toxicity LC <sub>50</sub> (rats)	> 0.969 mg/L	EPA Tox Category	III
Eye Irritation (rabbits)	Slightly irritating	EPA Tox Category	III
Skin Irritation (rabbits)	Mildly irritating	EPA Tox Category	IV
Skin Sensitization (guinea pigs)	Non-sensitizer	EPA Tox Category	Not applicable

## CARCINOGEN CLASSIFICATION

Chemical Name	IARC - Group 1 (carcinogenic to humans)	IARC - Group 2A (Probably carcinogenic)	IARC - Group 2B (Possibly carcinogenic)	NTP Carcinogen List
Kaolin clay (1332-58-7)	no	no	no	Not listed
Flumioxazin (2-[7-fluoro-3,4-dihydro-3-oxo-4-(2-propynyl)-2H-1,4-benzoxazin-6-yl]-4,5,6,7-tetrahydro-1H-isoindole-1,3(2H)-dione) (103361-09-7)				Not listed
Others (including particulates not otherwise classified) (No CAS#)	no	no	no	Not listed

## TOXICITY OF FLUMIOXAZIN TECHNICAL

**Subchronic:** Compound related effects of Flumioxazin Technical noted in rats following subchronic exposures at high dose levels were hematotoxicity including anemia, and increases in liver, spleen, heart, kidney and thyroid weights. In dogs, the effects produced at high dose levels included a slight prolongation in activated partial thromboplastin time, increased cholesterol and phospholipid, elevated alkaline phosphatase, increased liver weights and histological changes in the liver. The lowest no-observable-effect-level (NOEL) in subchronic studies was 30 ppm in the three-month toxicity study in rats.

**Chronic/Carcinogenicity:** In a one year dog feeding study, Flumioxazin Technical produced treatment-related changes in blood chemistry and increased liver weights at 100 and 1000 mg/kg/day. Minimal treatment-related histological changes were noted in the livers of animals in the 1000 mg/kg/day group. Based on these data the NOEL is 10 mg/kg/day. Dietary administration of Flumioxazin Technical for 18 months produced liver changes in mice of the 3000 and 7000 ppm groups. There was no evidence of any treatment-related oncogenic effect. The NOEL for this study is 300 ppm. Dietary administration of Flumioxazin Technical for 24 months produced anemia and chronic nephropathy in rats of the 500 and 1000 ppm groups. The anemia lasted throughout the treatment period, however, it was not progressive nor aplastic in nature. No evidence of an oncogenic effect was observed. The NOEL for this study is 50 ppm.

**Developmental Toxicity:** Flumioxazin Technical produces developmental toxicity in rats in the absence of maternal toxicity at doses of 30 mg/kg/day by the oral route and 300 mg/kg/day by the dermal route. The developmental effects noted consisted primarily of decreased number of live fetuses and fetal weights, cardiovascular abnormalities, wavy ribs and decreased number of ossified sacrococcygeal vertebral bodies. The developmental NOEL in the rat oral and dermal developmental toxicity studies were 10 and 100 mg/kg/day, respectively. The response in rabbits was very different from that in rats. No developmental toxicity was noted in rabbits at doses up to 3000 mg/kg/day, a dose well above the maternal NOEL of 1000 mg/kg/day.

**Reproduction:** Reproductive toxicity was observed in F1 males, P1 females and F1 females at 300 ppm Flumioxazin Technical, the highest dose tested and a dose that also produced signs of systemic toxicity. Toxicity was also observed in the F1 and F2 offspring at doses of 200 ppm and greater.

**Mutagenicity:** Flumioxazin Technical was not mutagenic in most *in vitro* assays: gene mutation and a chromosome aberration assay in the absence of metabolic activation. In three *in vivo* assays, chromosome aberration, unscheduled DNA synthesis and micronucleus assay, Flumioxazin Technical was not mutagenic. The only positive response was observed in the *in vitro* chromosome aberration assay in the presence of metabolic activation. Overall, Flumioxazin Technical does not present a genetic hazard.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

## 12. ECOLOGICAL INFORMATION

### AVIAN TOXICITY:

Based upon EPA designation, Flumioxazin Technical is practically non-toxic to avian species. The following results were obtained from studies with Flumioxazin Technical:

Oral LD<sub>50</sub> bobwhite quail: greater than 2250 mg/kg  
Dietary LC<sub>50</sub> bobwhite quail: greater than 5620 ppm  
Dietary LC<sub>50</sub> mallard duck: greater than 5620 ppm.

No reproductive effects were observed in bobwhite quail exposed to 500 ppm Flumioxazin Technical in the diet. In mallard ducks, a slight, but not statistically significant reduction in hatchlings and 14-day old survivors was observed. Based on a possible, slight effect on egg production at 500 ppm, the NOEL for this study was 250 ppm.

**AQUATIC ORGANISM TOXICITY:** Based upon EPA designation, Flumioxazin Technical is slightly to moderately toxic to freshwater fish; moderately toxic to freshwater invertebrates; moderately toxic to estuarine/marine fish and moderately to highly toxic estuarine/marine invertebrates, based on the following tests:

96-hour LC<sub>50</sub> rainbow trout: 2.3 mg/L  
96-hour LC<sub>50</sub> bluegill sunfish: greater than 21 mg/L  
48-hour LC<sub>50</sub> Daphnia magna: 5.5 mg/L  
96-hour LC<sub>50</sub> sheepshead minnow: greater than 4.7 mg/L  
96-hour (shell deposition) EC<sub>50</sub> eastern oyster: 2.8 mg/L  
96-hour LC<sub>50</sub> mysid shrimp: 0.23 mg/L  
Fish early life-stage (rainbow trout): MATC >7.7 µg/L, <16 µg/L  
Chronic toxicity (mysid shrimp): MATC >15 µg/L, <27 µg/L  
Chronic toxicity (Daphnia magna): MATC >52 µg/L, <99 µg/L.

## 13. DISPOSAL CONSIDERATIONS

**END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.**

**Disposal methods:** Check government regulations and local authorities for approved disposal of this material. Dispose in accordance with applicable laws and regulations.

## 14. TRANSPORT INFORMATION

**TDG proper shipping name:** not regulated.  
**UN/NA NUMBER:** Not applicable

**Emergency Telephone:** 800-682-5368  
**REVISION NUMBER:** 5

**MSDS NO.:** CAN-0257  
**Revision Date:** 04/06/2009

#### 14. TRANSPORT INFORMATION

DOT (ground) shipping name:	Herbicide, solid, non-regulated
TECHNICAL NAME (hazardous material):	Not applicable
Hazard class:	Not applicable
Packing group:	Not applicable
DOT reportable quantity (RQ):	none
Remarks:	none
Exemption requirement:	none
EMERGENCY RESPONSE GUIDEBOOK NO.:	Not applicable
Marine pollutant:	Not applicable

#### 15. REGULATORY INFORMATION

##### CANADIAN REGULATIONS:

**WHMIS Hazard Class:** Non-controlled  
 This product has been classified in accordance with the hazard criteria of the *Controlled Products Regulations (CPR)* and the MSDS contains all information required by the CPR.

##### Kaolin clay

Canada DSL Inventory List -	Listed
EINECS Inventory List -	310-194-1

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

**PESTICIDE REGULATIONS:** All pesticides are governed under PCPA (Pest Control Products Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

#### 16. OTHER INFORMATION

<b>REASON FOR ISSUE:</b>	Newly registered product; Minor changes to Section 1, 5, 6, 7, 11, 14, 16
<b>MSDS NO.:</b>	CAN-0257
<b>PCPA REGISTRATION NUMBER:</b>	29231
<b>REVISION NUMBER:</b>	5
<b>Revision Date:</b>	04/06/2009
<b>SUPERCEDES DATE:</b>	April 3, 2009
<b>RESPONSIBLE PERSON(S):</b>	Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE APPROVED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the PMRA under the authority of the Pest Control Products Act through the product labeling. All necessary and appropriate precautionary, use, storage and disposal information is set forth on the labeling. It is a violation of Federal law to use a pesticide product in a manner not prescribed on the PMRA-accepted label.

The information in this MSDS is based on data available to us as of the revision date given herein, and believed to be correct. Contact Valent U.S.A. Corporation to confirm if you have the most current MSDS.

Judgements as to the suitability of information herein for the individual's own use or purposes are necessarily the

<b>Emergency Telephone:</b>	800-682-5368
<b>REVISION NUMBER:</b>	5

<b>MSDS NO.:</b>	CAN-0257
<b>Revision Date:</b>	04/06/2009

---

individual's own responsibility. Although reasonable care has been taken in the preparation of such information, Valent extends no warranties, makes no representations, and assumes no responsibility as to the accuracy or suitability of such information for application to the individual's purposes or the consequences of its use.

2009 Valent Canada, Inc.