

19-DEC-2008

2006-7113

08-JUN-2011 2011-2335 Notification : Change in Registrant Address

ECOCLEAR

FAST ACTING WEED AND GRASS KILLER

Solution

For non-selective control of herbaceous broadleaf and grass weeds in non-crop areas,
right-of way and industrial land sites.

COMMERCIAL

GUARANTEE:

acetic acid 25% w/v. (250 g/L)

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

REGISTRATION NO. 25528

PEST CONTROL PRODUCTS ACT

CAUTION:

SKIN IRRITANT

DANGER:

CORROSIVE TO EYES

NET CONTENTS: 10 L - 208 L

Notification Change

Ecoval Corporation
~~8604 Main Street, Suite 1~~
~~Williamsville, NY 14221~~

~~96 Spadina Avenue~~
~~Suite 408~~
~~Toronto, ON M5V 2J6~~
416-216-6770

Ecoval Corporation Unit
303-352 5140 Main Street
Williamsville, NY 14221
USA

* Trademark of Ecoval Corporation

GENERAL INFORMATION

ECOCLEAR FAST ACTING WEED AND GRASS KILLER is a postemergent, foliar active, vegetation management product formulated to contain organic acids that are components of vinegar and lemon juice. It is non-selective to green foliage and non-residual in soil. ECOCLEAR FAST ACTING WEED AND GRASS KILLER is recommended for the control of herbaceous broadleaf and grassy weeds on non-crop land areas, such as: sidewalks, driveways and patios; railroad rights-of-way, power stations, and industrial sites; around farm buildings, storage areas, tank farms, in and around greenhouses, plant nurseries and golf courses; and in fencerows and vacant lots. ECOCLEAR FAST ACTING WEED AND GRASS KILLER is fast acting. Foliar contact results in rapid burndown of annual weeds and suppression (top growth reduction) of herbaceous perennial weeds. Retreatment is required for complete control of established perennial weeds.

ANNUAL WEEDS CONTROLLED

Ragweed spp.
Chickweed
Lamb's-quarters
Black Medic

SUPPRESSION OF PERENNIAL WEEDS

Dandelion
Plantain spp.
Clover spp.
Wild Carrot
Toadflax
Quack Grass
Tufted Vetch
Hawkweed spp.
Curled Dock

CAUTION. Avoid contact on desirable plants. Overspray or drift will injure contacted vegetation.

This product may be toxic to aquatic organisms. Do not apply or allow runoff to reach lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. A buffer zone of at least 15 meters should be established between areas to be sprayed and aquatic environments.

Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces.

Do not apply this product through any type of irrigation system. Do not apply by air.

DIRECTIONS FOR USE

Best results are achieved from spring and early summer applications to actively growing young weeds. Degree of control depends on several factors, including size and stage at application. Small annual weeds may be completely controlled with a single application. Control of larger, more established weeds, not completely desiccated with one application may be short-term and require retreatment. Weeds that are mature, dormant or hardened due to moisture stress tend to be more tolerant to herbicide treatment. Complete coverage of undesirable vegetation is necessary to achieve control. Only contacted vegetation will be affected. Seedling perennial weeds may be controlled with a single application; however, repeat application is required for control of regrowth of established perennial weeds. Rainfall within 1 hour of application will reduce degree of control. DO NOT re-enter the treated area for 12 hours or until the residues have dried.

FOR EARLY SEASON ANNUAL WEED CONTROL, when weeds are small (3 to 5 leaf) and actively growing; mix a spray solution consisting of 1 L of product for each 3L of water. Ensure adequate mixing. Spray unwanted vegetation to point of wetness. **SPOT TREATMENT APPLICATION:** Use a single nozzle or hand-gun applicator to direct the spray and thoroughly wet undesirable foliage. **BROADCAST APPLICATION:** For broadcast application use a solution volume of 750 to 1000L per hectare. Thorough coverage is necessary to achieve desirable control. For dense populations and heavy foliage use the higher spray volume to ensure adequate coverage. Apply with flat fan nozzles and sufficient pressure to achieve required coverage.

FOR CONTROL OF LARGER ANNUAL WEEDS AND TOP GROWTH REDUCTION (SUPPRESSION) OF PERENNIAL WEED GROWTH. Mix a spray solution consisting of 1 L of product for each 2.25L of water. Use an application system, solution volume and adequate spray pressure to ensure complete coverage of unwanted vegetation. Best results with larger weeds will be achieved by spot treatment. For broadcast application use a solution volume of 750 to 1250 L/ha. Retreatment is required for regrowth of perennial weeds .

FOR CONTROL OF WEEDS IN GREENHOUSES: To control weeds in non-crop areas of the greenhouse such as under planting benches, in walkways, and in beds after harvest, prepare a spray solution consisting of 1 L of product for each 3L of water. Ensure adequate mixing. Spray weeds to the point of wetness using a medium droplet size to minimize drift. Complete coverage of the weeds is necessary to achieve control. Best results will be achieved if the weeds are actively growing. Avoid contact of the spray solution onto desirable vegetation.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and clothing. Wash immediately after use. Overspray or drift will injure contacted foliage. Avoid all contact to desirable plants. Wear safety goggles or face shield, gloves, long-sleeved shirt, pants, socks, and shoes during mixing/loading and application with hand held equipment, as well as during clean-up and maintenance of equipment. A well ventilated area is required for task-related duties.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

STORAGE

Do not contaminate water, food or feed by storage or disposal. Keep from freezing. Store only in original tightly sealed container and out of reach of children. Store product with other herbicides, in a cool, dry, well ventilated place away from seed, feed, fertilizer or other pesticides.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.