

2011-1566
2012-03-06

FIESTA™

LAWN WEED KILLER

Solution

COMMERCIAL
CONCENTRATE
HERBICIDE

GUARANTEE: IRON (present as FeHEDTA) 4.43%

REG. NO. 29535 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

POTENTIAL SKIN SENSITIZER

• NET CONTENTS 1 - 1000 Litres

Registrant:

W. Neudorff GmbH KG

An der Muhle 3, Postfach 1209

D-31860 Emmerthal, Germany

www.neudorff.com

Canadian Agent:

Neudorff North America

Unit 11 • 6782 Veyaness Road •

Saanichton, BC, V8M 2C2 •

Telephone: 1-(250)-652-5888

SELECTIVE BROADLEAF WEED KILLER

People and pets can enter treated area when spray dries.

No unpleasant odor.

Made with iron.

Rainfast in 3 hours

See result within hours

For use on lawns and turf (on rights of way, non-crop areas, golf courses, parks, cemeteries and athletic fields) consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewing fescue, and/or creeping fescue) for the control of dandelion (*Taraxacum officinale*), English daisy (*Bellis perennis*), false dandelion (*Hypochaeris radicata*), white clover (*Trifolium repens*), black medic (*Medicago lupulina*), bull thistle (*Cirsium vulgare*), Canada thistle (*Cirsium arvense*), common chickweed (*Stellaria media*), creeping buttercup (*Ranunculus repens*), slender speedwell (*Veronica filiformis*), narrow-leaved plantain (*Plantago lanceolata*), dove's-foot geranium (*Geranium molle*), wild geranium (*Geranium robertianum*), lawn burweed (*Soliva pterosperma*), moss and algae, and for the suppression of broad-leaved plantain (*Plantago major*).

DIRECTIONS FOR USE

Rate of Spray Solution	Rate of Concentrate	Weeds Controlled	Area Treated
100 ml/m ² Or 9.3 L/93m ² (1000ft ²)	372 ml/93m ² (1000ft ²)	Rate for easy-to-control weeds: black medic (<i>Medicago lupulina</i>), slender speedwell (<i>Veronica filiformis</i>), wild geranium (<i>Geranium robertianum</i>) and moss. This rate can also be used for weed seedlings of: false dandelion (<i>Hypochaeris radicata</i>), English daisy (<i>Bellis perennis</i>), dandelion (<i>Taraxacum officinale</i>) or white clover (<i>Trifolium repens</i>). A second application at this rate may be required to achieve control of these weeds.	2500 m ² /10L jug (26900 ft ² /10L jug)
200 ml/m ² or 18.6 L/93m ² (1000ft ²)	744 ml/93m ² (1000ft ²)	Rate for control of the following weeds: dandelion (<i>Taraxacum officinale</i>), English daisy (<i>Bellis perennis</i>), false dandelion (<i>Hypochaeris radicata</i>), white clover (<i>Trifolium repens</i>), bull thistle (<i>Cirsium vulgare</i>), common chickweed (<i>Stellaria media</i>), narrow-leaved plantain (<i>Plantago lanceolata</i>), dove's foot geranium (<i>Geranium molle</i>), lawn burweed (<i>Soliva ptero-sperma</i>), and algae.	1250 m ² /10L jug (13450 ft ² /10L jug)
400 ml/m ² or 37.2 L/93m ² (1000ft ²)	1488 ml/93m ² (1000ft ²)	Rate for the following tough perennial weeds: broad-leaved plantain (<i>Plantago major</i>) (suppression only), creeping buttercup (<i>Ranunculus repens</i>) and Canada thistle (<i>Cirsium arvense</i>). For Canada thistle, best results are obtained when weeds are less than 15 cm tall and two applications may be required for control.	625 m ² /10L jug (6725 ft ² /10L jug)

SHAKE WELL BEFORE USING. One litre of product will treat between 62.5 and 250 m² (672.5 - 2700 ft²). Mix one part FIESTA Lawn Weed Killer with 24 parts water (40 mL in 960 mL of water). Any standard hand-held or backpack sprayer can be used. Use a coarse nozzle setting to reduce drift. Uniform coverage is important.

Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per area per year. For spot treatment, spray weeds until foliage is thoroughly wetted, just to the point of runoff. Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment, however the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

Use Precautions: Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. Do not apply more than 4 times per area per year. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. CAUTION: Causes slight eye irritation. Avoid contact with eyes, skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Wear protective eye-wear and waterproof gloves during application or during mixing, loading, and repair/clean-up activities. Avoid breathing vapour or spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Apply only when the potential for drift to areas of human habitation or areas of human activity such as houses, cottages, schools, and recreational areas is minimal. Take into consideration wind speed, wind direction, temperature, application equipment, and sprayer settings.

FIRST AID:

If swallowed:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes:

Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE

To prevent contamination store this product away from food or feed.

Store in a secure place, away from open fire or flame. Keep container closed and reseal after use. If spilled, use absorbent materials and dispose of in an approved manner. Do not store at temperatures below 0°C.

DISPOSAL:

DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

Patent Pending

Manufactured for:
W. Neudorff GmbH KG
Postfach 1209, An der Muehle 3, 31860 Emmerthal, Germany

Canadian Office: Neudorff North America
Unit 11 • 6782 Veyaness Road • Saanichton, BC, V8M 2C2 •
1-(250)-652-5888

FIESTA® is a registered trademark of W. Neudorff GmbH KG



Pull here to open and press to reseal.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.