

(Container)



Golden Eagle™ Turf Fungicide

GROUP	3	FUNGICIDE
-------	---	-----------

COMMERCIAL

GRANULAR

READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Myclobutanil 0.39%

Warning, contains the allergen peanuts

REGISTRATION NO. 29974 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 0.1 kg - bulk

Dow AgroSciences Canada Inc.

Suite 2100, 450 - 1 Street S.W.

Calgary, Alberta

T2P 5H1

1-800-667-3852

™Trademark of Dow AgroSciences LLC

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DO NOT APPLY BY AIR

For use on golf courses only. Do not use in residential areas (except golf courses). Residential areas are defined as sites where bystanders including children may be potentially exposed during or after application. This includes around homes, school, parks, playgrounds, playing fields, public buildings or any other areas where the general public including children could be exposed. Do not use on sod farms.

Hazardous to Humans and Domestic Animals. Harmful if absorbed through the skin. DO NOT get on skin.

PROTECTIVE CLOTHING AND EQUIPMENT

Wear protective eyewear, chemical-resistant gloves, long-sleeved shirt, long pants, shoes and socks when mixing, loading, and applying this product. Contaminated clothing must be laundered separately in hot water and detergent before using. Wash thoroughly after handling and before eating, drinking, chewing gum, smoking, or using toilet.

OPERATOR USE PRECAUTIONS

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on judgment of the physician in response to reactions of the patient.

AGRICULTURAL CHEMICAL

Do not ship or store with food, feeds, drugs or clothing.

ENVIRONMENTAL HAZARDS

TOXIC to birds and small wild mammals. Any spilled granules must be incorporated into the soil or other wise cleaned-up from the soil surface. **TOXIC** to aquatic organisms and non-target terrestrial plants. The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

STORAGE

Store in a cool, dry area. To prevent contamination, store this product away from food or feed. Pesticide wastes are toxic. Improper disposal of excess pesticide is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact the provincial regulatory agency or the manufacturer.

DISPOSAL

Recyclable Containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Returnable Containers:

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.



Golden Eagle™ Turf Fungicide

GROUP	3	FUNGICIDE
-------	---	-----------

COMMERCIAL

GRANULAR

READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE: Myclobutanil 0.39%

Warning, contains the allergen peanuts

REGISTRATION NO. 29974 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 0.1 kg - bulk

Dow AgroSciences Canada Inc.
Suite 2100, 450 - 1 Street S.W.
Calgary, Alberta
T2P 5H1
1-800-667-3852

™Trademark of Dow AgroSciences LLC

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

DO NOT APPLY BY AIR

For use on golf courses only. Do not use in residential areas (except golf courses). Residential areas are defined as sites where bystanders including children may be potentially exposed during or after application. This includes around homes, school, parks, playgrounds, playing fields, public buildings or any other areas where the general public including children could be exposed. Do not use on sod farms.

Hazardous to Humans and Domestic Animals. Harmful if absorbed through the skin. DO NOT get on skin.

PROTECTIVE CLOTHING AND EQUIPMENT

Wear protective eyewear, chemical-resistant gloves, long-sleeved shirt, long pants, shoes and socks when mixing, loading, and applying this product. Contaminated clothing must be laundered separately in hot water and detergent before using. Wash thoroughly after handling and before eating, drinking, chewing gum, smoking, or using toilet.

OPERATOR USE PRECAUTIONS

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on judgment of the physician in response to reactions of the patient.

AGRICULTURAL CHEMICAL

Do not ship or store with food, feeds, drugs or clothing.

ENVIRONMENTAL HAZARDS

TOXIC to birds and small wild mammals. Any spilled granules must be incorporated into the soil or other wise cleaned-up from the soil surface. **TOXIC** to aquatic organisms and non-target terrestrial plants. The use of this chemical may result in contamination of groundwater particularly in areas where soils are permeable (e.g. sandy soil) and/or the depth to the water table is shallow.

STORAGE

Store in a cool, dry area. To prevent contamination, store this product away from food or feed. Pesticide wastes are toxic. Improper disposal of excess pesticide is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact the provincial regulatory agency or the manufacturer.

DISPOSAL

Recyclable Containers:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

Returnable Containers:

Do not reuse this container for any purpose. For disposal, this empty container may be returned to the point of purchase (distributor/dealer).

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

GENERAL INFORMATION

Golden Eagle Turf Fungicide is a systemic, protectant and curative fungicide recommended for the control of specific diseases mentioned on this label. Optimum disease control is achieved when the fungicide is applied in a regularly scheduled preventive program. When disease pressure is high or when used as a curative treatment, use the higher rate of Golden Eagle Turf Fungicide.

GENERAL USE PRECAUTIONS

- **DO NOT APPLY BY AIR - GROUND APPLICATION ONLY.**
- Do not graze livestock on treated area. Do not feed clippings from treated areas to livestock or poultry.
- To avoid product pick-up, lightly irrigate treated areas soon after application.
- On short cut bentgrass (12 millimetres or less) when temperatures are above 27 degrees Celsius, apply only to dry foliage.

Use Rate Determination

Carefully read, understand, and follow label use rates and restrictions. For proper application, determine the size of the area to be treated and the recommended label use rate to be applied to the area. Careful calibration of application equipment is recommended prior to use.

DIRECTIONS FOR USE

Golden Eagle Turf Fungicide should be used in conjunction with turf management practices that promote good plant health and optimum disease control. The key to selecting a fungicide is the proper diagnosis of the organism causing the disease. Diagnostic kits, extension experts, or other identification methods should be used when developing disease control strategies. Optimum disease control is achieved when Golden Eagle Turf Fungicide is applied in a preventative disease control program.

As this product is not registered for the control of pests in aquatic systems, **DO NOT** use to control aquatic pests. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. **DO NOT** apply by air.

READ ALL DIRECTIONS CAREFULLY BEFORE APPLYING. FAILURE TO FOLLOW LABEL INSTRUCTIONS MAY RESULT IN ERRATIC FUNGICIDE CONTROL OR CROP DAMAGE.

Application Directions

Optimum disease control is achieved when Golden Eagle is applied in a preventative disease control program at a rate specified below. Apply with calibrated equipment to ensure thorough coverage.

Apply with drop or rotary spreaders designed to apply granules. Before each application, calibrate the spreader to deliver the recommended application rate. A more uniform application can be made by spreading half of the required amount over the area in a given direction and then applying the remaining half at a right angle to the previous direction. Avoid streaking, skip or overlaps during application. Check equipment frequently to ensure equipment is functioning properly and applying uniform distribution of granules.

DOLLAR SPOT

For the control of Dollar Spot, apply 1.5 to 1.87 kilograms of Golden Eagle Turf Fungicide per 100 square metres. Start applications before or immediately after the first signs or symptoms of disease development. Best disease control is achieved when the Golden Eagle Turf Fungicide is applied on a 14 day protectant schedule. Do not apply more than 2 applications per year.

Under optimum conditions for severe disease development, apply Golden Eagle Turf Fungicide at the rate of 1.87 kilograms per 100 square metres rate.

Rotate the use of Golden Eagle Turf Fungicide with a fungicide with a different mode of action.

RESISTANCE MANAGEMENT RECOMMENDATIONS

For resistance management, please note that Golden Eagle Turf Fungicide contains a Group 3 fungicide. Any fungal population may contain individuals naturally resistant to Golden Eagle Turf Fungicide and other Group 3 fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay fungicide resistance:

- Where possible, rotate the use of Golden Eagle Turf Fungicide or other Group 3 fungicides with different groups that control the same pathogens.
- Use tank mixtures with fungicides from a different group when such use is permitted.
- Fungicide use should be based on an IPM program that includes scouting, historical information related to pesticide use and crop rotation and considers cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different target site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.
- For further information and to report suspected resistance, contact Dow AgroSciences Canada Inc. at 1-800-667-3852 or at www.dowagro.ca.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.