


# Material Safety Data Sheet

NFPA	HMIS	WHMIS	TDG	DOT								
	<table border="1"> <tr><td>Health</td><td>2</td></tr> <tr><td>Flammability</td><td>0</td></tr> <tr><td>Physical hazards</td><td>0</td></tr> <tr><td>Suggested PPE</td><td>E</td></tr> </table>	Health	2	Flammability	0	Physical hazards	0	Suggested PPE	E			
Health	2											
Flammability	0											
Physical hazards	0											
Suggested PPE	E											

## 1 . Product and Company Identification

<b>Product name</b>	Golden Eagle		
<b>Synonym</b>	Golden Eagle Fungicide	<b>MSDS prepared by the Environment, Health &amp; Safety Department on:</b>	12/19/2011.
<b>Material uses</b>	Pesticide	<b>Version</b>	1.01
<b>MSDS Number</b>	5170781	<b><u>In Case of Emergency</u></b>	
		<b>Transportation: 1-800-792-8311 Medical: 1-888-615-0015</b>	
<b>Manufacturer</b>	Agrium Advanced Technologies, Inc. 2915 Rocky Mountain Avenue, Suite 400 Loveland, CO. 80538	For more information on Agrium AT or our products, please go to: <a href="http://www.agriumat.com">http://www.agriumat.com</a> or contact us at Toll-Free:800-461-6471	

## 2 . Hazards Identification

<b>Physical state</b>	Solid.
<b>OSHA/HCS status</b>	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
<b>Emergency overview</b>	<p>WARNING!</p> <p>Severely irritating to eyes. Moderately irritating to the skin. Avoid exposure - obtain special instructions before use. Do not get in eyes. Avoid contact with skin and clothing. Contains material that may cause target organ damage, based on animal data. Contains material which may cause cancer, based on animal data. Risk of cancer depends on duration and level of exposure. Wash thoroughly after handling.</p>
<b><u>Potential acute health effects</u></b>	
<b>Inhalation</b>	May irritate the respiratory tract if inhaled.
<b>Ingestion</b>	May be harmful if swallowed.
<b>Skin</b>	Moderately irritating to the skin.
<b>Eyes</b>	Severely irritating to eyes. Risk of serious damage to eyes.
<b><u>Potential chronic health effects</u></b>	
<b>Chronic effects</b>	Contains material that may cause target organ damage, based on animal data.
<b>Carcinogenicity</b>	Contains material which may cause cancer, based on animal data. Risk of cancer depends on duration and level of exposure.
<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Teratogenicity</b>	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.

## 2 . Hazards Identification

<b>Fertility effects</b>	No known significant effects or critical hazards.
<b>Target organs</b>	Contains material which may cause damage to the following organs: lungs, upper respiratory tract, skin, eyes, stomach.
<b><u>Over-exposure signs/symptoms</u></b>	
<b>Inhalation</b>	No specific data.
<b>Ingestion</b>	No specific data.
<b>Skin</b>	Adverse symptoms may include the following: irritation redness
<b>Eyes</b>	Adverse symptoms may include the following: pain or irritation watering redness
<b>Medical conditions aggravated by over-exposure</b>	Pre-existing disorders involving any target organs mentioned in this MSDS as being at risk may be aggravated by over-exposure to this product.
See toxicological information (Section 11)	

## 3 . Composition / Information on Ingredients

### United States

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Cellulose	9004-34-6	6 - 30
kaolin	1332-58-7	6 - 30
Calcium carbonate	471-34-1	6 - 30
titanium dioxide	13463-67-7	6 - 30

### Canada

<u>Name</u>	<u>CAS number</u>	<u>%</u>
Cellulose	9004-34-6	6 - 30
kaolin	1332-58-7	6 - 30
Calcium carbonate	471-34-1	6 - 30
titanium dioxide	13463-67-7	6 - 30

### Mexico

<u>Name</u>	<u>CAS number</u>	<u>UN number</u>	<u>%</u>	<u>IDLH</u>	<u>Classification</u>			
					<u>H</u>	<u>F</u>	<u>R</u>	<u>Special</u>
Calcium carbonate	471-34-1	Not available.	6 - 30	-	2	0	0	
Cellulose	9004-34-6	Not available.	6 - 30	-	0	0	0	
kaolin	1332-58-7	Not available.	6 - 30	-	0	0	0	
titanium dioxide	13463-67-7	Not available.	6 - 30	5000 mg/m <sup>3</sup>	0	0	0	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## 4 . First Aid Measures

<b>Eye contact</b>	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
<b>Skin contact</b>	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Seek medical advice if irritation or symptoms persist.
<b>Inhalation</b>	If inhalation occurs, remove individual(s) to fresh air. Loosen restrictive clothing items if necessary. If individual has irregular or difficulty breathing or is under respiratory arrest seek medical attention immediately. If other conditions or symptoms develop contact a physician.
<b>Ingestion</b>	If ingestion occurs, rinse mouth with copious amounts of water. Do Not induce vomiting unless directed to do so by trained medical personnel. Do Not give anything by mouth to unconscious individuals. Seek immediate medical attention.
<b>Protection of first-aiders</b>	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.
<b>Notes to physician</b>	No specific treatment. Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

## 5 . Fire-fighting Measures

<b>Flammability of the product</b>	No specific fire or explosion hazard.
<b><u>Extinguishing media</u></b>	
<b>Suitable</b>	Use an extinguishing agent suitable for the surrounding fire.
<b>Not suitable</b>	None known.
<b>Special exposure hazards</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Hazardous thermal decomposition products</b>	Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6 . Accidental Release Measures

<b>Personal precautions</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment (see Section 8).
<b>Environmental precautions</b>	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
<b><u>Methods for cleaning up</u></b>	

## 6 . Accidental Release Measures

<b>Small spill</b>	Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
<b>Large spill</b>	Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

## 7 . Handling and Storage

<b>Handling</b>	Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
<b>Storage</b>	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Keep out of reach of children.

## 8 . Exposure Controls / Personal Protection

### United States

Ingredient	Exposure limits
Cellulose	<b>ACGIH TLV (United States, 1/2008).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s).
kaolin	<b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust
Calcium carbonate	<b>ACGIH TLV (United States, 1/2008).</b> TWA: 2 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction <b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust
titanium dioxide	<b>OSHA PEL (United States, 11/2006).</b> TWA: 5 mg/m <sup>3</sup> 8 hour(s). Form: Respirable fraction TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust <b>ACGIH TLV (United States, 1/2008).</b> TWA: 10 mg/m <sup>3</sup> 8 hour(s). <b>OSHA PEL (United States, 11/2006).</b> TWA: 15 mg/m <sup>3</sup> 8 hour(s). Form: Total dust

### Canada

Occupational exposure limits		TWA (8 hours)			STEL (15 mins)			Ceiling			
Ingredient	List name	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	ppm	mg/m <sup>3</sup>	Other	Notations

## 8 . Exposure Controls / Personal Protection

kaolin	US ACGIH 1/2008	-	-	2	-	-	-	-	-	-	[a]
	AB 6/2008	-	-	2	-	-	-	-	-	-	[b]
	BC 6/2008	-	-	2	-	-	-	-	-	-	[c]
titanium dioxide	ON 6/2008	-	-	2	-	-	-	-	-	-	[d]
	QC 6/2008	-	-	5	-	-	-	-	-	-	[e]
	US ACGIH 1/2008	-	-	10	-	-	-	-	-	-	
	AB 6/2008	-	-	10	-	-	-	-	-	-	
	BC 6/2008	-	-	3	-	-	-	-	-	-	[f]
		-	-	10	-	-	-	-	-	-	[g]
Cellulose	ON 6/2008	-	-	10	-	-	-	-	-	-	[h]
	QC 6/2008	-	-	10	-	-	-	-	-	-	[i]
	US ACGIH 1/2008	-	-	10	-	-	-	-	-	-	
Calcium carbonate	AB 6/2008	-	-	10	-	-	-	-	-	-	
	BC 6/2008	-	-	3	-	-	-	-	-	-	[f]
		-	-	10	-	-	-	-	-	-	[g]
	ON 6/2008	-	-	10	-	-	-	-	-	-	[h]
	QC 6/2008	-	-	10	-	-	-	-	-	-	[i]
	AB 4/2009	-	-	10	-	-	-	-	-	-	[3]
	QC 6/2008	-	-	10	-	-	-	-	-	[i]	

[3]Skin sensitization

**Form:** [a]Respirable fraction [b]Respirable particulate [c]Respirable [d]The notation "respirable" following the name of an agent in this Schedule means that size fraction of the airborne particulate deposited in the gas-exchange region of the respiratory tract and collected during air sampling with a particle size-selective device that, (a) meets the American Conference of Governmental Industrial Hygienists (ACGIH) particle size-selective criteria; and (b) has the cut point of 4 microns at 50 per cent collective efficiency. [e]Respirable dust. [f]Respirable dust [g]Total dust [h]total dust [i]Total dust.

### Mexico

Ingredient	Exposure limits
Cellulose	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 10 mg/m <sup>3</sup> 8 hour(s). LMPE-CT: 20 mg/m <sup>3</sup> 15 minute(s).
kaolin	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 10 mg/m <sup>3</sup> 8 hour(s). LMPE-CT: 20 mg/m <sup>3</sup> 15 minute(s).
titanium dioxide	<b>NOM-010-STPS (Mexico, 9/2000).</b> LMPE-PPT: 10 mg/m <sup>3</sup> , (as Ti) 8 hour(s). LMPE-CT: 20 mg/m <sup>3</sup> , (as Ti) 15 minute(s).

### Consult local authorities for acceptable exposure limits.

<b>Recommended monitoring procedures</b>	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
<b>Engineering measures</b>	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
<b>Hygiene measures</b>	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### Personal protection

<b>Respiratory</b>	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
<b>Hands</b>	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this

## 8 . Exposure Controls / Personal Protection

**Eyes** Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

**Skin** Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Personal protective equipment (Pictograms)**



**Environmental exposure controls**

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9 . Physical and Chemical Properties

**Physical state** Solid.  
**VOC** 0.55 % (w/w)

## 10 . Stability and Reactivity

**Chemical stability** The product is stable.

**Possibility of hazardous reactions** Under normal conditions of storage and use, hazardous reactions will not occur.

**Hazardous polymerization** Under normal conditions of storage and use, hazardous polymerization will not occur.

**Conditions to avoid** No specific data.

**Materials to avoid** No specific data.

**Hazardous decomposition products** Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11 . Toxicological Information

### United States

### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Cellulose	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Intraperitoneal	Rat	>31600 mg/kg	-
	LD50 Oral	Rat	>5 g/kg	-
	TDLo Oral	Rat	120 g/kg	-
	LC50 Inhalation Vapor	Rat	>5800 mg/m3	4 hours
	Calcium carbonate	LD50 Oral	Rat	6450 mg/kg
TDLo Oral		Rat	60 g/kg	-
TDLo Oral		Rat	10 mg/kg	-
titanium dioxide	LD Intratracheal	Rat	>100 µg/kg	-

**11. Toxicological Information**

titanium dioxide	LD Intratracheal	Rat	>100 ug/kg	-
	TDLo	Rat	5 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.6 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.25 mg/kg	-
	Intratracheal			
	TDLo Oral	Rat	60 g/kg	-

Product/ingredient name	Result	Species	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

**Classification**

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
kaolin	A4	-	-	-	-	-
titanium dioxide	A4	2B	-	-	-	-

**Canada****Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
titanium dioxide	LD Intratracheal	Rat	>100 ug/kg	-
	TDLo	Rat	5 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.6 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.25 mg/kg	-
	Intratracheal			
Cellulose	TDLo Oral	Rat	60 g/kg	-
	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50	Rat	>31600 mg/kg	-
	Intraperitoneal			
	LD50 Oral	Rat	>5 g/kg	-
	TDLo Oral	Rat	120 g/kg	-
	LC50 Inhalation	Rat	>5800 mg/m3	4 hours
Calcium carbonate	Vapor			
	LD50 Oral	Rat	6450 mg/kg	-
	TDLo Oral	Rat	60 g/kg	-
	TDLo Oral	Rat	10 mg/kg	-

Product/ingredient name	Result	Species	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

## 11. Toxicological Information

### Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
kaolin	A4	-	-	-	-	-
titanium dioxide	A4	2B	-	-	-	-

### Mexico

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Calcium carbonate	LD50 Oral	Rat	6450 mg/kg	-
	TDLo Oral	Rat	60 g/kg	-
	TDLo Oral	Rat	10 mg/kg	-
Cellulose	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50	Rat	>31600 mg/kg	-
	Intraperitoneal			
	LD50 Oral	Rat	>5 g/kg	-
titanium dioxide	TDLo Oral	Rat	120 g/kg	-
	LC50 Inhalation	Rat	>5800 mg/m3	4 hours
	Vapor			
	LD Intratracheal	Rat	>100 ug/kg	-
	TDLo	Rat	5 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.6 mg/kg	-
	Intratracheal			
	TDLo	Rat	1.25 mg/kg	-
	Intratracheal			
	TDLo Oral	Rat	60 g/kg	-

Product/ingredient name	Result	Score	Score	Exposure	Observation
Calcium carbonate	Eyes - Severe irritant	Rabbit	-	-	-
	Skin - Moderate irritant	Rabbit	-	-	-

### Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
kaolin	A4	-	-	-	-	-
titanium dioxide	A4	2B	-	-	-	-

## 12 . Ecological Information

**Environmental effects** No known significant effects or critical hazards.

### United States

#### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Calcium carbonate	-	Acute LC50 >56000000 ug/L Fresh water	Fish - Western mosquitofish - Gambusia affinis - Adult	96 hours
titanium dioxide	-	Acute LC50 5.5 ppm Fresh water	Daphnia - Water flea - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 >1000000 ug/L Marine water	Fish - Mummichog - Fundulus heteroclitus	96 hours

### Canada

#### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
titanium dioxide	-	Acute LC50 5.5 ppm Fresh water	Daphnia - Water flea - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50 >1000000 ug/L Marine water	Fish - Mummichog - Fundulus heteroclitus	96 hours
Calcium carbonate	-	Acute LC50 >56000000 ug/L Fresh water	Fish - Western mosquitofish - Gambusia affinis - Adult	96 hours

### Mexico

#### Aquatic ecotoxicity

Product/ingredient name	Test	Result	Species	Exposure
Calcium carbonate	-	Acute LC50 >56000000 ug/L Fresh water	Fish - Western mosquitofish - Gambusia affinis - Adult	96 hours
titanium dioxide	-	Acute LC50 5.5 ppm Fresh water	Daphnia - Water flea - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling) - <24 hours	48 hours
	-	Acute LC50	Fish -	96 hours

## 12 . Ecological Information

>1000000 ug/L  
Marine water Mummichog -  
Fundulus  
heteroclitus

## 13 . Disposal Considerations

### Waste disposal

The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

## 14 . Transport Information

Regulatory information	UN number	Shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
TDG Classification	Not regulated.	-	-	-		-
Mexico Classification	Not regulated.	-	-	-		-

PG\* : Packing group

## 15 . Regulatory Information

### United States

#### HCS Classification

Irritating material  
Carcinogen  
Target organ effects

#### U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined  
United States inventory (TSCA 8b): Not determined.

## 15 . Regulatory Information

**SARA 302/304/311/312 extremely hazardous substances:** No products were found.  
**SARA 302/304 emergency planning and notification:** No products were found.  
**SARA 302/304/311/312 hazardous chemicals:** kaolin; Calcium carbonate; titanium dioxide  
**SARA 311/312 MSDS distribution - chemical inventory - hazard identification:**  
kaolin: Delayed (chronic) health hazard; Calcium carbonate: Immediate (acute) health hazard; titanium dioxide: Immediate (acute) health hazard

**Clean Air Act (CAA) 112 accidental release prevention:** No products were found.

**Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)** Not listed

**Clean Air Act Section 602 Class I Substances** Not listed

**Clean Air Act Section 602 Class II Substances** Not listed

**DEA List I Chemicals (Precursor Chemicals)** Not listed

**DEA List II Chemicals (Essential Chemicals)** Not listed

### State regulations

**Connecticut Carcinogen Reporting:** None of the components are listed.  
**Connecticut Hazardous Material Survey:** None of the components are listed.  
**Florida substances:** None of the components are listed.  
**Illinois Chemical Safety Act:** None of the components are listed.  
**Illinois Toxic Substances Disclosure to Employee Act:** None of the components are listed.  
**Louisiana Reporting:** None of the components are listed.  
**Louisiana Spill:** None of the components are listed.  
**Massachusetts Spill:** None of the components are listed.  
**Massachusetts Substances:** The following components are listed: CELLULOSE; TITANIUM DIOXIDE  
**Michigan Critical Material:** None of the components are listed.  
**Minnesota Hazardous Substances:** None of the components are listed.  
**New Jersey Hazardous Substances:** The following components are listed: TITANIUM DIOXIDE  
**New Jersey Spill:** None of the components are listed.  
**New Jersey Toxic Catastrophe Prevention Act:** None of the components are listed.  
**New York Acutely Hazardous Substances:** None of the components are listed.  
**New York Toxic Chemical Release Reporting:** None of the components are listed.  
**Pennsylvania RTK Hazardous Substances:** The following components are listed: CELLULOSE; KAOLIN; TITANIUM OXIDE (TiO<sub>2</sub>); PROPANOL, OXYBIS-  
**Rhode Island Hazardous Substances:** None of the components are listed.

### California Prop. 65

**WARNING:** This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

<u>Ingredient name</u>	<u>Cancer</u>	<u>Reproductive</u>	<u>No significant risk level</u>	<u>Maximum acceptable dosage level</u>
myclobutanil (ISO)	No.	Yes.	No.	<u>level</u>

**United States inventory (TSCA 8b)** Not determined.

## 15 . Regulatory Information

### Canada

**WHMIS (Canada)** Class D-2A: Material causing other toxic effects (Very toxic).

#### Canadian lists

**CEPA Toxic substances:** None of the components are listed.

**Canadian ARET:** None of the components are listed.

**Canadian NPRI:** None of the components are listed.

**Alberta Designated Substances:** None of the components are listed.

**Ontario Designated Substances:** None of the components are listed.


**Quebec Designated Substances:** None of the components are listed.

**Canada inventory** Not determined.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

### Mexico

#### Classification



### EU regulations

#### Risk phrases

This product is not classified according to EU legislation.

### International regulations

#### International lists

**Australia inventory (AICS):** Not determined.

**China inventory (IECSC):** All components are listed or exempted.

**Japan inventory:** Not determined.

**Korea inventory:** All components are listed or exempted.

**New Zealand Inventory of Chemicals (NZIoC):** All components are listed or exempted.

**Philippines inventory (PICCS):** Not determined.

#### Chemical Weapons Convention List Schedule I Chemicals

Not listed

#### Chemical Weapons Convention List Schedule II Chemicals

Not listed

#### Chemical Weapons Convention List Schedule III Chemicals

Not listed

## 16 . Other information

### Label requirements

#### Hazardous Material Information System (U.S.A.)


Health	2
Flammability	0
Physical hazards	0

## 16 . Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material. Suggested protective clothing might not be adequate. Consult a specialist before handling this product.

National Fire Protection  
Association (U.S.A.)



Date of issue 12/19/2011.

Version 1.01

▣ Indicates information that has changed from previously issued version.

### Notice to Reader:

The buyer assumes all risk in connection with the use of this material. The buyer assumes all responsibility for ensuring this material is used in a safe manner in compliance with applicable environmental, health and safety laws, policies and guidelines. Agrium Inc. assumes no responsibility or liability for the information supplied on this sheet, including any damages or injury caused thereby. Agrium Inc. does not warrant the fitness of this material for any particular use and assumes no responsibility for injury or damage caused directly or indirectly by or related to the use of the material. The information contained in this sheet is developed from what Agrium Inc. believes to be accurate and reliable sources, and is based on the opinions and facts available on the date of preparation.