

4-8544



DSB™

20-3-19

Turf Fertilizer plus Fungicide
with 1.75% Thiophanate-methyl

Small Particle Size

- Contains thiophanate-methyl, a root-absorbed systemic fungicide.
- Prevents dollar spot, brown patch and pink snow mold.
- Provides slow-release nitrogen feeding.
- For use on bentgrass, bluegrass, *Poa annua* or mixtures where these grasses predominate.

GENERAL INFORMATION

Bulk Density:	27 lb/cu. ft.
Net Weight:	17.6 kg (38.7 lb)
Coverage:	2,044 m ² (22,000 sq. ft.)

PRODUCT SPECIFICATIONS

ANALYSIS 20-3-19

N	20%	A minimum of 97% of the total nitrogen is derived from urea and methylene ureas. The remaining 3% is from monoammonium phosphate.
P	3%	Monoammonium Phosphate.
K	19%	Potassium Sulphate.
S	7.1%	Potassium Sulphate.
-	1.75%	Thiophanate-Methyl.

20-3-19 DSB™ Turf Fertilizer plus Fungicide

4-8544

DSB™ 20-3-19**Turf Fertilizer plus Fungicide****with 1.75% Thiophanate-methyl****REGISTRATION NUMBER 990043C FERTILIZERS ACT**

FOR PROFESSIONAL USE ONLY.
KEEP OUT OF REACH OF CHILDREN.
READ THE LABEL BEFORE USING.

GUARANTEED MINIMUM ANALYSIS:

Total nitrogen (N)	20%
3.1% total nitrogen is water-insoluble nitrogen	
5.5% total nitrogen from methylene diurea	
1.4% total nitrogen from dimethylene triurea	
Available phosphate (P ₂ O ₅)	3%
Soluble potash (K ₂ O)	19%
Sulphur (S)	7.1%
Thiophanate-methyl (actual)	1.75%

DIRECTIONS FOR USE:

To be used as part of a complete fertilizer program. For use on turfgrass areas consisting of bentgrass, bluegrass, *Poa annua* or mixtures where these grasses predominate.

PREVENTS THESE TURFGRASS DISEASES:

PINK SNOW MOLD (*Fusarium nivale*), **DOLLAR SPOT** and **BROWN PATCH**. Apply to moist or dry foliage. For prevention of pink snow mold (*Fusarium nivale*), dollar spot** and brown patch (light to moderate activity), apply at the **RECOMMENDED RATE** (0.86 kg per 100 m²) when disease activity is expected or noted. Repeat at 2-3 week intervals throughout the disease period.

To control brown patch infestations, use a non-fertilizer fungicide. Follow the **RECOMMENDED RATE** of either product once the disease is controlled.

**If dollar spot control is not effective following the use of this product as recommended, a thiophanate-methyl or benomyl tolerant strain of fungi may be present. Consideration should be given to prompt use of other suitable ProTurf® fungicides.

PRECAUTIONS:

Harmful if swallowed or inhaled. Avoid contact with eyes, skin or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling. Wash contaminated clothes before reuse. Do not contaminate food or feed. Do not contaminate domestic or irrigation water supplies, lakes, streams and ponds. Never reuse containers. May cause skin sensitization reaction in certain individuals. Store in its original container tightly closed and away from children and pets.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage, disposal or cleaning of equipment. Open dumping is prohibited.

Dispose of pesticide container in accordance with provincial requirements. For information on the disposal of unused, unwanted product, and the cleanup of spills, contact the regional office of Environmental Protection, Environment Canada.

FIRST AID:

IF SPILLED ON SKIN: Wash off immediately with soap and water.

IF IN EYES: Flush with plenty of water for at least 15 minutes and get medical attention or contact poison control centre.

IF SWALLOWED: Induce vomiting with salt, soap or mustard in warm water. Get medical attention or contact poison control centre immediately. Never give anything by mouth to an unconscious or convulsing person.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label and, subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

DSB is a trademark of the Scotts Company and refers to a fungicide product that prevents dollar spot, snow mold and brown patch.

SUGGESTED SPREADER SETTINGS

To provide proper distribution, calibrate spreader before application.
 17.6 kg treats 2,044 m² at the **RECOMMENDED RATE**

Spreader	Ground Speed	Width of Coverage	Recommended Rate
ProTurf® Drop	5 km/hr	Overlap Wheels	5 ¼
ProTurf® Rotaries R-7, R-7X	5 km/hr	2.4 m	C ½
R-8 (Cone 8)	5 km/hr	2.4 m	I
Lely Models WTR, WFR, and HR, PTO at 450 rpm	7 km/hr	7.2 m	3 ½ III



Always refer to the actual product label for complete directions and precautions.

ProTurf® is a registered trademark and DSB is a trademark, used under licence from The Scotts Company. Nu-Gro IP Inc., 10 Craig Street, Brantford, Ontario N3R 7J1

SEPTEMBER, 2001