

Material Safety Data Sheet

Quicksilver® T&O Herbicide

SDS #: 6200-A
Revision Date: 2012-01-06
Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 and Canada's Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Quicksilver® T&O Herbicide
Active Ingredient(s)	Carfentrazone-ethyl
Synonyms	FMC 116426; ethyl (RS)-2-chloro-3-[2-chloro-5-(4-difluoromethyl-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl)-4-fluorophenyl] propionate; ethyl α ,2-dichloro-5-[4-(difluoromethyl)-4,5-dihydro-3-methyl-5-oxo-1H-1,2,4-triazol-1-yl]-4-fluorobenzenepropanoate
Chemical Family	Triazolinones
Recommended use	Herbicide
Manufacturer FMC Corporation Agricultural Products Group 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com	Emergency telephone number Medical Emergencies: (800) 331-3148 (U.S.A. & Canada) +1 (651) 632-6793 (All Other Countries - Collect) For leak, fire, spill or accident emergencies, call: +1 800.424.9300 (CHEMTREC - U.S.A.) +1 703.527.3887 (CHEMTREC - Collect - All Other Countries)

2. Hazards identification

Appearance	liquid off-white
Physical state	liquid
Odor	Solvent
Potential health effects	
Principle Routes of Exposure	Eye contact, Skin contact, Inhalation, Ingestion.
Acute effects	
Eyes	May cause slight irritation.
Skin	Substance may cause slight skin irritation.
Inhalation	May cause irritation of respiratory tract. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination.
Ingestion	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. May cause central nervous system depression. May cause additional effects as listed under "Inhalation".
Chronic effects	Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage. Naphthalene causes cataracts in humans, rats, rabbits and mice. It has been classified as potential carcinogen based on animal data.

3. Composition/information on ingredients**Hazardous ingredients**

Chemical Name	CAS-No	Weight %
Naphtha (petroleum), heavy aromatic	64742-94-5	20-30
Carfentrazone-ethyl	128639-02-1	21.3
2-Methylnaphthalene	91-57-6	5-10
Propylene glycol	57-55-6	1-5
Xylenes	1330-20-7	1-5
Naphthalene	91-20-3	1-5
1-Methylnaphthalene	90-12-0	1-5

4. First aid measures

Eye contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Inhalation	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
Notes to physician	Treatment is symptomatic and supportive. Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

5. Fire-fighting measures

Flash Point	104 °C / 219 °F
Sensitivity to Mechanical Impact	not applicable
Sensitivity to Static Discharge	not applicable
Suitable extinguishing media	Carbon dioxide (CO ₂), Foam, Dry powder, Water spray.
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

NFPA

Health Hazard	0
Flammability	1
Stability	0
Special Hazards	-

6. Accidental release measures

Personal precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Environmental precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.

Methods for containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. Handling and storage

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container only.

8. Exposure controls/personal protection

Exposure guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene 91-57-6	S* TWA: 0.5 ppm			
Xylenes 1330-20-7	STEL: 150 ppm TWA: 100 ppm	TWA: 100 ppm TWA: 435 mg/m ³		Mexico: TWA 100 ppm Mexico: TWA 435 mg/m ³ Mexico: STEL 150 ppm Mexico: STEL 655 mg/m ³
Naphthalene 91-20-3	S* STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm TWA: 50 mg/m ³	IDLH: 250 ppm TWA: 10 ppm TWA: 50 mg/m ³ STEL: 15 ppm STEL: 75 mg/m ³	Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³
1-Methylnaphthalene 90-12-0	S* TWA: 0.5 ppm			

Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
2-Methylnaphthalene 91-57-6	TWA: 0.5 ppm Skin		TWA: 0.5 ppm Skin	
Propylene glycol 57-55-6			TWA: 10 mg/m ³ TWA: 50 ppm TWA: 155 mg/m ³	
Xylenes 1330-20-7	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm TWA: 434 mg/m ³ STEL: 150 ppm STEL: 651 mg/m ³	TWA: 100 ppm STEL: 150 ppm	TWA: 100 ppm TWA: 434 mg/m ³ STEL: 150 ppm STEL: 651 mg/m ³
Naphthalene 91-20-3	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³	TWA: 10 ppm STEL: 15 ppm Skin	TWA: 10 ppm TWA: 52 mg/m ³ STEL: 15 ppm STEL: 79 mg/m ³ Skin
1-Methylnaphthalene 90-12-0	TWA: 0.5 ppm Skin		TWA: 0.5 ppm Skin	

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment

General Information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.
Respiratory protection	For dust, splash, mist or spray exposures wear a filtering mask.
Eye/face protection	For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.
Skin and body protection	Wear long-sleeved shirt, long pants, socks, shoes, and gloves.
Hand protection	Protective gloves
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

9. Physical and chemical properties

Appearance	liquid off-white
Color	off-white
Physical state	liquid
Odor	Solvent
pH	4.29
Melting Point/Range	No information available.
Freezing point	No information available
Boiling Point/Range	not applicable
Flash Point	104 °C / 219 °F
Evaporation rate	not applicable
Autoignition Temperature	not applicable
Vapor pressure	No information available
Vapor density	No information available
Density	8.80 lb/gal
Water solubility	No information available
Percent volatile	No information available
Partition coefficient:	not applicable
Viscosity	No information available
Oxidizing properties	not applicable

10. Stability and reactivity

Stability	Stable under recommended storage conditions.
Conditions to avoid	Heat, flames and sparks
Hazardous decomposition products	Carbon oxides, Hydrogen chloride, Hydrogen fluoride, nitrogen oxides (NOx).
Hazardous polymerization	Hazardous polymerization does not occur

11. Toxicological information

Acute Toxicity

Signs of toxicity in laboratory animals included mydriasis, cyanosis, ataxia, dyspnea, lacrimation, and diarrhea.

Eye contact May cause slight irritation.

Skin contact May cause slight irritation.

Ingestion Potential for aspiration if swallowed. Vomiting after ingestion of this product may cause aspiration of aromatic hydrocarbons into the lungs, which may result in fatal pulmonary edema. Naphthalene, if ingested, may cause red blood cell hemolysis, especially in individuals with glucose-6-phosphate dehydrogenase deficiency.

Inhalation Inhalation of aromatic hydrocarbon vapors may cause dizziness, disturbances in vision, drowsiness, respiratory irritation, and eye, skin and mucous membrane irritation.

LD50 Dermal Similar formulation: > 4000 mg/kg (rat)

LD50 Oral Similar formulation: 4077 mg/kg (rat)

LC50 Inhalation: Similar formulation: > 6.31 mg/L (4-hr) (rat)

Sensitization Based on a similar formulation, this product is not expected to produce skin sensitization.

Chronic Toxicity - Other Ingredient(s)

Chronic Toxicity Effects are expected to be similar to those that are seen with acute toxicity. Chronic exposure to aromatic hydrocarbons may cause headaches, dizziness, loss of sensations or feelings (such as numbness), and liver and kidney damage. Naphthalene causes cataracts in humans, rats, rabbits and mice. It has been classified as potential carcinogen based on animal data.

Carcinogenicity Carfentrazone-ethyl: Did not show carcinogenic effects in animal experiments. Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH). There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP)

Mutagenicity Carfentrazone-ethyl: Not genotoxic.

Reproductive toxicity Carfentrazone-ethyl: No toxicity to reproduction.

Developmental Toxicity Carfentrazone-ethyl: Not teratogenic in animal studies.

Target Organ Effects Carfentrazone-ethyl: Red blood cell reduction can occur due to hemoglobin biosynthesis inhibition. Accumulation of precursors of hemoglobin may lead to secondary toxicity to liver and other organs.

Chemical Name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Naphthalene		2B	Reasonably Anticipated	X	eyes,blood,liver,kidneys,skin,CNS

Legend:

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

12. Ecological information

Ecotoxicity

Carfentrazone-ethyl (128639-02-1)

Active Ingredient(s)	Duration	Species	Value	Units
Carfentrazone-ethyl	120 h LC50	Algae	5.7 - 17	µg/L
	96 h LC50	Fish	1.6 - 2.0	mg/L
	48 h LC50	Daphnia	>9.8	mg/L

	LD50 Oral	Bobwhite quail	>2250	mg/kg
--	-----------	----------------	-------	-------

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
Naphtha (petroleum), heavy aromatic	2.5 mg/L EC50 72 h (Skeletonema costatum)	LC50 19 mg/L Pimephales promelas 96 h LC50 2.34 mg/L Oncorhynchus mykiss 96 h LC50 1740 mg/L Lepomis macrochirus 96 h LC50 45 mg/L Pimephales promelas 96 h LC50 41 mg/L Pimephales promelas 96 h		EC50 0.95 mg/L 48 h
Propylene glycol	19000 mg/L EC50 96 h (Pseudokirchneriella subcapitata)	LC50 51600 mg/L Oncorhynchus mykiss 96 h LC50 41 - 47 mL/L Oncorhynchus mykiss 96 h LC50 51400 mg/L Pimephales promelas 96 h LC50 710 mg/L Pimephales promelas 96 h		EC50 > >10000 mg/L 24 h EC50 > >1000 mg/L 48 h
Xylenes		LC50 13.4 mg/L Pimephales promelas 96 h LC50 2.661-4.093 mg/L Oncorhynchus mykiss 96 h LC50 13.5-17.3 mg/L Oncorhynchus mykiss 96 h LC50 13.1-16.5 mg/L Lepomis macrochirus 96 h LC50 19 mg/L Lepomis macrochirus 96 h LC50 7.711-9.591 mg/L Lepomis macrochirus 96 h LC50 23.53-29.97 mg/L Pimephales promelas 96 h LC50 780 mg/L Cyprinus carpio 96 h LC50 > >780 mg/L Cyprinus carpio 96 h LC50 30.26-40.75 mg/L Poecilia reticulata 96 h		EC50 3.82 mg/L 48 h LC50 0.6 mg/L 48 h
Naphthalene	0.4 mg/L EC50 72 h (Skeletonema costatum)	LC50 5.74-6.44 mg/L Pimephales promelas 96 h LC50 1.6 mg/L Oncorhynchus mykiss 96 h LC50 0.91-2.82 mg/L Oncorhynchus mykiss 96 h LC50 1.99 mg/L Pimephales promelas 96 h LC50 31.0265 mg/L Lepomis macrochirus 96 h		LC50 2.16 mg/L 48 h EC50 1.96 mg/L 48 h EC50 1.09 - 3.4 mg/L 48 h

Environmental Fate

Carfentrazone-ethyl (128639-02-1)

Active Ingredient(s)	Type of Test	Result
Carfentrazone-ethyl	Bioconcentration factor (BCF), Rainbow trout	159
	Half-life in soil	<1.5 days
	log Pow	3.3
	Mobility in soil	Not expected to reach groundwater
	Stability in water	Hydrolysis unstable at pH 5 to 9.

Chemical Name	log Pow
Naphtha (petroleum), heavy aromatic	2.9 - 6.1
2-Methylnaphthalene	3.86
Xylenes	2.77 - 3.15
Naphthalene	3.3

13. Disposal considerations

Waste disposal methods	Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.
Contaminated packaging	Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. Transport information

DOT	This material is not a hazardous material as defined by U.S. Department of Transportation at 49 CFR Parts 100 through 185.
Packaging Type	Bulk, Non-Bulk
TDG	
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.*
Hazard Class	9
UN/ID No	UN3082
Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.* (Carfentrazone-ethyl, Naphthalene), 9, PG III
ICAO/IATA	
UN/ID No	UN3082
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Hazard Class	9
Packing group	III
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Carfentrazone-ethyl, Naphthalene), 9, PG III
IMDG/IMO	
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.*
Hazard Class	9
UN/ID No	UN3082
Packing group	III
EmS No.	F-A, S-F
Description	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.* (Carfentrazone-ethyl, Naphthalene), 9, PG III

15. Regulatory information**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Xylenes	1330-20-7	1-5	1.0
Naphthalene	91-20-3	1-5	0.1

SARA 311/312 Hazard Categories

Acute Health Hazard	no
Chronic Health Hazard	Yes
Fire Hazard	no

Sudden Release of Pressure Hazard no
 Reactive Hazard no

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Xylenes	100 lb	
Naphthalene	100 lb	

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 4 - Chemical Test Rules (40 CFR 799)	U.S. - TSCA (Toxic Substances Control Act) - Section 5(a)(2) - Chemicals with Significant New Use Rules (SNURs)
Naphthalene	40 CFR 799.5115	

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 8(a) - Chemical-Specific Reporting and Recordkeeping
Naphtha (petroleum), heavy aromatic	Partially exempt chemical substance termed Petroleum Process Stream
Naphthalene	PAIR: 08/04/1995

Chemical Name	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Naphthalene	06/01/1987

International Regulations

Mexico - Grade

No known effect based on information supplied.

Chemical Name	Carcinogen Status	Mexico
Xylenes		Mexico: TWA 100 ppm Mexico: TWA 435 mg/m ³ Mexico: STEL 150 ppm Mexico: STEL 655 mg/m ³
Naphthalene		Mexico: TWA 10 ppm Mexico: TWA 50 mg/m ³ Mexico: STEL 15 ppm Mexico: STEL 75 mg/m ³

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

D2A Very toxic materials



16. Other information

Revision Date: 2012-01-06
 Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Quicksilver® T&O Herbicide

MSDS #: 6200-A

Revision Date: 2012-01-06

Version 1

Prepared By

FMC Corporation
FMC Logo - Trademark of FMC Corporation

© 2011 FMC Corporation. All Rights Reserved

End of Material Safety Data Sheet