

13-OCT-1998

TRUMPET INSECTICIDE 80WP

For use on commercial greenhouse floriculture
crops and interior plantscapes.

RESTRICTED

Not for sale to or use by homeowners

750 g

DANGER POISON

GUARANTEE:

Bendiocarb.....80%

REGISTRATION NO. 19864

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING.

MEASURING SCOOP INCLUDED

PLANT PRODUCTS CO. LTD.
314 Orenda Rd.
Brampton, Ontario
L6T 1G1

Manufactured by
AgrEvo Canada Inc.
Regina, Sask.
S4N 6C2

Trademark of Plantco Inc. Plant Products Co. Ltd is a
registered user of the trademark.

NOTICE TO USER: This product is to be used only in accordance
with the directions on this label. It is an offense under the
Pest Control Products Act to use a control product under unsafe
conditions.

NATURE OF RESTRICTION: This product is to be stored and

displayed apart from food or feed.

Important: Read the entire directions for use before using this product.

GENERAL INFORMATION: TRUMPET is a divided wettable powder insecticide which has given effective knockdown and residual control to those insects listed below.

TRUMPET does not damage paints, plastics, fabrics, or other surfaces where water alone causes no damage.

DIRECTIONS FOR USE: Use only according to label directions. Thoroughly wash out sprayer and strainer with water and detergent before using TRUMPET.

TRUMPET is intended for dilution with water for application with hand or power-operated sprayers. Do not use strainers finer than 50-mesh size. Fill spray tank with 3/4 of desired volume of water, add appropriate amount of product and then add the remaining quantity of water. Close and agitate before use to insure proper suspension. Reagitate sprayer before use if spraying is interrupted. Do not allow to stand overnight. If water pH is greater than 8, add a commercial buffering agent to adjust water pH to 7 or less. The activity of TRUMPET at pH 8 or greater may be reduced.

ORNAMENTAL PESTS: TRUMPET can be used to control specified pests on nonedible ornamental plants including but not limited to Ageratum, Asarina, Azalea, Begonia, Boxwood, Calendula, Celosia, Chrysanthemum, Daffodil, Dahlia, Dianthus, Euonymus, Ferns, Ficus, Fuchsia, Gazania, Geranium, Holly, Hydrangea, Hypoestes, Impatiens, Iris, Ivy, Kalandra, Lilac, Lily of the Valley, Marigold, Mimosa, Nasturtium, Nicotiana, Oleander, Pachysandra, Pansy, Petunia, Pyracantha, Rose, Salvia, Schefflera, Shasta daisy, Snapdragon, Spirea, Taxus, Verbena, Vinca, and Zinnia.

CAUTION: TRUMPET has demonstrated excellent plant safety, however, all species and varieties have not been tested. When treating large numbers of plants of a single variety, treat a few plants and observe prior to full-scale application. Do not use on Cardoon, Espiscia and Gloxinia since plant injury may occur. Do not drench soil unless specified.

Spray TRUMPET to point of runoff at the recommended rates in the table. Amount of water will vary depending upon stage of plant growth so use sufficient volumes to ensure complete coverage. Do not use this product with fogging machines.

PEST	AMOUNT OF TRUMPET PER 100 L OF WATER	DIRECTIONS FOR USE:
Foliar Treatment: Scales	75 grams (3 scoops)	For scale control, apply when crawlers begin to appear. Repeat applications at a two-week or more interval may be necessary when there is continuous crawler production.
Western flower thrips*, Onion thrips, Mealybug, Whitefly, Aphid	75-100 grams (3 to 4 scoops)	For Thrips control, apply when populations reach treatment levels. High populations may require two applications at 7 day intervals. For Mealybug, Whitefly and Aphid control, apply when insects reach treatment levels. A repeat application at a two-week interval may be necessary.
Soil treatment: Thrips, Fungus gnat	125 grams (5 scoops)	Apply as a coarse spray to the soil surface using 1100 L of water per hectare. Two applications 2-3 week intervals should be sufficient.

*Consult local greenhouse advisers for timing, identification of thrips species and information on rotation of chemicals to reduce resistance possibilities. The 70mL scoop holds 25 g of TRUMPET 80WP.

PRECAUTIONS: Harmful or fatal if swallowed. May be absorbed through the skin. Avoid contact with eyes, skin and clothing. If contact occurs, wash skin and clothing immediately with soap and warm water, and eyes with clean water.

Avoid breathing and working in spray mist or dust. Wear protective clothing, gloves and respirator when mixing and applying spray. Wash hands and exposed skin before eating, drinking or smoking and after spraying or handling. Wash all contaminated clothing thoroughly before re-use.

INTERIOR PLANTSCAPES: When used in public areas, use a coarse, low pressure spray. Apply only when there is no one but the properly outfitted applicator present (no business hours) and allow no one near the plants until the spray is completely dry. Application restricted to certified pesticide applicators. Do not use this product with fogging machines. Do not use in landscaped areas where food is prepared or served. Surfaces which may become contaminated and which could be contacted by people should be washed thoroughly prior to public access.

Re-entry Period: Allow 24 hours between application and reentry into treated areas. Workers, when working with treated foliage, should wear gloves. Do not treat within 14 days of harvest of floriculture crops.

Do not use on or contaminate fruit, vegetables or other feed or food crops. Do not store near feed or food product. This product is highly toxic to bees exposed to direct treatment or to residues on plants.

Do not contaminate domestic or animal water supplies while applying, when cleaning equipment or when disposing of surplus spray. Keep out of lawn and garden fish pools, lakes, streams or ponds.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container according to provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

FIRST AID: If swallowed, drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. If inhaled, keep patient strictly at rest and transfer to hospital immediately to get medical attention.

TOXICOLOGICAL INFORMATION: Contains anticholinesterase carbamate insecticide. In case of overexposure, atropine sulfate- 2mg (equivalent to 1/30 grain adult dose) should be given and repeated as necessary until fully atropinized.

NOTICE TO BUYER: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use of this product and accepts the product an that condition.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))