

| | | |
|-------|----|----------------------------|
| GROUP | 1A | INSECTICIDE/ NEMATICIDE |
|-------|----|----------------------------|

VYDATE® L INSECTICIDE/ NEMATICIDE

WATER SOLUBLE LIQUID

RESTRICTED

READ THE LABEL BEFORE USING

GUARANTEE: Oxamyl 240 g/L

REGISTRATION NO. 17995 PEST CONTROL PRODUCTS ACT

DO NOT APPLY BY AIR

KEEP OUT OF REACH OF CHILDREN
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
CONTAINS METHANOL
MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
MAY BE FATAL IF ABSORBED THROUGH SKIN OR INHALED.
DO NOT SUBJECT TO TEMPERATURES BELOW 0 °C.

DANGER (skull and
crossbones
symbol in
octagon) **POISON**

NET CONTENTS: 10 L

E.I. DU PONT CANADA COMPANY
AGRICULTURAL PRODUCTS
P.O. BOX 2300, STREETSVILLE
MISSISSAUGA, ONTARIO
L5M 2J4
1-800-667-3925

IF WARNING SYMPTOMS APPEAR (see WARNING SYMPTOMS on side panel), get medical attention.

See Side Panel for Precautionary Statements

<<SECONDARY DISPLAY PANEL>>

PRECAUTIONS:

- **KEEP OUT OF REACH OF CHILDREN**
- **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**
- DO NOT APPLY BY AIR
- HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
- CONTAINS METHANOL
- MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
- MAY BE FATAL IF ABSORBED THROUGH SKIN OR INHALED.
- DO NOT SUBJECT TO TEMPERATURES BELOW 0 °C
- When mixing spray, loading, applying or otherwise handling, wear:
 - Coveralls over short-sleeved shirt and short pants
 - Chemical resistant gloves such as barrier laminate, butyl rubber, neoprene rubber, polyvinylchloride (PVC), viton, or nitrile rubber
 - Chemical resistant footwear plus socks
 - Goggles (or preferably a full face shield)
 - Chemical resistant apron when cleaning equipment, mixing or loading

A NIOSH approved respirator with an organic vapour (OV) cartridge or canister with any R, P, or HE prefilter.

If handling more than 110 kg oxamyl/day, closed mixing/loading equipment (wearing coveralls and gloves) and closed cab ground application equipment must be used.

- Gloves should be washed with soap and water after use and replaced regularly.
- Wear clean clothes daily.
- Wash thoroughly after handling and before eating or smoking.
- Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift.
- Do not store near food or feed
- Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at www.croplife.ca.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION: This product is to be stored and displayed away from food and feed.

STORAGE:

Store product in original container only, away from fertilizer, food and feed. Not for use or storage in or around the home. Keep container closed.

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For medical emergencies call 1-800-441-3637 (24 hours).

TOXICOLOGICAL INFORMATION: ATROPINE IS AN ANTIDOTE--SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

Oxamyl is a carbamate, which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A lifethreatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

WARNING SYMPTOMS - Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

REPEATED INHALATION OR SKIN CONTACT WITH VYDATE L NEMATICIDE/ INSECTICIDE OR OTHER ORGANOPHOSPHATE AND CARBAMATE PESTICIDES MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

NOTE TO PHYSICIAN:

TREATMENT - Atropine sulphate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use 2-PAM for exposure to VYDATE L Nematicide/Insecticide alone. However, for exposure to combinations of VYDATE L Nematicide/ Insecticide and organophosphorous insecticides, 2-PAM may be used as required to supplement the atropine sulfate treatment. Do not use morphine.

DIRECTIONS FOR USE:

VYDATE L Nematicide/Insecticide should be used only in accordance with recommendations on this label or in separate DuPont recommendations available through local dealers.

PHYSICAL AND CHEMICAL HAZARDS:

Flammable. Keep away from heat, sparks, and open flame. Keep container closed. Use with adequate ventilation.

ENVIRONMENTAL HAZARDS:

TOXIC to bees, birds, mammals and aquatic organisms. Do not apply this product while bees are actively visiting the treatment area. Time applications to coincide with periods of minimum bee activity.

Do not apply directly to water.

Observe buffer zones specified under the DIRECTIONS FOR USE.

Avoid application of this product when heavy rain is forecast.

Do not apply where runoff is likely to occur. To reduce runoff from treated areas into aquatic habitats, include a vegetative strip between the treated area and the edge of the water body. Also, consider the characteristics and conditions of the site before treatment. Site characteristics and conditions that may lead to runoff include, but are not limited to: heavy rainfall, moderate to steep slope, bare soil, poorly draining soil (e.g. soils that are compacted or fine textured such as clay).

Do not apply when weather conditions favour drift from areas treated. Do not spray when wind speed exceeds 10 km/h.

Do not contaminate water by cleaning of equipment or disposal of wastes.

DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

SPRAY PREPARATION:

Fill spray tank 1/4 to 1/2 full of water. Add VYDATE L Nematicide/Insecticide directly to the tank. Add remaining water to mix thoroughly. No further agitation is necessary. Always wear gloves when handling containers or contaminated equipment.

NON-BEARING APPLE TREES

(Trees that will not bear fruit within 12 months after application)

NEMATODES: root-lesion nematodes. Liquid drench treatment:

Mix 1.25 litres of VYDATE L Nematicide/Insecticide per 1000 litres of water. Apply drench at a rate of 3.5 to 10 litres in a circle approximately 1 metre in diameter around the base of each tree, to cover the root zone.

Apply in spring just as active root and green leaf growth commences on young whips and non-bearing trees already established. Temperatures should be over 7°C. Do not apply to trees under water stress or if not actively growing. Do not dip nursery stock.

Liquid drench PLUS foliar treatment:

For best results apply a soil drench and one foliar spray at the high rate. Apply both treatments when growth commences.

Foliar treatment:

Mix 4.1 to 8.2 litres of VYDATE L Nematicide/ Insecticide L per 1000 litres of water and apply as a dilute spray. Spray to runoff. Do not apply more than 9.35 litres VYDATE L Nematicide/ Insecticide per hectare in one application. Apply first spray at first full leaf or when plants are in a period of active growth. Apply on a 2-3 week schedule for a total of three applications. Do not apply to plants under water stress or to plants not actively growing. This treatment will also control insect pests present at time of spraying. See next section for insects controlled.

INSECTS AND MITES:

(Green apple aphid, rosy apple aphid, leafhoppers, leaf rollers, tarnished plant bug, tentiform leafminers, apple rust mites, two spotted spider mites and European red mites)

Foliar treatment:

Mix 1.5 to 3 litres VYDATE L Nematicide/ Insecticide per 1000 litres of water and apply as a dilute spray. Spray to runoff but do not exceed 7.0 litres VYDATE L Nematicide/ Insecticide per hectare in one application. Apply as needed to maintain control.

Do not apply more than once every 14 days. Do not make more than 3 applications per year.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 1 day.

POTATOES

INSECTS:

(Colorado potato beetle, flea beetles, green peach aphid, potato aphid, potato leafhopper, tarnished plant bug)

Foliar treatment:

Apply 2.3 to 3 litres of VYDATE L Nematicide/ Insecticide per hectare in 300-900 L/ha spray solution. Apply sufficient volume of spray solution to thoroughly wet the foliage. Make applications when insects first appear and repeat weekly or as needed. Use the low rate for light infestations of insects. Use the higher rate for severe infestations or if aphids are the primary pest. Do not apply within 7 days of harvest.

NOTE:

VYDATE L Nematicide/ Insecticide will not control Colorado potato beetles resistant to carbamates.

Do not make more than 2 applications per season.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 3 days.

RASPBERRIES

VYDATE L Nematicide/ Insecticide is recommended for the control of Raspberry Root Lesion Nematode in raspberries.

Soil Drench:

Apply one application in fall before October 31 at a rate of 9.35 litres per hectare as a soil drench over raspberry roots. Apply only once during a 12 month period. Do not apply in the spring.

Do not enter or allow worker entry into treated areas during the restricted entry interval of 3 days.

Field sprayer application: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** apply with spray droplets smaller than the American Society of Agricultural and Biological Engineers (ASABE) medium classification.

Airblast application: **DO NOT** apply during periods of dead calm. Avoid application of this product when winds are gusty. **DO NOT** direct spray above plants to be treated. Turn off outward pointing nozzles at row ends and outer rows. **DO NOT** apply when wind speed is greater than 16 km/h at the application site as measured outside of the treatment area on the upwind side.

DO NOT apply by air.

Buffer zones:

The buffer zones specified in the table below are required between the point of direct application and the closest downwind edge of sensitive terrestrial habitats (such as grasslands, forested areas, shelter belts, woodlots, hedgerows, rangelands, riparian areas and shrublands), sensitive freshwater habitats (such as lakes, rivers, sloughs, ponds, prairie potholes, creeks, marshes, streams, reservoirs and wetlands) and estuarine/marine habitats.

| Method of Application | Crop | Buffer zones (metres) required for the protection of | | | | | |
|-------------------------------|------------------------|--|---------|------------------|-------------------------------------|---------|------------------|
| | | Freshwater habitat of depths: | | | Estuarine/Marine Habitat of depths: | | |
| | | Less than 1m | 1 – 3 m | Greater than 3 m | Less than 1m | 1 – 3 m | Greater than 3 m |
| Field sprayer* | Potato | 2 | 1 | 0 | 1 | 0 | 0 |
| | Raspberry | 3 | 1 | 1 | 2 | 1 | 0 |
| Airblast (early growth stage) | Non-bearing apple tree | 33 | 21 | 10 | 25 | 13 | 4 |
| Airblast (late growth stage) | | 24 | 14 | 4 | 16 | 6 | 2 |

*For field sprayer application, buffer zones can be reduced with the use of drift reducing spray shields. When using a spray boom fitted with a full shield (shroud, curtain) that extends to the crop canopy or ground, the labelled buffer zone can be reduced by 70%. When using a spray boom where individual nozzles are fitted with cone-shaped shields that are no more than 30 cm above the crop canopy or ground, the labelled buffer zone can be reduced by 30%.

When a tank mixture is used, consult the labels of the tank-mix partners and observe the largest (most restrictive) buffer zone of the products involved in the tank mixture.

RESISTANCE-MANAGEMENT RECOMMENDATIONS:

For resistance management, please note that VYDATE L Nematicide/ Insecticide contains a Group 1A Insecticide/nematicide. Any insect population may contain individuals naturally resistant to VYDATE L Nematicide/ Insecticide and other Group 1A insecticides/nematicides. The resistant individuals may dominate the insect population if this group of insecticides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance:

- ◆ Where possible, rotate the use of VYDATE L Nematicide/ Insecticide or other Group 1A insecticides/nematicides with different insecticide/nematicide groups that control the same pests in a field.
- ◆ Avoid exceeding the maximum number of applications per season as outlined in “Directions for Use” for each crop type. Avoid consecutive sprays of Vydate L Nematicide/Insecticide or other insecticides in the same group in a season.
- ◆ Use tank mixtures with insecticides from a different group when such use is permitted

- ◆ Insecticide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- ◆ Monitor treated pest populations for resistance development.
- ◆ Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific site and pest problems in your area.

For further information or to report suspected resistance, contact your local DuPont representative or the DuPont hotline at 1-800-667-3925 for further information.

Purchase of this material does not confer any rights under patents of Countries outside Canada.

®/™ Registered trademarks/trademarks of E. I. du Pont de Nemours and Company. E. I. du Pont Canada Company is a licensee. Member of CropLife

<<Shipper/Carton LABEL>>

| | | |
|--------------|-----------|------------------------------------|
| GROUP | 1A | INSECTICIDE/ NEMATICIDE |
|--------------|-----------|------------------------------------|

VYDATE® L INSECTICIDE/ NEMATICIDE

WATER SOLUBLE LIQUID

RESTRICTED

READ THE LABEL BEFORE USING

GUARANTEE: Oxamyl 240 g/L

REGISTRATION NO. 17995 PEST CONTROL PRODUCTS ACT

DO NOT APPLY BY AIR

KEEP OUT OF REACH OF CHILDREN
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS
CONTAINS METHANOL
MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
MAY BE FATAL IF ABSORBED THROUGH SKIN OR INHALED.
DO NOT SUBJECT TO TEMPERATURES BELOW 0 °C.

DANGER (skull and crossbones symbol in octagon) **POISON**

NET CONTENTS: 10 L

E.I. DU PONT CANADA COMPANY
AGRICULTURAL PRODUCTS
P.O. BOX 2300, STREETSVILLE
MISSISSAUGA, ONTARIO
L5M 2J4
1-800-667-3925

IF WARNING SYMPTOMS APPEAR (see WARNING SYMPTOMS on side panel), get medical attention.

PRECAUTIONS:

- **KEEP OUT OF REACH OF CHILDREN**
- **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**
- DO NOT APPLY BY AIR.
- HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS.
- CONTAINS METHANOL.
- MAY BE FATAL OR CAUSE BLINDNESS IF SWALLOWED.
- MAY BE FATAL IF ABSORBED THROUGH SKIN OR INHALED.
- DO NOT SUBJECT TO TEMPERATURES BELOW 0 °C.
- When mixing spray, loading, applying or otherwise handling, wear:
 - Coveralls over short-sleeved shirt and short pants
 - Chemical resistant gloves such as barrier laminate, butyl rubber, neoprene rubber, polyvinylchloride (PVC), viton, or nitrile rubber
 - Chemical resistant footwear plus socks
 - Goggles (or preferably a full face shield)
 - Chemical resistant apron when cleaning equipment, mixing or loading
 - A NIOSH approved respirator with an organic vapour (OV) cartridge or canister with any R, P, or HE prefilter.

If handling more than 110 kg oxamyl/day, closed mixing/loading equipment (wearing coveralls and gloves) and closed cab ground application equipment must be used.

- Gloves should be washed with soap and water after use and replaced regularly.
- Wear clean clothes daily.
- Wash thoroughly after handling and before eating or smoking.
- Keep animals and unprotected persons out of operational areas during treatment and while there is danger of drift.
- Do not store near food or feed
- Do not breathe vapours or spray mist. Do not get in eyes, on skin, or on clothing.

If this pest control product is to be used on a commodity that may be exported to the U.S. and you require information on acceptable residue levels in the U.S., visit CropLife Canada's website at www.croplife.ca.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

NATURE OF RESTRICTION: This product is to be stored and displayed away from food and feed.

STORAGE:

Store product in original container only, away from fertilizer, food and feed. Not for use or storage in or around the home. Keep container closed.

FIRST AID:

IF SWALLOWED:

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF ON SKIN OR CLOTHING:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES:

Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For medical emergencies call 1-800-441-3637 (24 hours).

TOXICOLOGICAL INFORMATION: ATROPINE IS AN ANTIDOTE--SEEK MEDICAL ATTENTION AT ONCE IN ALL CASES OF SUSPECTED POISONING

Oxamyl is a carbamate, which is a cholinesterase inhibitor. Typical symptoms of overexposure to cholinesterase inhibitors include malaise, muscle weakness, dizziness and sweating. Headache, salivation, nausea, vomiting, abdominal pain and diarrhea are often prominent. A lifethreatening poisoning is signified by loss of consciousness, incontinence, convulsions and respiratory depression with a secondary cardiovascular component. Treat symptomatically. If exposed, plasma and red blood cell cholinesterase tests may indicate degree of exposure (baseline data are useful). However, if a blood sample is taken several hours after exposure, it is unlikely that blood cholinesterase activities will be depressed, due to rapid reactivation of cholinesterase. Atropine, only by injection, is the preferable antidote. Do not use pralidoxime. In cases of severe acute poisoning, use antidotes immediately after establishing an open airway and respiration. With oral exposure, the decision of whether to induce vomiting or not should be made by an attending physician.

WARNING SYMPTOMS - Oxamyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

REPEATED INHALATION OR SKIN CONTACT WITH VYDATE L NEMATICIDE/ INSECTICIDE OR OTHER ORGANOPHOSPHATE AND CARBAMATE PESTICIDES MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO POISONING.

NOTE TO PHYSICIAN:

TREATMENT - Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

Do not use 2-PAM for exposure to VYDATE L Nematicide/Insecticide alone. However, for exposure to combinations of VYDATE L Nematicide/ Insecticide and organophosphorous insecticides, 2-PAM may be

used as required to supplement the atropine sulfate treatment. Do not use morphine.

DIRECTIONS FOR USE:

VYDATE L Nematicide/Insecticide should be used only in accordance with recommendations on this label or in separate DuPont recommendations available through local dealers.

PHYSICAL AND CHEMICAL HAZARDS:

Flammable. Keep away from heat, sparks, and open flame. Keep container closed. Use with adequate ventilation.

DISPOSAL:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

ENVIRONMENTAL HAZARDS:

TOXIC to bees, birds, mammals and aquatic organisms. Do not apply this product while bees are actively visiting the treatment area. Time applications to coincide with periods of minimum bee activity.

Do not apply directly to water.

Observe buffer zones specified under the DIRECTIONS FOR USE.

Avoid application of this product when heavy rain is forecast.

Do not apply where runoff is likely to occur. To reduce runoff from treated areas into aquatic habitats, include a vegetative strip between the treated area and the edge of the water body. Also, consider the characteristics and conditions of the site before treatment. Site characteristics and conditions that may lead to runoff include, but are not limited to: heavy rainfall, moderate to steep slope, bare soil, poorly draining soil (e.g. soils that are compacted or fine textured such as clay).

Do not apply when weather conditions favour drift from areas treated. Do not spray when wind speed exceeds 10 km/h.

Do not contaminate water by cleaning of equipment or disposal of wastes.

®/™ Registered trademarks/trademarks of E. I. du Pont de Nemours and Company. E. I. du Pont Canada Company is a licensee. Member of CropLife

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.