

Filters TeeJet®

- 1/2", 3/4" Ports
- 100 PSI Maximum
- 100° F Maximum Temp.

To Order: Order filter less screen and appropriate screen separately



PART	DESCRIPTION	PRICE (B)
1221/2PP-LS	1/2" Poly Filter Less Screen	17.55
1223/4PP-LS	3/4" Poly Filter Less Screen	17.55
SCREENS		
PART	DESCRIPTION	PRICE (B)
23174-1	16 Mesh Stainless Steel Screen	9.55
23174-2	30 Mesh Stainless Steel Screen	9.55
45102-3	50 Mesh Red Poly Screen	9.55
45102-4	80 Mesh Blue Poly Screen	9.55
45102-5	100 Mesh Green Poly Screen	9.55

Parts

PART	DESCRIPTION	PRICE (E)
23172PP	Poly Bowl	11.20
23173EPR	EPR Bowl Gasket	7.25
23173VI	Viton Bowl Gasket	13.95

- Poly self cleaning filter

To Order: Order filter less screen and appropriate screen separately



Poly Self-Cleaning

PART	DESCRIPTION	PRICE (B)
1263/4PPSC-LS	3/4" Poly Filter Self Cleaning Less Screen	45.50
1261PPSC-LS	1" Poly Filter Self Cleaning Less Screen	45.50
12611/4NYSC-LS	1 1/4" Poly Filter Self Cleaning Less Screen	74.05
12611/2NYSC-LS	1 1/2" Poly Filter Self Cleaning Less Screen	74.05
126MLF50SC-LS	50 Series Flange Self Cleaning Less Screen	45.50
126MLF75SC-LS	75 Series Flange Self Cleaning Less Screen	74.05
SCREENS		
PART	DESCRIPTION	PRICE (B)
12285-1	16 Mesh Stainless Steel Screen	31.45
12285-4	30 Mesh Stainless Steel Screen	31.45
12285-2	50 Mesh Stainless Steel Screen	31.45
12285-3	80 Mesh Stainless Steel Screen	31.45
12285-6	100 Mesh Stainless Steel Screen	31.45



Mounting Lug

PART	SIZE	GPM	PRICE (B)
1243/4ALML*	3/4"	23	162.50
1241ALML*	1"	34	162.50
12411/4ALML*	1-1/4"	60	249.90
12411/2ALML*	1-1/2"	70	249.90
1242ALML*	2"	160	577.35
12421/2ALML*	2-1/2"	170	577.35

* Specify mesh size; price includes screen



Aluminum Self-Cleaning

PART	SIZE	MIN. BYPASS REQUIRED	PRICE (B)
124 3/4ALMLSC-*	3/4" MI Self Clean	6 GPM	202.20
124 1ALMLSC-*	1" MI Self Clean	6 GPM	202.20
124 1 1/4ALMLSC-*	1 1/2" MI Self Clean	8 GPM	347.70
124 1 1/2ALMLSC-*	1 1/2" MI Self Clean	8 GPM	347.70

* Specify mesh size; price includes screen

Parts

ITEM	3/4" & 1"	PRICE (B)	1-1/4" & 1-1/2"	PRICE (B)
Bowl	15403-1NY	41.60	21035NY	65.60
Gasket	7717-2/226VI	18.40	12291VI	23.50
Inner Cylinder	22408PP	20.90	22835NY	67.00
Bypass Adapter	22406NY	17.65	21034AL	89.65
O-Ring for Adapter	7717-2/121 VI	18.40	7717-2/135 VI	13.05
16 Mesh Screen	12285-1	31.45	12290-1	54.95
30 Mesh Screen	12285-4	31.45	12290-2	54.95
50 Mesh Screen	12285-2	31.45	12290-3	54.95
80 Mesh Screen	12285-3	31.45	12290-4	54.95
100 Mesh Screen	12285-6	31.45	12290-8	54.95



Aluminum Filters

PART	SIZE	GPM	PRICE (B)
1243/4AL*	3/4"	23	138.55
1241AL*	1"	34	138.55
12411/4AL*	1-1/4"	60	215.45
12411/2AL*	1-1/2"	70	215.45
1242AL*	2"	160	CALL
12421/2AL*	2-1/2"	170	493.90

* Specify mesh size; price includes screen



Screens

MESH SIZE	3/4" & 1"	PRICE (B)	1-1/4" & 1-1/2"	PRICE (B)	2", 2-1/2"	PRICE (B)
16	16903-1	19.70	15941-1	27.70	14634-1	95.70
30	16903-3	19.70	15941-2	27.70	14634-2	95.70
50	16903-4	19.70	15941-3	27.70	14634-3	95.70
80	16903-5	19.70	15941-4	27.70	14634-4	95.70
100	16903-6	19.70	15941-5	27.70	14634-8	95.70
120	N/A	N/A	15941-6	27.70	N/A	N/A
200	16903-7	19.70	N/A	N/A	N/A	N/A

NOTE: 14634 Series Screens are all Stainless Steel without Colour Coding

Parts

ITEM	3/4" & 1"	PRICE (B)	1-1/4" & 1-1/2"	PRICE (B)	2", 2-1/2"	PRICE (B)
Bowl	15403-NY	44.55	12288NY	77.35	14635NY	145.05
Gasket	7717-2/226VI	18.40	12291BU	7.55	14633BU	11.70

Strainers

126 Flush-Out Line Strainer

- 200 PSI maximum.
- Polypropylene bowl and head.
- EDPM gasket.
- Removable bottom cap for flush-out.
- May be mounted with M8 or 5/16" bolts.



How To Order:

- Order filter less the screen
- Order appropriate screen

PART	DESCRIPTION	PRICE (B)
126ML3/4-LS	3/4" Nylon Filter less Screen	29.40
126ML1-LS	1" Nylon Filter less Screen	29.40
126MLF50-LS	50 Series Flange Filter less Screen	29.40

SCREENS

PART	DESCRIPTION	PRICE(B)	PART	DESCRIPTION	PRICE(B)
16903-1	16 Mesh Screen	19.70	16903-5	80 Mesh Screen	19.70
16903-2	20 Mesh Screen	19.70	16903-6	100 Mesh Screen	19.70
16903-3	30 Mesh Screen	19.70	16903-7	200 Mesh Screen	19.70
16903-4	50 Mesh Screen	19.70			

PARTS – ¾", 1", and 50 Flange Series

50493PP	Strainer Bowl	18.45
50494EPR	Strainer Bowl Gasket EPDM	3.45
48655PP	Flush-out Cap	6.75
63150EPR	Flush-out Cap Gasket	4.55



Norwesco Y-Strainers – ½" to 3" Sizes

- Body and bowl constructed from glass reinforced poly, EPDM gasket.
- Rated for 70 PSI at 70°F (21°C) – all sizes from ¾" to 3".
- ½" Drain plug on bottom of bowl (3" model only).

How To Order:

- Order filter less the screen
- Order appropriate Mesh screen

PART	DESCRIPTION	PRICE (E)
YLS050-LS	½" Y-Strainer – Less Screen	24.05
YLS075-LS	¾" Y-Strainer – Less Screen	24.05
YLS100-LS	1" Y-Strainer – Less Screen	29.05
YLS125-LS	1¼" Y-Strainer – Less Screen	29.05
YLS150-LS	1½" Y-Strainer – Less Screen	51.15
YLS200-LS	2" Y-Strainer – Less Screen	49.95
YLS300-LS	3" Y-Strainer – Less Screen	324.05

SCREENS

PART	DESCRIPTION	PRICE (E)
YLS64177	20 Mesh S.S. Screen for ½" and ¾" Strainer	22.40
YLS64178	50 Mesh S.S. Screen for ½" and ¾" Strainer	22.40
YLS64179	80 Mesh Screen for ½" and ¾" Strainer	27.20
YLS61749	20 Mesh S.S. Screen for 1" and 1¼" Strainer	15.40
YLS61746	40 Mesh S.S. Screen for 1" and 1¼" Strainer	15.30
YLS61747	80 Mesh S.S. Screen for 1" and 1¼" Strainer	17.60
YLS61508	20 Mesh S.S. Screen for 1½" and 2" Strainer	28.20
YLS61509	40 Mesh S.S. Screen for 1½" and 2" Strainer	44.00
YLS61510	80 Mesh S.S. Screen for 1½" and 2" Strainer	35.75
YLS62249	12 Mesh S.S. Screen for 3" Strainer	140.40
YLS62252	20 Mesh S.S. Screen for 3" Strainer	140.40
YLS62261	40 Mesh S.S. Screen for 3" Strainer	140.40
YLS62400	80 Mesh S.S. Screen for 3" Strainer	140.40



15941-3



126 Flush-Out Line Strainer

- 200 PSI maximum.
- Polypropylene bowl and head.
- EDPM gasket.
- Removable bottom cap for flush-out.
- May be mounted with M10 or 3/8" bolts.

How To Order:

- Order filter less the screen
- Order appropriate screen

PART	DESCRIPTION	PRICE (B)
126ML11/4NY-LS	1 ¼" Nylon Filter less Screen	72.60
126ML11/2NY-LS	1 ½" Nylon Filter less Screen	72.60
126MLF75-LS	75 Series Flange Filter less Screen	72.60

SCREENS

PART	DESCRIPTION	PRICE(B)	PART	DESCRIPTION	PRICE(B)
15941-1	16 Mesh Screen	27.70	15941-4	80 Mesh Screen	27.70
15941-2	30 Mesh Screen	27.70	15941-5	100 Mesh Screen	27.70
15941-3	50 Mesh Screen	27.70	15941-6	120 Mesh Screen	27.70

PARTS – 1 ¼", 1 ½", and 75 Flange Series

48654PP	Strainer Bowl	37.70
48656EPR	Strainer Bowl Gasket EPDM	6.95
48655PP	Flush-out Cap	6.75
63150EPR	Flush-out Cap Gasket	4.55



Banjo ½" Female NPT Mini T-Strainer

- Black poly bowl and HD glass-reinforced poly body, EPDM gasket.
- 316 Stainless Steel Mesh Screen w/ Poly Rib reinforcements.
- Rated at 150 PSI @ 70 PSI at 70°F (21°C).

PART	DESCRIPTION	PRICE (C)
LSTM050-30	½" Mini T-Strainer – 30 Mesh	32.25
LSTM050-50	½" Mini T-Strainer – 50 Mesh	32.25
LSTM050-100	½" Mini T-Strainer – 100 Mesh	29.35
LSTM050-G	Bowl Gasket - EPDM	5.80



Hypro Mini T-Strainer w/ 80 Mesh Screen - Complete

- Unique body features both external ½" Male NPT and ¼" Female NPT.
- Rated at 80 PSI @ 70 PSI at 70°F (21°C).

PART	DESCRIPTION	PRICE (E)
3350-0082A	80 Mesh Strainer – Complete	14.85
3800-0047	80 Mesh Stainless Steel Screen	7.70
3351-0036	Filter Bowl	3.85
1700-0090	Gasket	1.40
3351-0035	Filter Head	4.15



Poly "T" Line Strainers

- Heavy-duty glass reinforced polypropylene.
- Clean-out plug.
- 304 stainless steel reinforced screens.
- EPDM gaskets standard. FKM (viton type) available.
- 150 PSI at 70°F.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
LST075-LS	3/4" "T" Filter Less Screen	36.55
LST100-LS	1" "T" Filter Less Screen	36.55

SCREENS

PART	DESCRIPTION	PRICE (C)
LST116	16 Mesh Screen 3/4" & 1" Filter	32.55
LST130	30 Mesh Screen 3/4" & 1" Filter	32.55
LST150	50 Mesh Screen 3/4" & 1" Filter	29.55
LST180	80 Mesh Screen 3/4" & 1" Filter	29.55
LST1100	100 Mesh Screen 3/4" & 1" Filter	31.75
LST100-G	Gasket 3/4", 1"	5.80



Poly "T" Line Strainers

- Heavy-duty glass reinforced polypropylene.
- Clean-out plug.
- 304 stainless steel reinforced screens.
- EPDM gaskets standard. FKM (viton type) available.
- 150 PSI at 70°F.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
LST125-LS	1 1/4" Filter Less Screen	80.10
LST150-LS	1 1/2" Filter Less Screen	80.10

SCREENS

PART	DESCRIPTION	PRICE (C)
LST1516	16 Mesh Screen for 1 1/4", 1 1/2"	49.95
LST1530	30 Mesh Screen for 1 1/4", 1 1/2"	49.95
LST1550	50 Mesh Screen for 1 1/4", 1 1/2"	49.95
LST1580	80 Mesh Screen for 1 1/4", 1 1/2"	49.95
LST15100	100 Mesh Screen for 1 1/4", 1 1/2"	49.95
LST150-G	EPDM Gasket	5.80



LSQ Poly Line Strainer

- Precision molded in glass reinforced polypropylene.
- Cam lever configuration for easy access for cleaning and servicing.
- 3/4" plug in cam lever cap for attaching ball valve for draining or back flushing.
- Poly ribbed stainless steel screen.
- EPDM lathe cut gasket.
- FKM (viton type) gaskets available.
- 75 PSI maximum.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
LSQ150-LS	1 1/2" Filter Less Screen	103.10
LSQ200-LS	2" Filter Less Screen	113.40

SCREENS

PART	DESCRIPTION	PRICE (C)
LS2-30	30 Mesh Screen for 1 1/2", 2"	67.05
LS2-50	50 Mesh Screen for 1 1/2", 2"	67.05
LS2-80	80 Mesh Screen for 1 1/2", 2"	67.05
LS2-100	100 Mesh Screen for 1 1/2", 2"	73.75
LSQ200-G	EPDM Gasket 1 1/2", 2"	12.00

* Note: 6, 12, and 20 Mesh Screens Special Order



Poly "Y" Strainers

- Precision molded construction.
- Corrosion resistant.
- Lightweight.
- Fiberglass reinforced.
- Easy grip end cap.
- Poly ribbed 316 stainless steel screen.
- EPDM gaskets FKM (viton type) available.
- Heavy-duty end cap threads.
- 1/2" - 1 1/4" 75 PSI maximum.
- 1 1/2" - 2" 150 PSI maximum.
- Clean-out plug.
- Female NPT x Female NPT.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
LS050-LS	1/2" "Y" Strainer Less Screen	28.80
LS075-LS	3/4" "Y" Strainer Less Screen	28.80
LS100-LS	1" "Y" Strainer Less Screen	28.80
LS125-LS	1 1/4" "Y" Strainer Less Screen	28.80
LS150-LS	1 1/2" "Y" Strainer Less Screen	64.55
LS200-LS	2" "Y" Strainer Less Screen	64.55

SCREENS

PART	DESCRIPTION	PRICE (C)
LS7**	20, 40 or 80 Mesh Screen for 1/2", 3/4"	CALL
LS1***	20, 40 or 80 Mesh Screen for 1", 1 1/4"	CALL
LS2-***	20, 30, 50, 80, 100, 120 Screen for 1 1/2", 2"	CALL
LS075-G	EPDM Gasket for 1/2", 3/4"	4.40
LS100-G	EPDM Gasket for 1", 1 1/4"	5.80
LS150-G	EPDM Gasket for 1 1/2", 2"	5.80



Manifold Line Strainer

- EPDM gaskets.
- 316 stainless steel screens.
- 150 PSI maximum.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
MLS200-LS	2" Standard Port Filter Less Screen	75.45
SCREENS		
PART	DESCRIPTION	PRICE (C)
LS2-20	20 Mesh Stainless Steel Screen	67.05
LS2-30	30 Mesh Stainless Steel Screen	67.05
LS2-50	50 Mesh Stainless Steel Screen	67.05
LS2-80	80 Mesh Stainless Steel Screen	67.05
LS2-120	120 Mesh Stainless Steel Screen	73.75
MLS150-G	Gasket	5.80



3" Threaded & Manifold Line Strainer

- EPDM gaskets
- 304 Stainless Steel screens
- 75 PSI maximum
- Threaded end cap to remove screen

How To Order:

- Order filter less the screen.
- Order appropriate screen required.

PART	DESCRIPTION	PRICE (C)
LSM300-LS	3" Threaded Strainer less Screen	579.70
MLS300-LS	3" Manifold Strainer less Screen	637.70
SCREENS		
PART	DESCRIPTION	PRICE (C)
LS304	4 Mesh Stainless Steel Screen	221.95
LS308	8 Mesh Stainless Steel Screen	221.95
LS312	12 Mesh Stainless Steel Screen	221.95
LS320	20 Mesh Stainless Steel Screen	201.75
LS350	50 Mesh Stainless Steel Screen	201.75
MLS300G	Gasket	10.55



Manifold Line Strainer

- EPDM gaskets.
- 316 stainless steel screens.
- 150 PSI maximum.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
MLS222-LS	2" Full Port Manifold Filter Less Screen	116.65
SCREENS		
PART	DESCRIPTION	PRICE (C)
LST204SS	4 Mesh Stainless Steel Screen	101.45
LST206SS	6 Mesh Stainless Steel Screen	101.45
LST208SS	8 Mesh Stainless Steel Screen	101.45
LST210SS	10 Mesh Stainless Steel Screen	101.45
LST216SS	16 Mesh Stainless Steel Screen	101.45
LST230SS	30 Mesh Stainless Steel Screen	92.25
LST250SS	50 Mesh Stainless Steel Screen	92.25
LST280SS	80 Mesh Stainless Steel Screen	101.45
LST2100SS	100 Mesh Stainless Steel Screen	101.45
MLS220-G1	EPDM Gasket for Body	6.35



Manifold Line Strainer

- EPDM gaskets.
- 150 PSI maximum.
- Screens are poly cage w/ stainless steel mesh.

How To Order:

- Order filter less the screen.
- Order appropriate screen.

PART	DESCRIPTION	PRICE (C)
MLST100-LS	1" Manifold Filter LESS Screen	42.80
MLST150-LS	2" Manifold Filter LESS Screen	80.65
SCREENS		
PART	DESCRIPTION	PRICE (C)
LST116	16 Mesh Screen for MLST100 Filter	32.55
LST130	30 Mesh Screen for MLST100 Filter	32.55
LST150	50 Mesh Screen for MLST100 Filter	29.55
LST180	80 Mesh Screen for MLST100 Filter	29.55
LST1100	100 Mesh Screen for MLST100 Filter	31.75
LST1516	16 Mesh Screen for MLST150 Filter	49.95
LST1530	30 Mesh Screen for MLST150 Filter	49.95
LST1550	50 Mesh Screen for MLST150 Filter	49.95
LST1580	80 Mesh Screen for MLST150 Filter	49.95
LST15100	100 Mesh Screen for MLST150 Filter	49.95
LST100-G	Gasket for MLST100 Filter EPDM	5.80
LST150-G	Gasket for MLST150 Filter EPDM	5.80



3" Model Shown

Banjo 2" and 3" Poly Pumps w/ Honda Engines

- EPDM seals and gaskets.
- Female NPT inlet and outlet ports.
- Poly 5-Vane impeller on 2" model and poly 4-Vane impeller on 3" model; poly casing on both models.
- 2" Model features Honda GX 5.5 HP engine and 3" model features Honda GX 6.5 HP engine.
- Both engines include low oil sensor.

PART	DESCRIPTION	PRICE(H)
200PH5	2" Banjo Poly Pump w/ 5.5 HP	1115.50
300PH6	3" Banjo Poly Pump w/ 6.5 HP	1097.90



Banjo 2" and 3" Poly Pumps w/ 6.5 HP Briggs & Stratton Engines

- EPDM seals and gaskets
- Available in either 2" or 3" Female NPT Inlet and outlet ports.
- Powered by a 6.5 HP Briggs & Stratton engine with pull start and oil alert.
- 216 US gallons per minute maximum.

PART	DESCRIPTION	PRICE(H)
200P6PRO	2" Banjo Poly Pump w/ 6.5 HP Briggs & Stratton Engine	CALL
300P6PRO	3" Banjo Poly Pump w/ 6.5 HP Briggs & Stratton Engine	CALL



1537 Pump

- Unit includes pump, engine and base.
- Honda 5.5 HP oil alert engine and Hypro 1538 pump.
- 1 1/2" inlet, 1 1/4" outlet.
- Nylon impeller.
- 82 GPM @ 40 PSI, 70 GPM @ 50 PSI, 50 GPM @ 60 PSI.

PART	DESCRIPTION	PRICE
1537	Pump/Engine – Honda 5.5HP	CALL
1537-U	Pump, Honda - Unassembled	CALL



2" Full Port Manifold Inlet / Outlet

Banjo 2" Full Port Manifold Poly Pump w/ Honda 6.5 HP Engine

- EPDM seals and gaskets.
- 2" Full Port Manifold inlet and outlet ports.
- High performance impeller for maximum flow – up to 255 gallons per minute!
- Honda GX series engine features low oil sensor.

PART	DESCRIPTION	PRICE(H)
M220PH6	2" Banjo FP Manifold Poly Pump w/ 6.5 HP Honda	1061.15



2" Model Shown

Banjo 2" and 3" Full Port Manifold Poly Pumps w/ Honda GX Series Engines

- EPDM seals and gaskets.
- Full Port Manifold inlet and outlet ports.
- Precision molded construction
- 2" Model features Honda GX 5.5 HP engine and 3" model features Honda GX 6.5 HP engine.
- Both engines include low oil sensor.

PART	DESCRIPTION	PRICE(H)
M220PH5	2" Banjo Poly Pump w/ 5.5 HP	1062.35
M300PH6	3" Banjo Poly Pump w/ 6.5 HP	1297.55



Ace GE660 Pump

- Ace 5 1/2 HP Honda
- 1 1/2" inlet
- 1 1/4" outlet
- 6" impeller mounts to 3/4" shaft
- 110 GPM @ 20 PSI @ 3400 RPM
- 49 GPM @ 60 PSI @ 3400 RPM

PART	DESCRIPTION	PRICE
GE660	Pump/Engine – Honda 5.5HP	CALL
GE660-U	Pump, Honda - Unassembled	CALL



Poly Check Valve

- 2" or 1 1/2".
- Available with or without check valve.

PART	DESCRIPTION	PRICE (F)
FVPP2	2" Strainer C/W Check	128.15
FVPP2LC	2" Strainer Less Check	66.65
100750	2" NPT Female x Hose Insert	7.70
504019	2" Check Valve	61.50
2452067	2" NPT Female x 1 1/2" NPT Male Adapter	12.35
100640	1 1/2" NPT Female x 1 1/2" Hose Insert	7.75



Metal Strainer

- NPT female threads.

PART	SIZE	PRICE (F)
SUCTION2	2" FPT Steel Strainer	21.35
SUCTION3	3" FPT Steel Strainer	33.25
SUCTION4	4" FPT Steel Strainer	37.55



Floating Filter

- 2" hose connection.
- Floats just below water level.
- Keeps suction hose off bottom.

PART	DESCRIPTION	PRICE (H)
FLOAT	2" Floating Pond Filter	82.05