



WorkHorse 25 Gallon Deluxe ATV Boomless Sprayer

- 25 US gallon poly tank with large fill mouth.
- Quick-detach 2-Nozzle spray boom with check valves and strainers.
- 12-Volt demand pump; 4.0 GPM – 45 PSI maximum pressure.
- 24 Foot total spray coverage.
- Shut-off valves to spray right or left side independently.
- Boom adjustable to 3 different heights.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- ATV mounting straps included.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV25BL	25 Gallon ATV Boomless Sprayer	593.55



Folds up for storage or transportation.

Shown mounted to WorkHorse Spot Sprayer - Sprayer not included.

Deluxe 7 Nozzle ATV Boom Kit

- Attaches / detaches to the WorkHorse Spot Sprayer using a Quick Mount system to convert unit for use on an ATV.
- 7-Nozzle fold-out boom w/ flat fan style spray tips, check valves, and strainers.
- Provides up to 140 inch total spray coverage.
- Spring loaded boom arms fold easily for storage or travel between spray sites.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV007BK	7 Nozzle ATV Boom Kit	209.95



Deluxe 2 Nozzle ATV Boom Kit

- Attaches / detaches to the WorkHorse Spot Sprayer using a Quick Mount system to convert unit for use on an ATV.
- 2-Nozzle boom w/ check valves and strainers provides up to 80 inch total spray coverage.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV002BK	2 Nozzle ATV Boom Kit	99.95



WorkHorse 25 Gallon Deluxe Tow Behind Sprayer

- 25 US gallon poly tank with large fill mouth.
- 2-Nozzle break-away style boom with 80 inch spray coverage.
- 12-Volt demand pump; 2.0 GPM – 60 PSI maximum pressure.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- 4.10/3.50 x 6 Pneumatic tires.
- Heavy duty corrosion resistant frame.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-LG25DTS	25 Gallon Tow Behind Sprayer	496.05



WorkHorse 25 Gallon Deluxe Spot Sprayer

- 25 US gallon poly tank with large fill mouth.
- Boom Ready – Add either the 2 nozzle or deluxe 7 nozzle boom kit.
- 12-Volt Demand pump; 2.0 GPM – 60 PSI maximum pressure.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- In-line Shut-off for quick On/OFF spraying.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-LG25DSS	25 Gallon Spot Sprayer	317.95

WorkHorse Sprayer Parts and Accessories

- Need a part from your WorkHorse Sprayer? We can help!

PART	DESCRIPTION	PRICE
WH-101CA	Optional 12-Volt Car Power Adapter Kit	17.75(E)
WH-600117	In-line Strainer w/ Check Valve	4.20(H)
WH-600122	Y-Valve w/ Shut-Offs – FGH x MGH x MGH threads	8.25(H)
WH-600133	Spray Tank Lid – all models	12.95(H)
WH-600151	Spray Wand Clip	3.75(H)
WH-600156	Spray Wand & 15' Hose Assembly – complete	61.80(H)
WH-600185	Elbow Fitting – 3/8" Hose Barb x Quick Disconnect (QD)	2.75(H)
WH-600248	Boomless Spray Nozzle – left side	56.55(H)
WH-600249	Boomless Spray Nozzle – right side	56.55(H)
WH-600211	Quick Disconnect (QD) Fitting – 2.0 GPM pump only	8.85(H)
WH-600212	Quick Disconnect (QD) Fitting – 4.0 GPM pump only	8.85(H)
WH-600216	In-line Shut-Off Valve – FGH x MGH thread	6.95(H)
WH-600223	Elbow Fitting – 3/8" hose barb x QD (4.0 GPM pump only)	3.95(H)
WH-640451	2.2 GPM 12-Volt Remco Pump	160.15(H)
WH-630031	5.0 GPM 12-Volt Remco Pump	284.05(H)
WH-600132	WorkHorse 25 US Gallon Tank w/ 6" Lid	131.85(H)



WorkHorse 40 & 60 Gallon Deluxe Tow Behind Sprayers

- 40 US gallon model features 2.2 GPM / 60 PSI max. Remco 12-Volt demand pump, 3-Section 5-nozzle boom w/ 110° fan spray tips; covers approx. 100".
- 60 US gallon model features 5.0 GPM / 60 PSI max. Remco 12-Volt demand pump, 3-Section 7-nozzle boom w/ 110° fan spray tips; covers approx. 140".
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.
- H.D. corrosion resistant frame; poly tank includes drain and 5" tethered lid.

PART	DESCRIPTION	PRICE (H)
WH-LG425DTS	40 Gallon Tow Sprayer w/ 5-nozzle boom	983.85
WH-LG657DTS	60 Gallon Tow Sprayer w/ 7-nozzle boom	1129.90



WorkHorse 40 Gallon 3-Point Sprayer

- 40 US gallon poly tank with drain and large fill mouth – 5 inch tethered lid.
- 5-Nozzle boom with standard 110° flat fan spray tips – 100" total spray coverage.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 12-Volt demand Remco pump: 2.2 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial grade fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG4253PT	40 Gallon 3-Point 5-Nozzle Sprayer w/ spray gun	985.65



*WH-BK007HM Boom Shown
(also sold separately)*

WorkHorse 40 or 60 Gallon Hitch Mount Skid Sprayer

- 40 or 60 Gallon poly tank with drain and large fill mouth; 5" tethered lid.
- Deluxe pistol spray grip with 25' of hose and adjustable brass tip.
- 12-Volt Remco Demand Pump: 2.2 GPM - 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI); pressure gauge included.
- 8' Wiring harness with battery clips, ON/OFF switch with commercial-grade fuse.
- 40-Gallon model includes a 5-Nozzle heavy-duty folding boom (100" coverage) with exclusive hitch mount design featuring 300 degrees of adjustability; fits standard 2" hitch receiver.
- 60-Gallon model, same as above except with 7-Nozzle boom (140" coverage).

PART	DESCRIPTION	PRICE (H)
WH-UTV425HM	40 Gallon Hitch Mount Skid Sprayer	868.10
WH-UTV627HM	60 Gallon Hitch Mount Skid Sprayer	983.85



WorkHorse 60 Gallon Boomless Hitch Mount Sprayer

- 60 US gallon poly tank with drain and 5" tethered lid.
- 2-Nozzle boomless tip quick detach spray boom – 24' total spray coverage.
- Shut-off valves to spray left or right independently.
- 12-Volt demand Remco pump: 5.0 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.

PART	DESCRIPTION	PRICE (H)
WH-UTV65BLHM	60 USG Boomless Hitch Mount Sprayer w/ spray gun	1014.15



WorkHorse 60 Gallon Boomless 3-Point Sprayer

- 60 US gallon poly tank with drain and 5" tethered lid.
- 2-Nozzle boomless tip quick detach spray boom – 24' total spray coverage.
- Shut-off valves to spray left or right independently.
- 12-Volt demand Remco pump: 5.0 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG65BL3PT	40 Gallon Boomless 3-Point Sprayer w/ spray gun	651.60



WorkHorse 60 Gallon 3-Point Sprayer

- 60 US gallon poly tank with drain and large fill mouth – 5 inch tethered lid.
- 3-Section 7 nozzle boom with 110° fan spray tips covers approximately 140 inches.
- 12-Volt demand Remco pump: 2.2 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI).
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial grade fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG6573PT	60 Gallon 3-Point 7-Nozzle Sprayer w/ spray gun	1102.35

Sprayers and No-Drift Applicators



Chapin 24-Volt Battery Powered Push Sprayer

The Chapin 12-gallon 24V Push Sprayer is the measure of versatility. The boom arm can quickly be positioned on the left or the right to accommodate any job. The 12" pneumatic tires make it easy to navigate uneven terrain, while the 12 US gallon tank capacity allows for large area coverage. Large tank lid makes filling easy. Switch from boom spraying to spot spraying using the wand with the flip of a switch.

- 12 US Gallon capacity poly tank with large lid opening for easy filling and cleaning.
- Left to right position-able boom with flat fan spray tip.
- Pump operates at 40 PSI with a 0.4 – 0.5 GPM Spray/Flow Rate.
- Powered by a 24V rechargeable Lithium Ion battery w/ 1.75 hour approx. run time.
- 20-inch Poly Spray wand with 48" hose.
- Viton seals for chemical use.
- Powder-coated steel frame.

PART	DESCRIPTION	PRICE(I)
97900	24V Battery Powered Push Sprayer w/ Spray Wand	490.80



Dandy-Lion Killer No Drift Applicators

This gravity fed applicator features the "Tru-Kleen" tank that ensures the solution in the tank completely empties. The no-drift design allows you to get as close to non-target areas on established turf without fear of overspray or drift. Too windy to spray? Not an issue with these applicators! The manifold tube distributes the solution evenly across the roller ensuring good coverage. Stocked in 2 sizes with repair parts available.

- WR36: 3-gallon push-type with adjustable handle; 36" wide roller.
- WR48: 12-gallon pull-type with adjustable hitch; 48" wide roller.
- WR72: 25-gallon pull-type; 72" wide roller – SPECIAL ORDER ONLY.

PART	DESCRIPTION	PRICE(I)
WR36	3-gallon 36" roller push-type no-drift applicator	553.45
WR48	12-gallon 48" roller tow-type no-drift applicator	794.75
WR72	25-gallon 72" roller tow type no-drift applicator	1099.45



Comes Fully Assembled

WorkHorse 5 Gallon Rechargeable Spot Sprayer

- 5 US Gallon (18.9L) Corrosion Resistant Polyethylene Tank
- 1.0 GPM Demand Pump powered by 12V Rechargeable battery
- Up to 40 Gallons of spraying on one battery charge
- Up to 12 foot vertical and 25 foot horizontal spray distance capacity
- Complete with Commercial Grade Wiring Harness, 9' Coil Hose, and AC Charger

PART	DESCRIPTION	PRICE(I)
WH-LG05SS	5 Gallon Rechargeable Spot Sprayer	199.95



Wick Applicator

- A handy applicator for applying selective and non-selective herbicides in areas where overspray and drift are a concern.
- Variable flow rate and manual gravity flow shut-off.

PART	DESCRIPTION	PRICE(H)
WICK	Wick Spot Applicator	39.95



Space Saver 200 US Gallon Compact Sprayer

- Fits sideways into a standard short or long box pick-up truck bed leaving room for tools, equipment or product with hose reel positioned for curb-side applications.
- Low profile tank design offers 200 US Gallon capacity with the safety of rear-view mirror visibility.
- Tank includes return from pump for agitation and drain hose with ball valve.
- Hypro D403 Diaphragm pump powered by a reliable Honda GX160 engine.
- Adjustable pressure regulator with liquid-filled vibration resistant pressure gauge.
- Includes 300' of 600 PSI hose on a 12-Volt Electric Hose Reel with ON/OFF push button switch, solenoid, and circuit breaker.
- Iron-ready fittings and TeeJet Lawn spray gun with quick coupler fittings included.
- Optional Fiesta™ spray guns with quick coupler fittings also available.
- Powder-coated frame; sprayer footprint is only 66" x 49".

PART	DESCRIPTION	PRICE
SPACESAVER	Space Saver Truck Mount Sprayer – 200 USG	CALL
FIESTAJET-QC	Fiesta™ Ready Fan Spray Gun w/ QC fitting.	CALL
FIESTASPOT-QC	Fiesta™ Ready Spot Spray Gun w/ QC fitting.	CALL