

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 1/12  
(30233990/SDS\_CPA\_CA/EN)

### 1. Identification

#### Product identifier used on the label

**Cabrio 20 EG**

#### Recommended use of the chemical and restriction on use

Recommended use\*: crop protection product, fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

#### Details of the supplier of the safety data sheet

Company:  
BASF Canada Inc.  
5025 Creekbank Road  
Building A, Floor 2  
Mississauga, ON, L4W 0B6, CANADA

Telephone: +1 289 360-1300

#### Emergency telephone number

#### 24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300  
BASF HOTLINE: (800) 454-COPE (2673)

#### Other means of identification

Molecular formula: C<sub>19</sub> H<sub>18</sub> Cl N<sub>3</sub> O<sub>4</sub>  
PCP# 27323/28958  
Synonyms: pyraclostrobin

---

### 2. Hazards Identification

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

#### Classification of the product

Acute Tox.	4 (Inhalation - dust)	Acute toxicity
Acute Tox.	4 (oral)	Acute toxicity
Eye Dam./Irrit.	2A	Serious eye damage/eye irritation
STOT SE	3 (irritating to)	Specific target organ toxicity — single exposure

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 2/12  
(30233990/SDS\_CPA\_CA/EN)

Aquatic Chronic	1	respiratory system)	Hazardous to the aquatic environment - chronic
Aquatic Acute	1		Hazardous to the aquatic environment - acute

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H302 + H332	Harmful if swallowed or if inhaled
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P261	Avoid breathing dust.
P280	Wear eye protection.
P261	Avoid breathing dust or fume.
P270	Do not eat, drink or smoke when using this product.
P264	Wash contaminated body parts thoroughly after handling.

Precautionary Statements (Response):

P312	Call a POISON CENTER or physician if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P330	Rinse mouth
P391	Collect spillage.
P337 + P313	If eye irritation persists: Get medical attention.

Precautionary Statements (Storage):

P403 + P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.

Precautionary Statements (Disposal):

P501	Dispose of contents/container in accordance with local regulations.
------	---

### Hazards not otherwise classified

#### Labeling of special preparations (GHS):

This product is not combustible in the form in which it is shipped by the manufacturer, but may form a combustible dust through downstream activities (e.g. grinding, pulverizing) that reduce its particle size.

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 3/12  
(30233990/SDS\_CPA\_CA/EN)

### 3. Composition / Information on Ingredients

#### According to Hazardous Products Regulations (HPR) (SOR/2015-17)

Pyraclostrobin

CAS Number: 175013-18-0

Content (W/W): 20.0 %

Synonym: Carbamic acid, [2-[[[1-(4-chlorophenyl)-1H-pyrazol-3-yl]oxy]methyl]phenyl]methoxy-, methyl ester

Silica gel, precipitated, crystalline free

CAS Number: 112926-00-8

Content (W/W): 15.0 - 20.0%

Synonym: Silica gel, precipitated, crystalline free

Kaolin

CAS Number: 1332-58-7

Content (W/W): 5.0 - 10.0%

Synonym: No data available.

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. In case of intoxication, call a poison control center or physician for treatment advice, taking the packaging or the label of the product.

##### If inhaled:

Keep patient calm, remove to fresh air. Assist in breathing if necessary. Seek medical attention.

##### If on skin:

Wash affected areas thoroughly with soap and water. Remove contaminated clothing. If irritation develops, seek medical attention.

##### If in eyes:

Hold eyelids open to facilitate rinsing. Flush with copious amounts of water for at least 15 minutes. If symptoms persist, seek medical advice.

##### If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Immediate medical attention required.

#### Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

#### Indication of any immediate medical attention and special treatment needed

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 4/12  
(30233990/SDS\_CPA\_CA/EN)

### Note to physician

Antidote: No known specific antidote.  
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## 5. Fire-Fighting Measures

### Extinguishing media

Suitable extinguishing media:  
dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons:  
carbon dioxide

### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, Hydrogen chloride, carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds, silica compounds  
The substances/groups of substances mentioned can be released in case of fire.

### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways. Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

---

## 6. Accidental release measures

### Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 5/12  
(30233990/SDS\_CPA\_CA/EN)

### 7. Handling and Storage

#### Precautions for safe handling

Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Dust explosion class: Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1).

#### Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

### 8. Exposure Controls/Personal Protection

**Users of a pesticidal product should refer to the product label for personal protective equipment requirements.**

#### Components with occupational exposure limits

Kaolin	ACGIH, US:	TWA value 2 mg/m3 Respirable fraction ; The value is for particulate matter containing no asbestos and <1% crystalline silica.
	OSHA Z1:	PEL 5 mg/m3 Respirable fraction ;
	OSHA Z1:	PEL 15 mg/m3 Total dust ;

#### Personal protective equipment

##### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

##### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 6/12  
(30233990/SDS\_CPA\_CA/EN)

### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Wash soiled clothing immediately.

---

## 9. Physical and Chemical Properties

Form:	solid	
Odour:	faint odour, smoky	
Odour threshold:	Not determined since harmful by inhalation.	
Colour:	grey-brown	
pH value:	approx. 5 - 7 ( 1 %(m), 20 °C)	
Melting temperature:	approx. 64 °C The data given are those of the active ingredient.	
Flash point:	not applicable, the product is a solid	
Flammability:	not highly flammable	(Directive 92/69/EEC, A.10)
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Upper explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Vapour pressure:	not applicable	
Density:	approx. 1.68 g/cm <sup>3</sup> ( 20 °C)	(OECD Guideline 109)
Vapour density:	not applicable	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Self-ignition temperature:	296 °C	(Directive 92/69/EEC, A.16)
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated.	
Viscosity, dynamic:	not applicable, the product is a solid	
Solubility in water:	dispersible	
Molar mass:	387.83 g/mol	
Evaporation rate:	not applicable	

---

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 7/12  
(30233990/SDS\_CPA\_CA/EN)

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties:

Based on its structural properties the product is not classified as oxidizing. (Directive 92/69/EEC, A.17)

Dust explosion class:

Dust explosion class 1 (Kst-value >0 up to 200 bar m s-1) (St 1)

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme temperatures. Avoid prolonged exposure to extreme heat. Avoid contamination. Avoid electro-static discharge. Avoid prolonged storage. This product may form an explosive mixture if: 1. the dust is suspended in the atmosphere as a dust cloud AND 2. the concentration of the dust is above the lower explosion limit (LEL) AND 3. the limiting oxygen concentration (LOC) is exceeded.

#### Incompatible materials

strong acids, strong bases, strong oxidizing agents

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Slightly toxic after single ingestion. Slightly toxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

##### Oral

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 401)

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 8/12  
(30233990/SDS\_CPA\_CA/EN)

### Inhalation

Type of value: LC50  
Species: rat (male)  
Value: approx. 4.5 mg/l (OECD Guideline 403)  
Exposure time: 4 h

Type of value: LC50  
Species: rat  
Value: 18.8 mg/l  
Exposure time: 1 h

### Dermal

Type of value: LD50  
Species: rat (male/female)  
Value: > 2,000 mg/kg (OECD Guideline 402)  
No mortality was observed.

### Assessment other acute effects

Assessment of STOT single:  
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

### Skin

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 404

Species: rabbit  
Result: Slightly irritating.  
Method: Primary skin irritation test

### Eye

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

### Buehler test

Species: guinea pig  
Result: Non-sensitizing.  
Method: OECD Guideline 406

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Pyraclostrobin*



# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 9/12  
(30233990/SDS\_CPA\_CA/EN)

*Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.*

*Information on: Kaolin*

*Assessment of repeated dose toxicity: Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.*

*Information on: Silica gel, precipitated, crystalline free*

*Assessment of repeated dose toxicity: The substance may cause damage to the lung after repeated inhalation of high doses.*

-----

### Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

---

## 12. Ecological Information

### **Toxicity**

#### Aquatic toxicity

Assessment of aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

#### Toxicity to fish

LC50 (96 h) 0.25 mg/l, Cyprinus carpio (OECD Guideline 203, static)

#### Aquatic invertebrates

EC50 (48 h) 0.0382 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

#### Aquatic plants

EC50 (72 h) 17.39 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0.72 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (72 h) 1.4 mg/l (biomass), Pseudokirchneriella subcapitata (OECD Guideline 201)

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 10/12  
(30233990/SDS\_CPA\_CA/EN)

### Chronic toxicity to aquatic invertebrates

*Information on: Pyraclostrobin*

*No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2, semistatic)*

*The details of the toxic effect relate to the nominal concentration.*

*No observed effect concentration (28 d) 0.00128 mg/l, Mysidopsis bahia (OPP 72-4 (EPA-Guideline), Flow through.)*

*The statement of the toxic effect relates to the analytically determined concentration.*

### Assessment of terrestrial toxicity

With high probability not acutely harmful to terrestrial organisms.

## **Bioaccumulative potential**

### Bioaccumulation potential

*Information on: Pyraclostrobin*

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)*

*Accumulation in organisms is not to be expected.*

## **Mobility in soil**

### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: Pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

## **Additional information**

Other ecotoxicological advice:

Do not discharge product into the environment without control.

---

## **13. Disposal considerations**

### **Waste disposal of substance:**

See product label for disposal and recycling instructions.

### **Container disposal:**

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

---

## **14. Transport Information**

### **Land transport**

TDG

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 11/12  
(30233990/SDS\_CPA\_CA/EN)

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains PYRACLOSTROBIN)

### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3077  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.  
(contains PYRACLOSTROBIN)

### Further information

Exempt from regulation when transported by road or rail, in accordance with TDG Regulations 1.45.1. This exemption provides that this product does not require dangerous goods shipping documentation or safety marks when transported on land by road or rail.

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection DSL, CA released / exempt

Chemical DSL, CA released; restriction on quantity / not listed

### **Labeling requirements under Pest Control Products Act**

Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act. These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. The following is the hazard information required on the pest control product label:

WARNING:

Contains the allergen sulfite(s).

KEEP OUT OF REACH OF CHILDREN.

Avoid contact with the skin, eyes and clothing.

Wash thoroughly after handling.

---

# Safety Data Sheet

## Cabrio 20 EG

Revision date : 2022/03/25  
Version: 10.0

Page: 12/12  
(30233990/SDS\_CPA\_CA/EN)

There are Canada-specific environmental requirements for handling, use, and disposal of this pest control product that are indicated on the label.

---

### 16. Other Information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2022/03/25

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

---

END OF DATA SHEET