

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL DAY OR NIGHT 1-800-561-8273 or CHEMTREC – DAY OR NIGHT 1 800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

- 1.1 **PRODUCT IDENTIFIER:**
TRADE NAME: SUPRA CAPTAN 80 WSP
- 1.2 **RECOMMENDED USE:** GROUP M FUNGICIDE
- 1.3 **DISTRIBUTED BY:**
 LOVELAND PRODUCTS CANADA, INC.
 789 DONNYBROOK DRIVE • DORCHESTER, ONTARIO N0L 1G5
- 1.4 **24 Hour Emergency Phone: (Chemtrec):** 1-800-424-9300 (Toll Free) - **Additional Emergency Phone** 1-800-561-8273
Loveland Technical Service: 1-800-328-4678
U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Acute toxicity – Dermal	Category 4	H312
Acute toxicity – Inhalation (Dusts/Mists)	Category 3	H331
Serious eye damage/eye irritation	Category 1	H318
Skin sensitization	Category 1	H317

2.2 Label elements



Signal word: DANGER
 Hazard Statement: H312 – Harmful in contact with skin.
 H317 – May cause an allergic skin reaction.
 H318 – Causes serious eye damage.
 H331 – Toxic if inhaled.

Precautionary Statement: P280 – Wear protective gloves/protective clothing/eye protection/face protection.
 (Prevention): P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.
 P271 – Use only outdoors or in a well-ventilated area.
 P272 – Contaminated work clothing should not be allowed out of the workplace.

Precautionary Statement: P302+P352 – IF ON SKIN: Wash with plenty of soap and water.
 (Response): P304+P340: IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338 – IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 – Immediately call a POISON CENTRE or doctor/physician.
 P311 – Call a POISON CENTRE or doctor/physician if you feel unwell.
 P333+P313 – If skin irritation or rash occurs: Get medical advice/attention.
 P363 – Wash contaminated clothing before reuse.

Precautionary Statement: P403+P233 – Store in a well-ventilated place. Keep container tightly closed.
 (Storage):

Precautionary Statement: P501 – Dispose of contents/container to an approved waste disposal to an approved waste disposal facility.
 (Disposal)



SAFETY DATA SHEET

SUPRA CAPTAN 80 WSP PCP 33461

SDS NUMBER: 33461-20-LPCI

SDS REVISIONS: SEC. 14

DATE OF ISSUE: 06/25/20

SUPERSEDES: 02/10/20

- 2.3 Other hazards**
Contains the allergen sulfites.

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.1 Substances

3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
Captan	133-06-2	80.00

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control centre or doctor for further treatment advice.
- If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: May cause irritation to the respiratory tract.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

NOTES TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use medium appropriate to surrounding fire. Foam, carbon dioxide (CO₂), dry chemical, soft stream or water fog only if necessary.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: In the event of fire and/or explosion do not breathe fumes. May cause skin sensitization in susceptible persons. Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.



SAFETY DATA SHEET

SUPRA CAPTAN 80 WSP PCP 33461

SDS NUMBER: 33461-20-LPCI

SDS REVISIONS: SEC. 14

DATE OF ISSUE: 06/25/20

SUPERSEDES: 02/10/20

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours and spray mist and contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer systems. See section 12 for further ecological information.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Use personal protective equipment as required. Cover powder spill with plastic sheet or tarp to minimize spreading and to keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly labeled containers. Sweep up and shovel into suitable containers for disposal. After cleaning, flush away any traces with water. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Use personal protective equipment as required. Do not breathe dust/fume/mist vapours/spray. Use with local exhaust ventilation.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Keep container tightly closed in a dry and well-ventilated place. Keep out of reach of children. Keep in properly labeled containers. Do not contaminate water, food, or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS:

OCCUPATIONAL EXPOSURE LIMITS

U.S. Workplace Exposure Level (ACGIH) TLVs

Components	Type	Value
Captan	TLV	5 mg/m ³ (1) SEN

U.S. Workplace Exposure Level (OSHA) PELs

Components	Type	Value
Not listed	TWA	

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
No listings		

8.2 EXPOSURE CONTROLS:

Engineering Measures

Showers. Eyewash stations. Ventilation systems.

Individual Protection Measures:

Eye / Face Protection: Goggles or shielded safety glasses are recommended. Face protection shield.

Skin Protection: Long-sleeved shirt and long pants. Shoes plus socks. Chemical-resistant gloves. Chemical-resistant apron, as appropriate to prevent skin contact.

Respiratory Protection: Dependent on job function. If vapors or dusts exceed acceptable levels, wear a MSHA/NIOSH approved air-purifying respirator with any cartridges/filters approved for pesticides. If respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection Standard. Wear a supplied air respirator if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 APPEARANCE:** Solid powder.
ODOUR: Pungent, organic odour.
ODOUR THRESHOLD: No data available.
COLOUR: Off- white to tan-coloured.
pH: 5.5
MELTING POINT / FREEZING POINT: No data available
BOILING POINT: No data available
FLASH POINT: No data available
FLAMMABILITY (solid, gas): No data available.
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: No data available.
VAPOUR PRESSURE: No data available
SOLUBILITY: Dispersible.
PARTITION CO-EFFICIENT, n-OCTANOL / WATER: No data available.
AUTO-IGNITION TEMPERATURE: No data available.
DECOMPOSITION TEMPERATURE: No data available.
VISCOSITY: No data available.
SPECIFIC GRAVITY (Water = 1): 0.562 g/ml
DENSITY: 562 kg/m³

Note: These physical data are typical values based on material tested but may vary from sample to sample.
 Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

- 10.1 REACTIVITY**
 Stable
10.2 CHEMICAL STABILITY
 Stable under normal temperature conditions
10.3 POSSIBILITY OF HAZARDOUS REACTIONS
 None under normal processing. Will not polymerize.
10.4 CONDITIONS TO AVOID
 Moisture.
10.5 INCOMPATIBLE MATERIALS
 Alkaline materials. Acidic materials.
10.6 HAZARDOUS DECOMPOSITION PRODUCTS
 Hydrogen chloride. Oxides of carbon. Oxides of nitrogen (NO_x). Hydrogen cyanide.

11 TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Eye Contact: **Causes serious eye damage.**
 Skin Contact: **May cause an allergic skin reaction.**
 Inhalation: **Harmful if inhaled.**
 Ingestion: **Do not ingest.**

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Captan 133-06-2	= 3573 mg/kg (Rat) = 9 g/kg (Rat)	> 5 g/kg (Rat) > 5000 mg/kg (Rat)	= 0.72 mg/L (Rat) 4 h

Information on physical, chemical and toxicological effects

Symptoms: **Please see section 4 of this SDS for symptoms.**

Chemical Name	ACGIH	IARC	NTP	OSHA
Captan 133-06-2	A3	Group 3		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity: **Suspected of causing cancer.**



SAFETY DATA SHEET

SUPRA CAPTAN 80 WSP PCP 33461

SDS NUMBER: 33461-20-LPCI

SDS REVISIONS: SEC. 14

DATE OF ISSUE: 06/25/20

SUPERSEDES: 02/10/20

Numerical measures of toxicity

Acute Oral LD50 (Rat): **>2,000 mg/kg**
 Acute Dermal LD50 (Rabbit): **>2,000 mg/kg**
 Inhalation LC50 (Rat): **1.16 mg/L (4-hr)**
 Eye Irritation: **Causes serious eye damage.**
 Dermal Irritation: **Non-irritating.**
 Dermal Sensitization: **Skin sensitizer.**

12 ECOLOGICAL INFORMATION

12.3 ECOTOXICITY

The product is toxic to fish and aquatic invertebrates. See section 6 for other information.

Ecotoxicological Data

	Species	Test Results
Captan	Rainbow trout	0.3 mg/L – 96-hour LC ₅₀
	Fathead minnow	0.168 – 0.238 mg/L – 96-hour LC ₅₀
	Bluegill	0.16 mg/L – 96-hour LC ₅₀
	Daphnia magna	9.9 mg/L – 48-hour EC ₅₀

Drift or runoff may adversely affect non-target plants.
 Do not apply directly to water.
 Do not contaminate water when disposing of equipment wash water.
 Do not apply when weather conditions favor drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available.

12.4 MOBILITY IN SOIL

No data available.

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13 DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Do not reuse containers for any purpose. Completely empty bag into application equipment. Container is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14 TRANSPORT INFORMATION

14.3 LAND TRANSPORT

TDG

UN/ID no	UN3077
Proper shipping name	Environmentally hazardous substance, solid, n.o.s. (CAPTAN)
Hazard Class	9
Packing Group	III
Special Provisions	16, 99
Emergency Response Guide Number	171

Notes:

- 1) A marine pollutant based on Section 2.7 of TDG Regulations
- 2) Certain exemptions from TDG Regulations requirements may apply for land transport as stated in Section 1.45.1 and Special Provision 99 of Regulations.



SAFETY DATA SHEET

SUPRA CAPTAN 80 WSP PCP 33461

SDS NUMBER: 33461-20-LPCI

SDS REVISIONS: SEC. 14

DATE OF ISSUE: 06/25/20

SUPERSEDES: 02/10/20

DOT
 UN/ID no UN3077
 Proper shipping name Environmentally hazardous substance, solid, n.o.s. (CAPTAN)
 Hazard Class 9
 Packing Group III
 Special Provisions 8,146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
 Emergency Response Guide Number 171
 U.S. Surface Freight Classification: INSECTICIDES OR FUNGICIDES, INSECT OR ANIMAL REPELLENTS, NOI, OTHER THAN POISON (NMFC 102120, CLASS: 77.5)

15 REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:	NFPA		HMIS
	2 Health	0 Least	2 Health
	0 Flammability	1 Slight	0 Flammability
	0 Instability	2 Moderate	0 Reactivity
		3 High	X PPE
		4 Severe	

SARA Hazard Notification/Reporting
 SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Captan (CAS: 133-06-2) 10 pounds.
 SARA, Title III, Section 313: Captan (CAS: 133-06-2) 80.0%
 RCRA Waste Code: Not listed.
 CA Proposition 65: Not applicable.
 WHMIS [Canada]: Pest control products are not controlled under WHMIS. Classified D2B

16 OTHER INFORMATION

SDS STATUS: Section 14 revised.
 PREPARED BY: Product Stewardship and Regulatory Affairs
 REVIEWED BY: Safety, Health and Environment
Pest Control Products Act REG. NO.: 24613

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.