

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

This SDS adheres to the standards and regulatory requirements of Canada and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Exirel® Insecticide
Tradename/Synonym : B13111659

SDS Number : 130000133497

Product Use : Insecticide
Manufacturer : FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Medical Emergency : 1 800 / 331-3148 (ProPharma Group - U.S.A. & Canada)
1 651 / 632-6793 (ProPharma Group - All Other Countries - Collect)
For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 741-5970 (CHEMTREC - International)
1 703 / 527 3887 (CHEMTREC - Alternate)

SECTION 2. HAZARDS IDENTIFICATION

Potential Health Effects

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Concentration
Cyantraniliprole	736994-63-1	10.2 %

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

Other Ingredients		89.8 %
-------------------	--	--------

SECTION 4. FIRST AID MEASURES

- Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
- Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
- Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.
- Ingestion : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Do not give anything by mouth to an unconscious person.
- General advice : Have the product container or label with you when calling a poison control center or doctor, or going for treatment. See Section 1 for emergency phone numbers.

SECTION 5. FIREFIGHTING MEASURES

- Flammable Properties
- Flash point : No flash up to boiling point.
- Auto-ignition temperature : 358 °C (676 °F)
- Fire and Explosion Hazard : The product is not flammable.
- Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet, (contamination risk)

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

Firefighting Instructions : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
(on small fires) If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Use personal protective equipment.

Spill Cleanup : Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in an approved container. If liquid has been spilt in large quantities clean up promptly by scoop or vacuum.

Accidental Release Measures : Prevent material from entering sewers, waterways, or low areas. Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if material gets inside. Wash thoroughly and put on clean clothing.

Handling (Physical Aspects) : The product is not flammable.

Storage : Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home. Keep out of the reach of children.

Storage temperature : > 0 °C (> 32 °F)

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

- Skin and body protection : Applicators and other handlers must wear:
Long sleeved shirt and long pants
Shoes plus socks
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
Applicators and other handlers of the diluted material must wear: shirt, pants, socks and shoes.
Personal protective equipment required for early entry:
Coveralls
Shoes plus socks
Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils
- Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Exposure Guidelines
Exposure Limit Values

No data available

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form : liquid
Color : off-white
Odor : mild, phenol-like
pH : 5.6 at 10 g/l
Melting point/range : Not available for this mixture.
Boiling point/boiling range : 97 °C (207 °F)
Bulk density : 0.9 - 1.1 g/cm³
Water solubility : emulsifiable

SECTION 10. STABILITY AND REACTIVITY

- Stability : Stable at normal temperatures and storage conditions.
- Conditions to avoid : Protect from frost.

SECTION 11. TOXICOLOGICAL INFORMATION

Exirel® Insecticide

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

Inhalation 4 h LC50	:	> 2.4 mg/l , Rat
Dermal LD50	:	> 5,000 mg/kg , Rat
Oral LD50	:	> 5,000 mg/kg , multiple species
Skin irritation	:	Irritating to skin., Rabbit
Eye irritation	:	No eye irritation, Rabbit Minimal effects that do not meet the threshold for classification.
Sensitisation	:	May cause sensitisation by skin contact., Guinea pig

Cyantraniliprole

Repeated dose toxicity	:	The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions.
		Oral Rat 28 - 90 d Thyroid effects, Organ weight changes, No effect to neurotoxicity.
		Dermal Rat 28 d No toxicologically significant effects were found.
		Oral Mouse 90 d No toxicologically significant effects were found.
		Oral Dog 90 d altered blood chemistry, Liver effects, Vascular arteritis
		Oral multiple species 28 d Immune System, No toxicologically significant effects were found.
		Oral Rat 14 d

Exirel[®] Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

No toxicologically significant effects were found.

Oral

Dog

365 d

Liver effects, Gallbladder effects, altered blood chemistry, Vascular arteritis

Inhalation

Rat

28 d

No toxicologically significant effects were found.

Carcinogenicity	:	Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects.
Reproductive toxicity	:	No toxicity to reproduction Animal testing showed no reproductive toxicity.
Teratogenicity	:	Animal testing showed effects on embryo-fetal development at levels equal to or above those causing maternal toxicity.

SECTION 12. ECOLOGICAL INFORMATION
Aquatic Toxicity
Exirel[™] Insecticide

48 h EC50

: Daphnia magna (Water flea) 0.232 mg/l

Cyantraniliprole

96 h LC50

: Oncorhynchus mykiss (rainbow trout) > 12.6 mg/l

96 h LC50

: Lepomis macrochirus (Bluegill sunfish) > 13 mg/l

72 h ErC50

: Pseudokirchneriella subcapitata (green algae) > 13 mg/l

7 d ErC50

: Lemna gibba (duckweed) > 12.1 mg/l

Additional ecological information

: Environmental Hazards: Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Toxic to bees. Do not apply this product if bees are visiting the treatment area. See product label for additional application instructions relating to environmental precautions.

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

Additional ecological information : This product is toxic to non-target plants.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste Disposal : Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container disposal: : Container Refilling and Disposal:
Refer to the product label for instructions.
Do not transport if this container is damaged or leaking.
In the event of a major spill, fire or other emergency, call 1-800-441-3637 day or night.

SECTION 14. TRANSPORT INFORMATION

IATA_C	UN number	: 3082
	Proper shipping name	: Environmentally hazardous substance, liquid, n.o.s. (Cyantraniliprole)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9MI
IMDG	UN number	: 3082
	Proper shipping name	: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cyantraniliprole)
	Class	: 9
	Packing group	: III
	Labelling No.	: 9
	Marine pollutant	: yes (Cyantraniliprole)

Not regulated as a hazardous material by DOT.

Not regulated as a hazardous material by TDG.

SECTION 15. REGULATORY INFORMATION

Exirel® Insecticide

Version 1.0

Revision Date 03/01/2018

Ref. 130000133497

PCP Registration # : 30895
Remarks : Regulated under the Pest Control Products Act - WHMIS exempt.

SECTION 16. OTHER INFORMATION

MSDS preparation date : 03/01/2018

® Registered trademark of FMC Corporation

Contact person : FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Significant change from previous version is denoted with a double bar.