

2015-2665
2015-07-17

(FRONT PANEL) THE PROTECTOR HOUSE AND GARDEN 29076
SUPERIOR CONTROL PRODUCT INC.

NET CONTENTS 250 ml

DOMESTIC

THE PROTECTOR HOUSE AND GARDEN

LIQUID INSECT SPRAY

EMULSIFIABLE CONCENTRATE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND ATTACHED PAMPHLET BEFORE USING

DANGER

POISON

REG No 29076 P.C.P. ACT

GUARANTEE : Permethrin 12.5g/ Litre

Contains benzoic acid, sodium salt at 0.1% as a preservative

SKIN AND EYE IRRITANT

MADE BY

Superior Control Product inc

3715 La Fayette est, Boisbriand, Québec, Canada, J7H 1S4, 1-888-689-2171

(SIDE PANEL) THE PROTECTOR HOUSE AND GARDEN 29076

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. Avoid inhaling spray mist or contact with eyes, skin and clothing. May cause irritation to skin or eyes. Wash thoroughly after use and before eating, drinking and smoking. Remove fish bowls and aquarium from the spray area. Do not apply when weather conditions favour drit. Toxic to bees. Do not spray if bees are present. Do not spray within 15 meters of any source of water. “Wear protective gloves and long-sleeved clothing when mixing and applying the product” and avoid contamination of food, feed utensils, drinking water or any source of water. Wash contaminated food surfaces, utensils and clothing with soap and water. Do not permit children or pets to contact sprayed areas until dry. Do not use in poultry houses or other animal building. This product is highly toxic to fish and crustaceans. **KEEP CHILDREN AND PETS AWAY FROM TREATED AREA DURING APPLICATION AND UNTIL DRY.**

DISPOSAL : Do not reuse empty container, triple rinse container into sprayer and dispose of empty container with household garbage.

FIRST AID : **IF SWALLOWED**, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **IF INHALED**, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **IF ON SKIN OR CLOTHING**, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **IF IN EYES**, Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advices.

Take container, label or product name and Pest Control product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : treat symptomatically.

(Attached pamphlet) THE PROTECTOR HOUSE AND GARDEN 29076

SUPERIOR CONTROL PRODUCT INC.

NET CONTENTS 250 ml

DOMESTIC

THE PROTECTOR HOUSE AND GARDEN

LIQUID INSECT SPRAY

EMULSIFIABLE CONCENTRATE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND ATTACHED PAMPHLET BEFORE USING

DANGER

POISON

REG No 29076 P.C.P. ACT

GUARANTEE : Permethrin 12,5g/ Litre

Contains benzoic acid, sodium salt at 0.1% as a preservative

SKIN AND EYE IRRITANT

MADE BY

Superior Control Product inc

3715 La Fayette est, Boisbriand, Québec, Canada, J7H 1S4, 1-888-689-2171

Keep the label for use instructions : THE PROTECTOR HOUSE AND GARDEN is an effective product to kill insects on contact or by ingestion. This product contains Permethrin a synthetic pyrethroid

insecticide of low mammalian toxicity.

DIRECTIONS FOR USE (5mL = 1 teaspoonful)(15mL = 1 tablespoonful). Mix with water as directed below and apply with a sprayer to give a thorough coverage of plants. Apply when insects or damage are first noticed and repeat as necessary.

VEGETABLES : TOMATOES AND POTATOES : Colorado Potato Beetle, Potato Flea Beetle, Potato Leafhopper, Tarnished Plant Bug and White Flies – Mix 75 mL with 10 L of water. Do not apply to tomatoes within 1 days of harvest. Cutworms – These insects attack and cut off seedlings, Transplants and low-lying plants like petunias and pansies. To confirm the cause, finger soil around damaged plant looking for a soft dark-coloured worm in a curled position. – Mix 75mL with 10 L of water and apply to cover ground area of 100m². If soil is organic(musk soil) or very dry, apply 150mL in 10 L of water per 100m². For variegated cutworms (climbing) on Potatoes, Tomatoes and Ornamental Plants – Mix 75mL in 10 L of water. Thoroughly spray the plant and underlying ground at the first sign of damage. Do not apply with 1 day of harvest. NOTE : Only cutworms feeding on soil surface and above will be controlled. Subterranean cutworms will not be controlled unless they come up and move on the treated surface. **PEPPERS** : European Corn Borer – Mix 100mL in 10 L of water and apply if corn is noticed on plants (usually end of July to early September). Do not apply within 1 day of harvest. **SWEET CORN** : European Corn Borer, Corn Earworm and Sap Beetle – Mix 100mL with 10 L of water. European Corn Borer – In early plantings apply when first feeding is seen on leaves. In later plantings, apply before tassels show and repeat 5 days intervals until early silk stage. Corn Earworm – when 25% of ears show silk start spraying and fully cover ears and silk. Apply 4 spray allowing 4 days between sprays (3 day intervals in hot weather). Sap beetle – Apply when pink spotted beetle appear. Do not treat within one day of harvest. **CABBAGE, CAULIFLOWER, BROCCOLI, BRUSSELS SPROUTS** : Imported Cabbage Worm Cabbage Looper, Diamondback Moth Larvae and Crucifer Flea Beetle – Mix 50 mL in 10 L of water. Do not spray cabbage, cauliflower and brussels sprouts within 3 days of harvest : Broccoli within 7 days of harvest. **NOTE : CARE SHOULD BE TAKEN TO AVOID DEPOSITING THE PRODUCT ONTO SURFACES WHICH ARE EASILY ACCESSIBLE BY CHILDREN. DO NOT APPLY AS A SPACE SPRAY.**

ORNAMENTALS : CONIFEROUS TREES AND SHRUBS : White-Marked Tussock Moth, Douglas Fir Tussock Moth, Spruce Budworm and yellow-Headed Spruce Sawfly, Eastern Spruce Budworm, Coneworm and open feeding sawflies – Mix 50 mL with 10 L of water and thoroughly apply when first signs of feeding occur. Repeat once if reinfestation occurs. **DECIDUOUS TREES AND SHRUBS** : Gypsy Moth, Forest tent Caterpillar, Eastern tent Caterpillar, Fall Webworm, Euonymus Webworm and Open feeding Aphids – Mix 70 mL with 10 L of water and thoroughly apply when insects appear. Repeat once if reinfestation occurs.

FRUIT TREES

APPLES : PEARS : EasternCanada – pear Psylla(adults and nymphs) Coding Moth, Green Fruitworm – Apply 200mL in 10 L of water. Do not apply within seven days before harvest. **PLUMS** : Plum Curculio : Apply 200mL in 10 L of water. Do not apply within seven days of

harvest. **NECTARINES AND PEACHES** : Oriental fruit Moth, Plum Curculio, Plant Bugs – Apply 200 mL in 10 L of water. Do not apply within seven days of harvest. **GRAPES** : Grape berry Moth – Apply 150 mL in 10 L of water. Grape Leafhopper – Apply 75 mL in 10 L of water. Do not apply less than 21 days before vintage. **APPLES** : Winter Moth Eastern tent Caterpillar, Eye-spotted Bud Moth, Plum Curculio, White Leafhopper – Apply 100mL in 10 L of water. Tentiform leafminer, Green Fruitworm, Apple Maggot, Leafrollers, Tarnished Plant Bug, Mullein Bug, Lesser Appleworm, Codling Moth – Apply 200ml in 10 L of water.

DESTROYED SPIDERS OUTSIDE : Dilute 200mL of product in 10 litres of water (or 20 ml in 1 litre) and apply as a coarse spray under eaves troughs, along siding and underneath porches.

PRECAUTIONS : KEEP OUT OF REACH OF CHILDREN. Avoid inhaling spray mist or contact with, skin and clothing. May cause irritation to skin or eyes. Wash thoroughly after use and before eating, drinking and smoking. Remove fish bowls and aquarium from the spray area. Do not apply when weather condition favour drift. Toxic to bees – Do not spray if bees are present. Do not spray within 15 metres of any body of water. “Wear protective gloves & long-sleeved clothing when mixing and applying the product” and avoid contamination of food, feed, utensils, drinking water or any body of water. Wash contaminated food surfaces, utensils, and clothing with soap and water. Do not permit children or pets to contact sprayed areas until dry. Do not use in poultry houses or other animal buildings. This product is highly toxic to fish and crustaceans. **KEEP CHILDREN AND PETS AWAY FROM TREATED AREA DURING APPLICATION AND UNTIL DRY.**

DISPOSAL : Do not reuse empty container, triple rinse container into sprayer and dispose of empty container with household garbage.

FIRST AID : IF SWALLOWED, Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. IF INHALED, Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. IF ON SKIN OR CLOTHING, Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. IF IN EYES, Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advices.

Take container, label or product name and Pest Control product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION : treat symptomatically.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.