

Revision Date (Y-M-D): 2020-01-30

# **SECTION 1: PRODUCT INFORMATION**

**Product Identifier: INSTRATA® FUNGICIDE** 

Formulation Number: A14036B

**Registration Number:** 28861 (Pest Control Products Act)

**Product Use:** Fungicide. Read the label, authorized under the Pest Control Products Act, prior to using or handling the pest

control product.

Syngenta Canada Inc.

140 Research Lane, Research Park

Guelph, ON N1G 4Z3

SDS prepared by: Department of Regulatory & Biological Assessment, Syngenta Canada Inc.

For further information, contact: 1-87-SYNGENTA (1-877-964-3682)

# In Case of Emergency, Call: 1-800-327-8633 (FAST MED)

# **SECTION 2: HAZARDS IDENTIFICATION**

Classification in accordance with UN GHS Version 5.

**Hazard Classification(s):** Acute Toxicity (Inhalation) – Category 3

Acute Toxicity (Oral) – Category 4 Carcinogenicity – Category 2 Eye Irritation – Category 2A Reproductive Toxicity – Category 2

Skin Irritation – Category 3 Skin Sensitization – Category 1

Specific Target Organ Toxicity (STOT) – Category 3

**Hazard Symbol(s):** 





Signal Word: DANGER

**Hazard Statement(s):** H302 – Harmful if swallowed.

H316 – Causes mild skin irritation.

H317 – May cause an allergic skin reaction.

H319 – Causes serious eye irritation.

H331 – Toxic if inhaled.

H335 – May cause respiratory irritation. H351 – Suspected of causing cancer.

H361 – Suspected of damaging fertility or the unborn child.



Revision Date (Y-M-D): 2020-01-30

#### **Precautionary Statement(s):**

**Prevention:** P201 – Obtain special instructions before use.

P202 – Do not handle until all safety precautions have been read and understood.

P261 – Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 – Wash thoroughly after handling.

P270 – Do not eat, drink or smoke when using this product. P271 – Use only outdoors or in a well-ventilated area.

P272 – Contaminated work clothing should not be allowed out of the workplace. P280 – Wear protective gloves/protective clothing/eye protection/face protection.

**Response:** P301+P312 – IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 – IF ON SKIN: Wash with plenty of water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P305+P351+P338 – IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 – IF exposed or concerned: Get medical advice/attention.

P311 – Call a POISON CENTER/doctor if inhaled.

P312 – Call a POISON CENTER/doctor if you feel unwell. P321 – Specific treatment: See Section 4 of this SDS.

P330 - Rinse mouth.

P333+P313 – If skin irritation or rash occurs: Get medical advice/attention. P337+P313 – If eye irritation persists: Get medical advice/attention. P362+P364 – Take off contaminated clothing and wash it before reuse.

**Storage:** P403+P233 – Store in a well-ventilated place. Keep container tightly closed.

P405 – Store locked up.

**Disposal:** P501 – Dispose of contents/containers to an approved waste disposal plant.

Other Hazards Which do not To avoid risk to human health and the environment, comply with the instructions for use. Result in GHS Classification:

#### SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Average %
			by weight
2,4,5,6-tetrachloro-1,3-benzenedicarbonitrile	Chlorothalonil	1897-45-6	29.9
Poly(oxy-1,2-ethanediyl), alpha-[tris(1-	Ethoxylated tristyrylphenols	99734-09-5	2.5 - 10
phenylethyl)phenyl]-omega-hydroxy-			
1-[[(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-	Propiconazole	60207-90-1	4.7
yl]methyl]-1H-1,2,4-triazole	_		
4-(2,2-difluoro-1,3-benzodioxol-4-yl)-1H-pyrrole-	Fludioxonil	131341-86-1	1.2
3-carbonitrile			

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.



Revision Date (Y-M-D): 2020-01-30

# **SECTION 4: FIRST AID MEASURES**

**IF POISONING IS SUSPECTED, immediately contact the poison information centre**, doctor or nearest hospital. Have the product container, label or Safety Data Sheet with you when calling Syngenta, a poison control centre or doctor, or going for treatment. Tell the person contacted the complete product name, and the type and amount of exposure. Describe any symptoms and follow the advice given. Call the Syngenta Emergency Line [1-800-327-8633 (1-800-FASTMED)], for further information.

**Eye Contact:** Flush eyes with clean water, holding eyelids apart for a minimum of 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eyes. Call Syngenta, a poison control centre or doctor for treatment advice. Obtain medical attention immediately if irritation persists.

**Skin Contact:** Immediately remove contaminated clothing and wash skin, hair and fingernails thoroughly with soap and water. Flush skin with running water for a minimum of 15-20 minutes. Call Syngenta, a poison control centre or doctor for treatment advice.

**Inhalation:** Move victim to fresh air. If not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth, if possible. Call Syngenta, a poison control centre or doctor for treatment advice.

**Ingestion:** If swallowed, immediately contact Syngenta, a poison control centre, doctor or nearest hospital for treatment advice. Have person sip a glass of water if able to do so. Do not give anything by mouth to an unconscious person. Do not induce vomiting unless directed by a physician or a poison control centre. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer water.

# Most Important Symptoms/Effects, Acute and Delayed:

Toxic if inhaled.

Harmful if swallowed.

Causes serious eye irritation.

Causes mild skin irritation.

May cause an allergic skin reaction. Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals. Individuals with allergic history or pre-existing dermatitis should use extra care in handling this product.

May cause respiratory irritation. Asthma or other respiratory conditions may be aggravated by chemical irritants.

Suspected of causing cancer.

Suspected of damaging fertility or the unborn child.

# **Indication of Immediate Medical Attention and Special Treatment:**

There is no specific antidote.

Treat symptomatically.

Persons suffering from a temporary allergic reaction may respond to treatment with oral antihistamines or steroid creams and/or systemic steroids.



Revision Date (Y-M-D): 2020-01-30

# **SECTION 5: FIRE FIGHTING MEASURES**

**Suitable (and Unsuitable) Extinguishing Media:** Use foam, carbon dioxide, dry powder, halon extinguishant or water fog or mist. Cool closed containers exposed to fire with water spray. Do not use a solid water stream as it may scatter and spread the fire.

**Specific Hazards Arising from the Product:** Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

**Special Protective Equipment and Precautions for Fire-Fighters:** Wear full protective clothing and self-contained breathing apparatus. Evacuate non-essential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water run-off can cause environmental damage. Contain run-off water with, for example, temporary earth barriers.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal Precautions, Protective Equipment and Emergency Procedures:** Control the spill at its source. Clean up spills immediately, observing precautions outlined in Sections 7 and 8. Use adequate ventilation and equipment and wear clothing as described in Section 8 and/or the product label.

**Environmental Precautions:** Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Spillages or uncontrolled discharges into watercourses must be reported to the appropriate regulatory body.

Methods and Materials for Containment and Cleaning Up: Pump or scoop large amounts of liquid into a disposable container. Absorb remaining liquid or smaller spills with clay, sand or vermiculite. Scoop or seep up material and place into a disposal container. Wash area with detergent and water. Pick up wash liquid with additional absorbent and place into a compatible disposal container. On soils, small amounts will naturally decompose. For large amounts, skim off the upper contaminated layer and collect for disposal. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposal.

# **SECTION 7: HANDLING AND STORAGE**

**Precautions for Safe Handling:** KEEP OUT OF REACH OF CHILDREN. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Avoid breathing vapours, dust or spray mist. Wear full protective clothing and equipment (see Section 8). After work, rinse gloves and remove protective equipment, and wash hands thoroughly with soap and water after handling, and before eating, tobacco use, drinking, applying cosmetics or using the toilet. Wash contaminated clothing before re-use and separate from household laundry. Keep containers closed when not in use. Protect product, wash or rinse water, and contaminated materials from uncontrolled release into the environment, or from access by animals, birds or unauthorized people.

Conditions for Safe Storage, Including Any Incompatibilities: Store in original container in a well-ventilated, cool, dry, secure area. Protect from heat, sparks and flame. Do not expose sealed containers to temperatures above 40 °C. Refer to the product label for specific storage recommendations, including minimum storage temperature and freeze/thaw stability. Keep separate from other products to prevent cross contamination. Rotate stock. Clean up spilled material immediately.

Revision Date (Y-M-D): 2020-01-30

# SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION, PACKAGING AND USE OF THIS PRODUCT.

# CONSULT THE PRODUCT LABEL FOR COMMERCIAL AND/OR ON-FARM APPLICATIONS.

#### **Control Parameters:**

Component	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA	WHMIS†
				Carcinogen	
Chlorothalonil	Not established	Not established	0.1 mg/m <sup>3</sup> TWA***	IARC Group 2B	Not established
			(possible skin		
			and respiratory		
			sensitizer)		
Ethoxylated tristyrylphenols	Not established	Not established	Not established	No	Not established
Propiconazole	Not established	Not established	5 mg/m <sup>3</sup> TWA***	No	Not established
Propylene glycol	Not established	Not established	10 mg/m³ TWA AIHA WEEL****; 50 ppm (155 mg/m³) TWA (total vapour & particulates) (ON)	No	Yes
Fludioxonil	Not established	Not established	5 mg/m <sup>3</sup> TWA***	No	Not established

\* Recommended by Manufacturer

\*\* Recommended by NIOSH

\*\*\* Syngenta Occupational Exposure Limit (OEL)

\*\*\*\* Recommended by AIHA (American Industrial Hygiene Association)

† Material listed in Ingredient Disclosure List under the Hazardous Products Act

**Appropriate Engineering Controls:** If necessary, ensure work areas have ventilation, containment, and procedures sufficient to maintain airborne levels below the TLV (threshold limit value). Warehouses, production areas, parking lots and waste holding facilities must have adequate containment to prevent environmental contamination. Provide separate shower and eating facilities.

#### **Individual Protection Measures:**

**General:** Avoid breathing dust, vapours or aerosols. Avoid contact with eye, skin and clothing. Wash thoroughly after handling and before eating, drinking, applying cosmetics or handling tobacco.

**Ingestion:** Do not eat, drink, handle tobacco, or apply cosmetics in areas where there is a potential for exposure to this material. Always wash thoroughly after handling.

**Eyes:** Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and safety shower.

Revision Date (Y-M-D): 2020-01-30

Skin: Where contact is likely, wear chemical-resistant (such as nitrile or butyl) gloves, coveralls, socks and chemicalresistant footwear. For overhead exposure, wear chemical-resistant headgear.

Inhalation: A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH certified respirator with any N, R, P or HE filter. Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Grey liquid.

Formulation Type: Suspension concentrate.

Physical State: Liquid. **Odour:** Aromatic.

**Odour Threshold:** Not available.

pH: 5.5 @ 25 °C.

Melting Point: Not applicable. Freezing Point: Not available.

Initial Boiling Point and Boiling Range: Not available.

**Flash Point:**  $> 100 \, ^{\circ}$ C.

**Evaporation Rate:** Not available.

Flammability (solid/gas): Not applicable. Lower Explosive Limit: Not applicable. Upper Explosive Limit: Not applicable.

5.70 x 10<sup>-7</sup> mmHg @ 20 °C. **Vapour Pressure:** Chlorothalonil:

> 4.20 x 10<sup>-7</sup> mmHg @ 20 °C. Propiconazole: 2.90 x 10<sup>-9</sup> mmHg @ 20 °C. Fludioxonil:

Vapour Density: Not available. Relative Density: 1.21 g/cm<sup>3</sup>.

**Solubility(ies):** Chlorothalonil: 0.81 mg/L @ 20 °C, pH 7 (water).

> Propiconazole: 100 mg/L @ 20 °C, pH 7 (water). Fludioxonil: 1.8 mg/L @ 20 °C, pH 7 (water).

Partition Coefficient (n-octanol water): Chlorothalonil: 2.9

Propiconazole: 3.7 Fludioxonil: 4.1

**Auto-Ignition Temperature:** > 650 °C. **Decomposition Temperature:** Not available.

**Viscosity:** 450 – 750 mPa·s @ 20 °C.

Other Information: Not applicable.



Revision Date (Y-M-D): 2020-01-30

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity: Not reactive.

Chemical Stability: Stable under normal use and storage conditions.

Possibility of Hazardous Reactions: No hazardous reactions with normal handling and storage according to the label

directions.

**Conditions to Avoid:** No decomposition if used as directed. Avoid excessive heat or cold.

Incompatible Materials: No substances are known which lead to the formation of hazardous substances or thermal

reactions.

Hazardous Decomposition Products: Can decompose at high temperatures forming toxic gases. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

**Likely Routes of Exposure:** Dermal, inhalation, oral.

Symptoms of Acute Exposure: Toxic if inhaled, Harmful if swallowed, Causes serious eye irritation, Causes mild skin

irritation.

Potential Health Effects: May cause an allergic skin reaction. Prolonged or frequently repeated skin contact may cause an allergic reaction in some individuals. Individuals with allergic history or pre-existing dermatitis should use extra care in handling this product. May cause respiratory irritation. Asthma or other respiratory conditions may be aggravated by chemical irritants. Suspected of causing cancer. Suspected of damaging fertility or the unborn child.

# **Acute Toxicity/Irritation Studies (Finished Product):**

Ingestion: Slightly Acutely Toxic

> Oral (LD50 Female Rat) > 1,750 and < 5,000 mg/kg body weight

Dermal: Low Acute Toxicity

> Dermal (LD50 Rat) > 5,000 mg/kg body weight

Inhalation: Slightly Acutely Toxic

> Inhalation (LC50 Rat) 0.52 - 2.01 mg/L air - 4 hours

Eye Contact: Moderately Irritating (Rabbit)

Skin Contact: Mildly Irritating (Rabbit)

Skin Sensitization: Skin Sensitizer (Guinea Pig)

#### **Specific Target Organ Toxicity (STOT) Single Exposure:** Chlorothalonil: May cause respiratory irritation.

Propiconazole: Not classified as a specific target organ toxicant, single exposure. Fludioxonil: Not classified as a specific target organ toxicant, single exposure.

# Specific Target Organ Toxicity (STOT) Repeated Exposure:

Chlorothalonil: No adverse effect has been observed in chronic toxicity tests. Propiconazole: No adverse effect has been observed in chronic toxicity tests. Fludioxonil: No adverse effect has been observed in chronic toxicity tests.



Revision Date (Y-M-D): 2020-01-30

**Carcinogenicity:** 

Chlorothalonil: Chlorothalonil causes kidney tumours in rats and mice via a non-genotoxic mode of action

secondary to target organ toxicity. IARC identified chlorothalonil as a 2B carcinogen (possibly

carcinogenic to humans).

Propiconazole: Did not show carcinogenic effects in animal experiments. Fludioxonil: Did not show carcinogenic effects in animal experiments.

**Reproductive Toxicity:** 

Chlorothalonil: Did not show reproductive toxicity effects in animal experiments.

Propiconazole: Some adverse effects on development, based on animal experiments.

Fludioxonil: Did not show reproductive toxicity effects in animal experiments.

**Mutagenicity:** 

Chlorothalonil: Did not show mutagenic effects in animal experiments. Propiconazole: Did not show mutagenic effects in animal experiments. Fludioxonil: Did not show mutagenic effects in animal experiments.

**Aspiration Hazard:** 

Chlorothalonil: Not classified as an aspiration hazard. Propiconazole: Not classified as an aspiration hazard. Fludioxonil: Not classified as an aspiration hazard.

**Other Toxicity Information:** 

Chlorothalonil: May cause sensitization by skin contact. Exposure of the skin to chlorothalonil may result in

weak contact dermatitis.

**Toxicity of Other Components:** 

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the "other components" in the formulation.

Ethoxylated tristyrylphenols:

The acute toxicity test results reported in Section 11, above, for the finished product take into account any acute hazards related to the ethoxylated tristyrylphenols in the formulation.

Propylene glycol:

Reported to cause central nervous system depression (anesthesia, dizziness, confusion), headache and nausea. Also, eye irritation may occur with lacrimation, but no residual discomfort or injury. Prolonged contact to skin may cause mild to moderate irritation and possible allergic reactions. Chronic dietary exposure caused kidney and liver injury in

experimental animals.



**Revision Date (Y-M-D): 2020-01-30** 

# **SECTION 12: ECOLOGICAL INFORMATION**

**Eco-Acute Toxicity:** 

Chlorothalonil:

Invertebrates (Water Flea) 48-hour  $LC_{50}/EC_{50}$  0.07 ppm Fish (Rainbow Trout) 96-hour  $LC_{50}/EC_{50}$  0.047 ppm Birds (Oral – Mallard Duck)  $LC_{50}$  > 4,640 ppm

Propiconazole:

 $\begin{array}{ll} \text{Invertebrates (Water Flea) 48-hour } LC_{50}/EC_{50} & 2.2 \text{ ppm} \\ \text{Fish (Rainbow Trout) 96-hour } LC_{50}/EC_{50} & 0.85 \text{ ppm} \\ \text{Birds (8-day dietary - Mallard Duck) } LC_{50} & > 5,620 \text{ ppm} \\ \end{array}$ 

Fludioxonil:

Invertebrates (Water Flea) 48-hour  $LC_{50}/EC_{50}$  0.9 ppm Fish (Rainbow Trout) 96-hour  $LC_{50}/EC_{50}$  0.23 ppm Birds (8-day dietary – Mallard Duck)  $LC_{50}/EC_{50}$  > 5,200 ppm

Persistence & Degradability:

Chlorothalonil: Low persistence in soil. Low persistence in water.

Propiconazole: Moderately persistent in soil. Persistent in water; partitions to sediment. Fludioxonil: Moderately persistent in soil. Persistent in water; partitions to sediment.

**Bioaccumulation Potential:** 

Chlorothalonil: BCF < 500; does not bioaccumulate. Propiconazole: BCF < 500; does not bioaccumulate. Fludioxonil: BCF < 500; does not bioaccumulate.

**Mobility in Soil:** 

Chlorothalonil: Low mobility in soil.

Propiconazole: Moderate to low mobility in soil.

Fludioxonil: Low mobility in soil.

Other Adverse Effects: Not applicable.

# **SECTION 13: DISPOSAL CONSIDERATIONS**

**Disposal Methods:** 

Waste from residues: Refer to the product label for specific disposal/recycling information.

Do not contaminate ponds, waterways or ditches with chemical or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or incineration.

If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging: Refer to the product label for specific disposal/recycling information.

Empty remaining contents Triple rinse containers

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Do not reuse empty containers.



Revision Date (Y-M-D): 2020-01-30

# **SECTION 14: TRANSPORT INFORMATION**

TDG Classification - Road/Rail:

UN Number: UN 3082

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil, Propiconazole,

Fludioxonil).

Transport Hazard Class: Class 9
Packing Group: PG III

Environmental Hazards: Environmentally hazardous.

Remarks:

Class 9 Exemption from Part 3, Documentation, and Part 4, Dangerous Goods Safety Marks, if transported solely on land by road vehicle or railway vehicle. 1.45.1. SOR/2008-34

Water Transport – International (IMDG):

UN Number: UN 3082

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil, Propiconazole,

Fludioxonil), Marine Pollutant.

Transport Hazard Class: Class 9
Packing Group: PG III

Environmental Hazards: Marine pollutant.

**Air Transport** (IATA-DGR):

UN Number: UN 3082

Proper Shipping Name: Environmentally Hazardous Substance, Liquid, N.O.S. (Chlorothalonil, Propiconazole,

Fludioxonil).

Transport Hazard Class: Class 9
Packing Group: PG III

Environmental Hazards: Environmentally hazardous.

#### **Special Precautions for User:**

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

# Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code:

Not applicable.

#### **SECTION 15: REGULATORY INFORMATION**

There are Canada-specific environmental requirements for handling, use and disposal of this pest control product that are indicated on the product label.

# **Hazardous Products Act Information:**

This product has been classified in accordance with the amended Hazardous Products Act and the Hazard Criteria of the Hazardous Products Regulations (HPR), and the SDS contains all the information required by the HPR.

Hazardous Products Act Information: WHMIS 2015 Classification

This product is exempt under WHMIS 2015.

Pest Control Products Act (PCPA) Registration No.: 28861



Revision Date (Y-M-D): 2020-01-30

Read the PCPA label, authorized under the Pest Control Products Act, prior to using or handling this pest control product.

This chemical is a pest control product registered by Health Canada Pest Management Regulatory Agency and is subject to certain labelling requirements under the Pest Control Products Act (PCPA). These requirements differ from the classification criteria and hazard information required for GHS-consistent safety data sheets. Following is the hazard information required on the pest control products label:

**Revision Date (Y-M-D): 2020-01-30** 

# **PCPA Label Hazard Communications:**

Read the label and pamphlet before using.

Keep out of reach of children.

Caution: Poison.

Warning: Eye and Skin Irritant.

Potential Skin Sensitizer.

PCPA Hazard on Label:	Poison	GHS Hazard Classification:	Acute Toxicity (Inhalation) – Category 3; Acute Toxicity (Oral) – Category 4
PCPA Precautionary Symbol:		GHS Hazard Symbol:	
PCPA Signal Word(s):	Caution	GHS Signal Word:	Danger
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	H331 – Toxic if inhaled.
			H302 – Harmful if swallowed.
PCPA Hazard on Label:	Eye Irritant	GHS Hazard Classification:	Eye Irritation – Category 2A
PCPA Precautionary Symbol:	Not applicable.	GHS Hazard Symbol:	<b>!</b>
PCPA Signal Word(s):	Warning	GHS Signal Word:	Warning
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	H319 – Causes serious eye
			irritation.
PCPA Hazard on Label:	Skin Irritant	GHS Hazard Classification:	Skin Irritation – Category 3
PCPA Precautionary Symbol:	Not applicable.	GHS Hazard Symbol:	Not applicable.
PCPA Signal Word(s):	Warning	GHS Signal Word:	Warning
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	H316 – Causes mild skin irritation.
PCPA Hazard on Label:	Potential Skin Sensitizer	GHS Hazard Classification:	Skin Sensitization – Category 1
PCPA Precautionary Symbol:	Not applicable.	GHS Hazard Symbol:	<b>!</b>
PCPA Signal Word(s):	Not applicable.	GHS Signal Word:	Warning
PCPA Hazard Statement:	Not applicable.	GHS Hazard Statement:	H317 – May cause an allergic skin reaction.

# **Allergens Contained in the Pest Control Product:**

Product may cause an allergic skin reaction.

# **NPRI Components:**

Not applicable.



Revision Date (Y-M-D): 2020-01-30

# **SECTION 16: OTHER INFORMATION**

The information contained herein is offered only as a guide to the handling of this specific material and has been prepared in good faith by technically knowledgeable personnel. It is not intended to be all-inclusive and the manner and conditions of use and handling may involve other and additional considerations. No warranty of any kind is given or implied and Syngenta will not be liable for any damages, losses, injuries or consequential damages which may result from the use of or reliance on any information contained herein. This product is under the jurisdiction of the Pest Control Products Act and is exempt from the requirements for a WHMIS compliant SDS. Hazardous properties of all ingredients have been considered in the preparation of this SDS. Read the entire SDS for the complete hazard evaluation of this product.

Full Text of Abbreviations:

AB - Province of Alberta

BC - Province of British Columbia

BCF – Bioconcentration factor

EC<sub>50</sub> – Effective concentration, 50%

GHS – Globally Harmonized System of Classification and Labeling of Chemicals

LC<sub>50</sub> – Lethal concentration, 50%

LD<sub>50</sub> - Lethal dose, 50%

IARC – International Agency for Research on Cancer IATA-DGR – International Air Transport Association

**Dangerous Goods Regulations** 

Changes since last revision: Converted to SDS format.

Revision Date (Y-M-D): 2019-01-30 Supersedes Date (Y-M-D): 2017-12-31

Prepared by: Syngenta Canada Inc. 1-87-SYNGENTA (1-877-964-3682)

IMDG - International Maritime Code for Dangerous Goods

NTP -National Toxicology Program

ON – Province of Ontario

OSHA - Occupational Safety & Health Administration

PEL – Permissible Exposure Limit

TDG – Transportation of Dangerous Goods

 $TLV-Threshold\ Limit\ Value$ 

 $QC-Province\ of\ Quebec$ 

SDS – Safety Data Sheet

WHMIS – Workplace Hazardous Materials Information System

Syngenta Canada Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date thereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MECHANTABILITY, OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates to the specific product designated and may not be valid where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use of the product and of the information referred to herein are beyond the control of Syngenta Canada Inc., Syngenta Canada Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

INSTRATA® and the Syngenta wordmark are trademarks of a Syngenta Group Company.

END OF SAFETY DATA SHEET.