

Pro Scape[®] LEBANON



15-2-8

MESA[®]

PATENTED

GUARANTEED ANALYSIS

Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	8%
Calcium (Ca).....	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe)	1.0%
1.0% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash.

*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

Chlorine (Cl) not more than 7.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	8%
Calcium (Ca).....	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe) (actual)	1.0%
1.0% Water Soluble Iron (Fe)	

Chlorine (Cl) (maximum) 7.0%

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash.

*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.0 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.35 lbs per 1,000 sq. ft. or 144 lbs. per acre.

Spreader	0.9#N /1,000 sq. ft.	0.5#N /1,000 sq. ft.
Lebanon Turf	6	4 1/2
Andersons AccuPro	Q	L
Earthway Rotary	22	15
Gandy	34	27
Lely	7 1/2 II	5
Lesco (letter/numeric) M/25		i/19
PennMulch HVO	Q	M
ProScape SS	Q	M
Spyker	6	4 1/2
Vicon	34	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State; or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

WARNING



Hazard Statements:

Causes eye irritation.

May cause respiratory irritation.

Precautionary Statements for handling:

Wash hands and exposed skin thoroughly after handling.

If in eyes, rinse with water and seek medical attention if symptoms persist.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.7 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.4 kg of product per 100 sq. meters.

Spreader	0.43 kg N/100 m ²	0.24 kg N/100 m ²
Lebanon Turf	6	4 1/2
Andersons AccuPro	Q	L
Earthway Rotary	22	15
Gandy	34	27
Lely	7 1/2 II	5
Lesco (letter/numeric) M/25		i/19
PennMulch HVO	Q	M
ProScape SS	Q	M
Spyker	6	4 1/2
Vicon	34	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 53844 5
F699 22-53844 L/17

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

Do not apply to frozen ground.



Manufactured by:
Lebanon Seaboard Corporation
1600 E. Cumberland St. • Lebanon, PA 17042
800-233-0628 • (717) 273-1685
Made in the U.S.A.
www.LebanonTurf.com

NET WEIGHT **50** LBS. (22.7 KG)



15-2-8

MESA

P A T E N T E D

GUARANTEED ANALYSIS

Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	8%
Calcium (Ca).....	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe)	1.0%
1.0% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash.

*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

Chlorine (Cl) not more than 7.0%

U.S.A

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	15%
1.5% Ammoniacal Nitrogen	
4.3% Water Insoluble Nitrogen*	
5.0% Urea Nitrogen	
4.2% Other Water Soluble Nitrogen*	
Available Phosphate (P ₂ O ₅).....	2%
Soluble Potash (K ₂ O).....	8%
Calcium (Ca).....	1.0%
Sulfur (S)	4.2%
4.2% Combined Sulfur (S)	
Iron (Fe) (actual)	1.0%
1.0% Water Soluble Iron (Fe)	

Chlorine (Cl) (maximum) 7.0%

Derived From: Ammonium Sulfate, Biosolids, Methylene Ureas, Urea, Muriate of Potash, Sulfate of Potash.

*8.5% Slowly available Nitrogen from Methylene Ureas and Biosolids.

CANADA

NOTICE: This product contains the micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 6.0 lbs per 1,000 sq. ft. or 261 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.35 lbs per 1,000 sq. ft. or 144lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N /1,000 sq. ft.	0.5#N /1,000 sq. ft.
Lebanon Turf	6	4 1/2
Andersons AccuPro	Q	L
Earthway Rotary	22	15
Gandy	34	27
Lely	7 1/2 II	5
Lesco (letter/numeric)	M/25	i/19
PennMulch HVO	Q	M
ProScape SS	Q	M
Spyker	6	4 1/2
Vicon	34	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

WARNING



Hazard Statements:

Causes eye irritation.

May cause respiratory irritation.

Precautionary Statements for handling:

Wash hands and exposed skin thoroughly after handling.

If in eyes, rinse with water and seek medical attention if symptoms persist.

If eye irritation persists: Get medical advice/attention.

Store locked up.

Store in a well-ventilated place.

Keep container tightly closed.

Dispose of contents/container properly as required by law for waste pesticides.

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.7 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.4 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N/100 m ²	0.24 kg# N/100 m ²
Lebanon Turf	6	4 1/2
Andersons AccuPro	Q	L
Earthway Rotary	22	15
Gandy	34	27
Lely	7 1/2 II	5
Lesco (letter/numeric)	M/25	i/19
PennMulch HVO	Q	M
ProScape SS	Q	M
Spyker	6	4 1/2
Vicon	34	25

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

22-53844 L/17

Do not apply to frozen ground.

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>



Manufactured by:

Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

www.LebanonTurf.com

NET WEIGHT 50 LBS. (22.7 KG)