

# Pro **LEBANON** Scape®

## FERTILIZER 20-0-25 expo POTASSIUM SULFATE



GUARANTEED ANALYSIS		GUARANTEED MINIMUM ANALYSIS	
<b>Total Nitrogen (N)</b> .....	<b>20%</b>	<b>Total Nitrogen (N)</b> .....	<b>20%</b>
6.5% Water Insoluble Nitrogen*		6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen		3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*		10.5% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>	<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>
Sulfur (S) .....	8.5%	Sulfur (S) .....	8.5%
8.5% Combined Sulfur (S)		8.5% Combined Sulfur (S)	
<b>Derived From: Methylene Ureas, Urea, Sulfate of Potash.</b>		<b>Derived From: Methylene Ureas, Urea, Sulfate of Potash.</b>	
*17.0% Slowly available Nitrogen from Methylene Ureas.		*17.0% Slowly available Nitrogen from Methylene Ureas.	
** 7.5% Slow release Potash from Occluded Sulfate of Potash.		** 7.5% Slow release Potash from Occluded Sulfate of Potash.	
<b>Chlorine (Cl) not more than</b> .....	<b>2.0%</b>	<b>Chlorine (Cl) (maximum)</b> .....	<b>2.0%</b>
	<b>U.S.A.</b>		<b>CANADA</b>

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**Application Rates:**  
To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

SUGGESTED SPREADER SETTINGS			
Spreader	1# K <sub>2</sub> O/1,000 sq. ft.	0.6# K <sub>2</sub> O/1,000 sq. ft.	
Lebanon Turf	4 3/4	4 1/2	
Andersons AccuPro	M	G	
Earthway Rotary	16	14	
Gandy	28	26	
Lely	6 II	4 1/2 II	
Lesco (letter/numeric)	J/21	G/14	
PennMulch HVO	N	K	
ProScape SS	N	K	
Spyker	4 3/4	4 1/2	
Vicon	26	23	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

**Precautionary Statements**  
Keep out of reach of children  
Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.  
Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.  
Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

**WARRANTY**  
NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
To apply at the rate of 0.48 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters. To apply at the rate of 0.29 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS			
Spreader	0.48 kg K <sub>2</sub> O/100 m <sup>2</sup> .	0.29 kg K <sub>2</sub> O/100 m <sup>2</sup> .	
Lebanon Turf	4 3/4	4 1/2	
Andersons AccuPro	M	G	
Earthway Rotary	16	14	
Gandy	28	26	
Lely	6 II	4 1/2 II	
Lesco (letter/numeric)	J/21	G/14	
PennMulch HVO	N	K	
ProScape SS	N	K	
Spyker	4 3/4	4 1/2	
Vicon	26	23	

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>



EXPO®, PennMulch® and ProScape® are registered trademarks of Lebanon Seaboard Corporation.



Manufactured by:  
**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042  
800-233-0628 • (717) 273-1685  
Made in the U.S.A.  
[www.LebanonTurf.com](http://www.LebanonTurf.com)

NET WEIGHT **50** LBS. (22.7 Kg)



# FERTILIZER

# 20-0-25

**expo**  
POTASSIUM  
SULFATE

## GUARANTEED ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>20%</b>
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>
Sulfur (S) .....	8.5%
8.5% Combined Sulfur (S)	

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

- \*17.0% Slowly available Nitrogen from Methylene Ureas.
- \*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

**Chlorine (Cl) not more than** ..... **2.0%**  
U.S.A

## GUARANTEED MINIMUM ANALYSIS

<b>Total Nitrogen (N)</b> .....	<b>20%</b>
6.5% Water Insoluble Nitrogen*	
3.0% Urea Nitrogen	
10.5% Other Water Soluble Nitrogen*	
<b>Soluble Potash (K<sub>2</sub>O)**</b> .....	<b>25%</b>
Sulfur (S) .....	8.5%
8.5% Combined Sulfur (S)	

**Chlorine (Cl) (maximum)** ..... **2.0%**

**Derived From: Methylene Ureas, Urea, Sulfate of Potash.**

- \*17.0% Slowly available Nitrogen from Methylene Ureas.
- \*\* 7.5% Slow release Potash from Occluded Sulfate of Potash.

CANADA

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

### Precautionary Statements

Keep out of reach of children

Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

### Application Rates:

To feed at the rate of 1 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 4.0 lbs per 1,000 sq. ft. or 174 lbs. per acre. To feed at the rate of 0.6 lb. Potash (K<sub>2</sub>O) per 1,000 sq. ft., apply this product at 2.4 lbs per 1,000 sq. ft. or 105 lbs. per acre.

### SUGGESTED SPREADER SETTINGS

Spreader	1# K <sub>2</sub> O/1,000 sq. ft.	0.6# K <sub>2</sub> O /1,000 sq. ft.
Lebanon Turf	4¾	4½
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4½ II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4¾	4½
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### Application Rates:


To apply at the rate of 0.48 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.9 kg of product per 100 sq. meters. To apply at the rate of 0.29 kg Potash (K<sub>2</sub>O)/100 sq. meters. Equivalent to 1.1 kg of product per 100 sq. meters.

### SUGGESTED SPREADER SETTINGS

Spreader	0.48 kg K <sub>2</sub> O/100 m <sup>2</sup> .	0.29 kg K <sub>2</sub> O/100 m <sup>2</sup> .
Lebanon Turf	4¾	4½
Andersons AccuPro	M	G
Earthway Rotary	16	14
Gandy	28	26
Lely	6 II	4½ II
Lesco (letter/numeric)	J/21	G/14
PennMulch HVO	N	K
ProScape SS	N	K
Spyker	4¾	4½
Vicon	26	23

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Information regarding the contents and levels of metals in this product is available on the Internet at:  
<http://www.regulatory-info-lebsea.com>



F699

**21-54242**

j/17



Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

800-233-0628 • (717) 273-1685

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

**NET WEIGHT 50 LBS. (22.7 KG)**