

FOR CHEMICAL EMERGENCY, SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT, CALL DAY OR NIGHT 1-800-561-8273 or CHEMTREC – DAY OR NIGHT 1 800-424-9300

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 PRODUCT IDENTIFIER:

TRADE NAME: TREKKER TRAX®

1.2 RECOMMENDED USE: FOAM MARKER

1.3 MANUFACTURED FOR AND DISTRIBUTED BY:

LOVELAND PRODUCTS CANADA, INC.
789 DONNYBROOK DRIVE • DORCHESTER, ONTARIO N0L 1G5

1.4 24 Hour Emergency Phone: (Chemtrec): 1-800-424-9300 (Toll Free) - **Additional Emergency Phone** 1-800-561-8273

Loveland Technical Service: 1-800-328-4678

U.S. Coast Guard National Response Center: 1-800-424-8802

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Skin Corrosion/Irritation	Category 2	H315
Eye Damage/Irritation	Category 1	H318

2.2 Label elements



Signal Word: DANGER
Hazard Statements: H315 – Causes skin irritation.
H318 – Causes serious eye damage.

Precautionary Statements: P264 – Wash hands thoroughly after handling.
(Prevention): P280 – Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: P302+P352 – IF ON SKIN: Wash with plenty of soap and water.
(Response): P321 – Specific treatment (see First Aid on the label).
P332+P313 – If skin irritation occurs: Get medical advice/attention.
P362 – Take off contaminated clothing and wash it before reuse.
P305+P351 – IF IN EYES: rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 – Immediately call a poison centre or doctor/physician for treatment advice.
P304+P340 – IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Precautionary Statement: (Storage): Not required. See product label.

Precautionary Statement: (Disposal): Not required. See product label.

2.3 Other hazards
None known



SAFETY DATA SHEET

SDS NUMBER: 1000219351-18-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 11/26/18

TREKKER TRAX®

SUPERSEDES: 09/14/15

3. COMPOSITION, INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical Name:	CAS No.	Concentration [%]
n-Butanol	71-36-3	14.00
Ethanol	64-17-5	5.00
2-Propanol	67-63-0	5.00
Anionic/nonionic surfactants	Proprietary	30.00
Inert Diluent Compounds	Mixture	46.00

Ingredients not precisely identified are proprietary or non-hazardous.

4. FIRST AID MEASURES

4.1 Description of First Aid Measures

General Advice: Get medical attention if symptoms occur.

- Eye contact:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.
- Skin contact:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.
- Ingestion:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.
- Inhalation:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control centre or doctor for treatment advice

4.2 Most Important Symptoms and Effects, Acute and Delayed

Symptoms: Causes skin irritation. Causes serious eye damage. May be irritating to mucous membranes and upper respiratory tract. May be harmful if inhaled.

4.3 Immediate Medical Attention and Special Treatment

Treatment: Treat symptomatically. Symptoms may be delayed.

FOR A MEDICAL EMERGENCY INVOLVING THIS PRODUCT CALL: 1-800-561-8273

Take container, label or product name with you when seeking medical attention.

NOTES TO PHYSICIAN: No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

5. FIRE FIGHTING MEASURES

5.1 EXTINGUISHING MEDIA:

Suitable Extinguishing Media: Use water fog, alcohol foam, dry chemical, or carbon dioxide extinguishing media.

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE:

Specific Hazards During Firefighting: None known.

5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS

Special Protective Equipment for Firefighters: Self-contained breathing apparatus and full protective gear should be worn in fighting large fires involving chemicals. Use alcohol-type or universal-type foam on larger fires. Use water spray to keep fire exposed containers cool. Keep people away. Isolate fire and deny unnecessary entry.

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Personal Precautions: Avoid inhalation of vapours, fumes, and spray mist and prolonged or repeated contact with skin and eyes. Ensure adequate ventilation. Wear suitable protective clothing.

6.2 ENVIRONMENTAL PRECAUTIONS

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not contaminate water. Do not allow to enter drains, sewers, or watercourses.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEAN-UP

Methods for Clean-Up: Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. After removal flush contaminated area thoroughly with water.
Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to Remove residual contamination.
Never return spills to original containers for re-use.

7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Advice on Safe Handling: Avoid inhalation of vapours / spray mist or fumes and contact with eyes, skin and clothing. Do not breathe mist or vapour. Wear personal protective equipment. Do not use in areas without adequate ventilation. Avoid prolonged exposure. Wash thoroughly after handling. Do not empty into drains. Handle and open container with care. Use care in handling/storage. Wash before eating, drinking and/or smoking. Eye wash and safety shower on site are recommended.

7.2 CONDITIONS FOR SAFE STORAGE:

Requirements for Storage Areas and Containers: Store in a cool, dry place. Store in original container. Keep tightly closed. Do not reuse empty container. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**8.1 CONTROL PARAMETERS:
OCCUPATIONAL EXPOSURE LIMITS**

ACGIH TLVs TWA

Components	Type	Value
Ethanol	STEL/CEIL (C)	1,880 mg/m ³
n-Butanol	TWA	61 mg/m ³
2-Propanol	TWA	492 mg/m ³

OSHA PELs TWA

Ethanol	TWA	1,900 mg/m ³
n-Butanol	TWA	300 mg/m ³
2-Propanol	TWA	980 mg/m ³

Biological limit values

ACGIH Biological Exposure Indices

Components	Value	Specimen
2-Propanol	40 mg/L	Acetone in urine; End of shift at end of workweek

8.2 EXPOSURE CONTROLS:

Engineering Measures

Provide adequate general and local exhaust ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapours and spray mists. Provide eyewash station and safety shower.

Individual Protection Measures:

Eye / Face Protection: Chemical goggles or face shield are recommended.
Skin Protection: Wear protective gloves / protective clothing.
Respiratory Protection: In case of inadequate ventilation or risk of inhalation of vapours, use suitable respiratory equipment. Wear air supplied respiratory protection. In the U.S.A., if respirators are used, a program should be in place to assure compliance with 29 CFR 1910.134, the OSHA Respiratory Protection standard. Wear air supplied respiratory protection if exposure concentrations are unknown.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 APPEARANCE:	Liquid
ODOUR:	Mild alcohol.
ODOUR THRESHOLD:	Not determined.
COLOUR:	Clear, pale yellow.
pH:	6.5 – 8.0 (10% solution)
MELTING POINT / FREEZING POINT:	No data available
BOILING POINT:	>212 °F (>100 °C)
FLASH POINT:	111 °F (43.9 °C)
FLAMMABILITY (solid, gas):	No data available
UPPER / LOWER FLAMMABILITY OR EXPLOSIVE LIMITS:	No data available
VAPOUR PRESSURE:	No data available
SOLUBILITY:	Dispersible
PARTITION CO-EFFICIENT, n-OCTANOL / WATER:	No data available
AUTO-IGNITION TEMPERATURE:	No data available.
DECOMPOSITION TEMPERATURE:	Not determined
VISCOSITY:	No data available
SPECIFIC GRAVITY (Water = 1):	0.973 g/ml
DENSITY:	0.97 kg/L

Note: These physical data are typical values based on material tested but may vary from sample to sample.
Typical values should not be construed as a guaranteed analysis of any specific lot or as specification items.

10. STABILITY AND REACTIVITY

10.1 REACTIVITY

Stable

10.2 CHEMICAL STABILITY

Stable under normal temperature conditions

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No reactions known under normal use conditions. Will not polymerize.

10.4 CONDITIONS TO AVOID

Avoid heat, sparks, open flames, and ignition sources. Avoid temperatures exceeding the flash point. Contact with incompatible materials..

10.5 INCOMPATIBLE MATERIALS

Strong acids. Strong alkalis. Strong oxidizing agents.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Upon decomposition this product may yield oxides of nitrogen, oxides of ammonia, oxides of carbon, and other low weight hydrocarbons.

11. TOXICOLOGICAL INFORMATION

11.1 LIKELY ROUTES OF EXPOSURE

Eye contact, skin contact, inhalation.

LC₅₀ (rat): >8,000 ppm (n-Butanol); > 124mg/kg (Ethanol)

LD₅₀ Oral (rat): >750 mg/kg (n-Butanol); >1,500 mg/kg (Ethanol)

LD₅₀ Dermal (rabbit) >3,400 mg/kg (n-Butanol)

Skin Irritation (rabbit): Causes skin irritation

Eye Irritation (rabbit): Causes serious eye damage.

Specific Target Organ Toxicity: No data available

Aspiration: No data available

Skin Sensitization (guinea pig): No data available

Carcinogenicity: No data available

Germ Cell Mutagenicity: No data available

Interactive Effects: None known



SAFETY DATA SHEET

SDS NUMBER: 1000219351-18-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 11/26/18

TREKKER TRAX®

SUPERSEDES: 09/14/15

12. ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Ecotoxicological Data

Components	Species	Test Results
No data available		

Drift or runoff may adversely affect non-target plants.
 Do not apply directly to water.
 Do not contaminate water when disposing of equipment wash water.
 Do not apply when weather conditions favour drift from target area.

12.2 PERSISTENCE AND DEGRADABILITY

Biodegradability: No data available

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: No data available

12.4 MOBILITY IN SOIL

No data available

12.5 OTHER ADVERSE EFFECTS

Assessment: No data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Container is recyclable, and is to be disposed of at a container collection site. Contact your local dealer/distributor for the location of the nearest collection site. Before taking container to the collection site: Triple or pressure-rinse the empty container, adding the rinsate to the spray tank. Make the empty container unsuitable for further use. If there is no container collection site in your area, dispose of the container in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Do not contaminate water, food, or feed by storage or disposal.

14. TRANSPORT INFORMATION

14.1 LAND TRANSPORT

TDG/DOT Shipping Description: NOT REGULATED

U.S. Surface Freight Classification: ADHESIVES, ADJUVANTS, SPREADERS OR STICKERS (NMFC 4610; CLASS: 60)

15. REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS

NFPA & HMIS Hazard Ratings:

NFPA

3 Health
 3 Flammability
 0 Instability

0 Least
 1 Slight
 2 Moderate
 3 High
 4 Severe

HMIS

3 Health
 3 Flammability
 0 Reactivity
 B PPE

SARA Hazard Notification/Reporting

SARA Title III Hazard Category: Immediate Y Fire N Sudden Release of Pressure N
 Delayed N Reactive N

Reportable Quantity (RQ) under U.S. CERCLA: Not listed.

SARA, Title III, Section 313: Not listed

RCRA Waste Code: Not listed

CA Proposition 65: Not listed.



SAFETY DATA SHEET

SDS NUMBER: 1000219351-18-LPI

SDS REVISIONS: FORMAT

DATE OF ISSUE: 11/26/18

TREKKER TRAX®

SUPERSEDES: 09/14/15

16. OTHER INFORMATION

SDS STATUS: Format revised

PREPARED BY: Product Stewardship and Regulatory Affairs

REVIEWED BY: Safety, Health and Environment

®Trekker Trax is a registered trademark of Loveland Products Inc.

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and LOVELAND PRODUCTS CANADA, INC. disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purpose.