

WILSON
QPG'UJ QV'JET FOAM WASP & HORNET KILLER'4

PRESSURIZED CONTACT & RESIDUAL SPRAY

JET STREAM - Spray nests safely from 2-2.5 m (6-8 feet)
BARRIER SPRAY - Blankets Wasp and Hornet Nests
FAST KNOCKDOWN

DOMESTIC

REG. NO. 26201 P.C.P. ACT

GUARANTEE:

| | |
|--------------------------------------|--------|
| d-trans Allethrin | 0.05% |
| n-Octyl bicycloheptene dicarboximide | 0.25% |
| Permethrin | 0.218% |

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

400 g

Sure-Gro IP Inc.
P.O. Box 21001
Brantford, ON
N3R 7W9
800-268-2806

DIRECTIONS: SHAKE CAN WELL BEFORE USING. Remove protective cap and insert "applicator wand" into spray nozzle before using.

FOR CONTROL OF WASPS, BEES, HORNETS & YELLOW JACKETS: From a distance of 2 to 2.5 metres (6-8 feet), with the wind coming from behind, point applicator wand in direction of the insect nest. Depress nozzle, and continue spraying until the opening of the nest is completely covered with the insecticide foam. Because the insects will now be unable to leave the nest, insert the applicator wand into the nest opening and fill the nest space (or void where nest is located) with the insecticide foam. If the nest is accessible, allow sufficient time for insects to become inactive before destroying the nest. APPLICATION TO NESTS SHOULD BE MADE IN LATE EVENING OR EARLY MORNING WHEN INSECTS ARE AT REST.

LIMITATIONS: Do **not** use inside homes, on humans or animals. Do **not** use as a space spray.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May cause eye or skin irritation. Harmful if swallowed, inhaled or absorbed through skin. Provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. Do not inhale spray mist. Wash thoroughly with soap and warm water after using. Do not allow children or pets to contact treated areas until surfaces are thoroughly dry. Cover or remove exposed food before use. Do not contaminate food, food containers, utensils, food preparation areas. Remove pets and cover ornamental fish ponds before spraying. Toxic to bees, fish and wildlife. Do not contaminate any body of water. Do not contaminate animal feeding areas. Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat. Do not store or use above 50° C as container may burst. Avoid freezing. Do not puncture or incinerate container.

FIRST AID: If on skin, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: When container is empty, press button to release all pressure. Do not reuse. Do not throw into fire. Wrap in newspaper and then discard in household garbage.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.wilson.nu-gro.com

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.