

Banjo Stubby Valves



Banjo 2" Full Port "Stubby" Ball Valves

- Stainless Steel bolts
- 100% PTFE ball seats
- Glass-filled polyethylene body construction
- FKM (Viton-type) body seals
- Unique, lightweight design
- 100 PSI @ 70°F and 75 PSI @ 150°F



PART	DESCRIPTION	PRICE (C)
VSF204FP	2" Male Adapter x 2" FNPT	110.25

PART	DESCRIPTION	PRICE (C)
VSFMT204FP	2" Male Adapter x 2" MNPT	110.25

PART	DESCRIPTION	PRICE (C)
VSFMT204HSFP	2" Male Adapter x 2" MNPT w/ SS Ball, Stem, & Handle	289.40

Banjo 2" and 3" "Stubby" Manifold Ball Valves

- Stainless Steel bolts
- Multiple design options
- Glass-filled polyethylene body construction
- FKM (Viton-type) body seals
- Unique, lightweight design
- 100 PSI @ 70°F and 75 PSI @ 150°F



PART	DESCRIPTION	PRICE (C)
VSM200CF	2" Flange x 2" Male NPT	106.40

PART	DESCRIPTION	PRICE (C)
VSF200CF	2" Flange x 2" Male Adapter	91.35

PART	DESCRIPTION	PRICE (C)
MVS220FP	2" Full Port Flange x 2" Female NPT	132.30



PART	DESCRIPTION	PRICE (C)
MVSF220FP	2" Full Port Flange x 2" Male Adapter	110.25

PART	DESCRIPTION	PRICE (C)
MVS220CF	2" Full Port Flange x 2" Full Port Flange	110.25

PART	DESCRIPTION	PRICE (C)
MVSMT220FP	2" Full Port Flange x 2" Male NPT	110.25



PART	DESCRIPTION	PRICE (C)
MVSF300	3" Flange x 3" Male Adapter	219.30

PART	DESCRIPTION	PRICE (C)
MVSMT300	3" Flange x 3" Male NPT	281.55

PART	DESCRIPTION	PRICE (C)
MVS300CF	3" Flange x 3" Flange	219.30
MVS300CFFP	3" Full Port Flange x 3" Full Port Flange (shown)	268.25

Aluminum and Stainless Steel Cam-Lock Fittings



NPT Female x Adapter - Aluminum

PART	SIZE	PRICE (€)
A34AL	3/4"	5.45
A1AL	1"	4.95
A114AL	1 1/4"	7.05
A112AL	1 1/2"	6.70
A2AL	2"	7.95
A3AL	3"	14.35
A4AL	4"	22.60



NPT Male x Adapter - Aluminum

PART	SIZE	PRICE (€)
B34AL	3/4"	12.20
B1AL	1"	13.95
B114AL	1 1/4"	17.45
B112AL	1 1/2"	17.45
B2AL	2"	18.70
B3AL	3"	31.65
B4AL	4"	42.10



Hose Insert x Coupler - Aluminum

PART	SIZE	PRICE (€)
C34AL	3/4"	10.10
C1AL	1"	12.20
C114AL	1 1/4"	17.45
C112AL	1 1/2"	16.65
C2AL	2"	19.65
C3AL	3"	33.30
C4AL	4"	44.40



NPT Female x Coupler - Aluminum

PART	SIZE	PRICE (€)
D34AL	3/4"	12.60
D1AL	1"	13.40
D114AL	1 1/4"	18.00
D112AL	1 1/2"	17.45
D2AL	2"	18.70
D3AL	3"	32.50
D4AL	4"	43.70

Stainless Steel

PART	SIZE	PRICE (€)
A34SS	3/4"	14.90
A1SS	1"	19.50
A114SS	1 1/4"	27.35
A112SS	1 1/2"	33.00
A2SS	2"	40.35
A3SS	3"	79.55
A4SS	4"	127.85

Stainless Steel

PART	SIZE	PRICE (€)
B34SS	3/4"	26.25
B1SS	1"	33.15
B114SS	1 1/4"	48.85
B112SS	1 1/2"	52.50
B2SS	2"	62.65
B3SS	3"	113.75
B4SS	4"	163.80

Stainless Steel

PART	SIZE	PRICE (€)
C34SS	3/4"	25.05
C1SS	1"	32.10
C114SS	1 1/4"	49.50
C112SS	1 1/2"	52.25
C2SS	2"	72.80
C3SS	3"	141.10
C4SS	4"	189.35

Stainless Steel

PART	SIZE	PRICE (€)
D34SS	3/4"	28.00
D1SS-QC	1"	36.00
D114SS	1 1/4"	51.55
D112SS	1 1/2"	54.80
D200SS	2"	69.00
D300SS	3"	124.60
D400SS	4"	185.55



Hose Insert x Adapter - Aluminum

PART	SIZE	PRICE (€)
E34AL	3/4"	5.70
E1AL	1"	6.05
E114AL	1 1/4"	8.20
E112AL	1 1/2"	8.20
E2AL	2"	10.35
E3AL	3"	20.70
E4AL	4"	34.40



NPT Male x Adapter - Aluminum

PART	SIZE	PRICE (€)
F34AL	3/4"	7.05
F1AL	1"	7.20
F114AL	1 1/4"	9.10
F112AL	1 1/2"	8.80
F2AL	2"	10.70
F3AL	3"	20.60
F4AL	4"	33.30



Dust Caps - Aluminum

PART	SIZE	PRICE (€)
DC34AL	3/4"	10.70
DC1AL	1"	11.65
DC114AL	1 1/4"	16.25
DC112AL	1 1/2"	14.65
DC2AL	2"	16.95
DC3AL	3"	27.70
DC4AL	4"	37.75



Dust Plugs - Aluminum

PART	SIZE	PRICE (€)
DP34AL	3/4"	4.70
DP1AL	1"	5.30
DP114AL	1 1/4"	6.20
DP112AL	1 1/2"	5.70
DP2AL	2"	7.60
DP3AL	3"	12.20
DP4AL	4"	19.50

Stainless Steel

PART	SIZE	PRICE (€)
E34SS	3/4"	14.35
E1SS	1"	23.00
E114SS	1 1/4"	32.75
E112SS	1 1/2"	41.40
E2SS	2"	58.70
E3SS	3"	113.65
E4SS	4"	175.95

Stainless Steel

PART	SIZE	PRICE (€)
F34SS	3/4"	16.80
F1SS	1"	23.70
F114SS	1 1/4"	37.20
F112SS	1 1/2"	44.00
F2SS	2"	58.45
F3SS	3"	105.90
F4SS	4"	188.30

Stainless Steel

PART	SIZE	PRICE (€)
DC34SS	3/4"	22.45
DC1SS	1"	28.85
DC114SS	1 1/4"	41.70
DC112SS	1 1/2"	43.70
DC2SS	2"	55.90
DC3SS	3"	95.25
DC4SS	4"	131.20

Stainless Steel

PART	SIZE	PRICE (€)
DP34SS	3/4"	9.95
DP1SS	1"	13.55
DP114SS	1 1/4"	24.25
DP112SS	1 1/2"	25.30
DP2SS	2"	39.40
DP3SS	3"	67.90
DP4SS	4"	119.05

Note: All 3/4" to 2" aluminum coupler cam-lock fittings are rated 250 PSI max.



Cam-Lock Fittings



NPT Female x Adapter

PART	SIZE	PRICE (C)
A12	1/2"	6.70
A34	3/4"	6.70
A1	1"	6.70
A114	1 1/4"	7.60
A112	1 1/2"	7.60
A2	2"	9.00
A3	3"	21.65
A4	4"	33.00



NPT Male x Coupler

PART	SIZE	PRICE (C)
B12	1/2"	15.30
B34	3/4"	15.30
B1	1"	17.55
B114	1 1/4"	20.60
B112	1 1/2"	20.60
B2	2"	25.10
B3	3"	42.10
B4	4"	83.45



Hose Insert x Coupler

PART	SIZE	PRICE (C)
C12	1/2"	15.30
C34	3/4"	15.30
C1	1"	17.55
C114	1 1/4"	20.60
C112	1 1/2"	20.60
C2	2"	25.10
C3	3"	42.10
C4	4"	83.45



NPT Female x Coupler

PART	SIZE	PRICE (C)
D12	1/2"	15.30
D34	3/4"	15.30
D1	1"	17.55
D114	1 1/4"	20.60
D112	1 1/2"	20.60
D2	2"	25.10
D3	3"	42.10
D4	4"	83.45



Hose Insert x Adapter

PART	SIZE	PRICE (C)
E12	1/2"	7.25
E34	3/4"	7.25
E1	1"	8.05
E114	1 1/4"	8.05
E112	1 1/2"	8.05
E2	2"	10.60
E3	3"	27.70
E4	4"	33.00



NPT Male x Adapter

PART	SIZE	PRICE (C)
F12	1/2"	7.25
F34	3/4"	7.25
F1	1"	8.05
F114	1 1/4"	8.05
F112	1 1/2"	8.05
F2	2"	10.60
F3	3"	27.70
F4	4"	33.00



Dust Caps

PART	SIZE	PRICE (C)
DC34	1/2", 3/4"	15.30
DC1	1"	16.85
DC112	1 1/4", 1 1/2"	20.60
DC2	2"	25.10
DC3	3"	42.10
DC4	4"	60.85



Dust Plugs

PART	SIZE	PRICE (C)
DP34	1/2", 3/4"	7.25
DP1	1"	7.00
DP112	1 1/4", 1 1/2"	7.80
DP2	2"	10.50
DP3	3"	22.00
DP4	4"	25.95
300PLH	3" w/ Handle	33.25



90° Elbow NPT Female x Adapter

PART	SIZE	PRICE (C)
A112-90	1 1/2"	14.10
A2-90	2"	14.45



90° Elbow Hose Insert x Coupler

PART	SIZE	PRICE (C)
C112-90	1 1/2"	29.65
C2-90	2"	35.05



90° Elbow NPT Female x Coupler

PART	SIZE	PRICE (C)
D112-90	1 1/2"	29.65
D2-90	2"	35.05



90° Elbow NPT Male x Adapter

PART	SIZE	PRICE (C)
F112-90	1 1/2"	15.85
F2-90	2"	16.35



EPDM Gaskets

PART	SIZE	PRICE (C)
G34	Fits 1/2" x 3/4"	1.35
G1	Fits 1"	1.35
G114/112	Fits 1 1/4" and 1 1/2"	1.35
G2	Fits 2"	1.55
G3	Fits 3"	2.10
G4	Fits 4"	6.30

Note: All poly cam-lock fittings are rated 125 PSI max. and 140°F max.



Poly Swivels MNPT x FNPT

PART	SIZE	PRICE (C)
SW100	1" x 1"	23.60
SW150	1 1/2" x 1 1/2"	28.90
SW200	2" x 2"	32.35
SW220	2" x 2" Full Port	53.85

Dry Poppet Couplers

- 30 GPM maximum flow
- Lightweight, easy-to-use design
- Reduces risk of exposure to fluid
- Wide range of chemical resistance
- Precision molded polypropylene
- Maximum operating pressure: 70 PSI @ 21°C (70°F)
- Maximum operating temperature of 66°C (150°F)
- 1" Female NPT threads with FKM (Viton-type) Seals



Male and Female Assembled

PART	DESCRIPTION	PRICE (C)
POPPET-F	Female Dry Poppet Coupler, 1" FNPT, FKM Seals	128.05
POPPET-M	Male Dry Poppet Coupler, 1" FNPT, FKM Seals	101.50



• FPT x Adapter.

PART	DESCRIPTION	PRICE (C)
75A3/4	3/4"	7.55
100A	1"	7.55
125A	1 1/4"	7.55
150125A	1 1/4" FPT x 1 1/2" Adapter	10.30
150A	1 1/2"	8.55
200A	2"	10.10
300A	3"	24.40
400A	4"	44.65



• MPT Male x Coupler.

PART	DESCRIPTION	PRICE (C)
75B3/4	3/4"	16.55
100B	1"	19.80
125B	1 1/4"	19.80
150125B	1 1/4" MPT x 1 1/2" Coupler	27.90
150B	1 1/2"	23.25
200B	2"	28.30
300B	3"	47.50
400B	4"	112.90



• Hose x Coupler.

PART	DESCRIPTION	PRICE (C)
050C	1/2"	17.25
075C	3/4"	17.25
100C	1"	19.80
125C	1 1/4"	19.80
150125C	1 1/4" Hose x 1 1/2" Coupler	27.90
150C	1 1/2"	23.25
200C	2"	28.30
300C	3"	47.50
400C	4"	94.10



• FPT x Coupler.

PART	DESCRIPTION	PRICE (C)
050D	1/2"	17.25
075D	3/4"	17.25
100D	1"	19.80
125D	1 1/4"	19.80
150125D	1 1/4" FPT x 1 1/2" Coupler	27.90
150D	1 1/2"	23.25
200D	2"	28.30
300D	3"	47.50
400D	4"	94.10



• Hose x Adapter.

PART	DESCRIPTION	PRICE (C)
050E	1/2"	8.15
075E	3/4"	8.15
100E	1"	9.00
125E	1 1/4"	9.10
150125E	1 1/4" Hose x 1 1/2" Adapter	10.90
150E	1 1/2"	9.10
200E	2"	11.90
300E	3"	31.25
400E	4"	44.65



• MPT x Adapter.

PART	DESCRIPTION	PRICE (C)
050F	1/2"	8.15
075F	3/4"	8.15
100F	1"	9.10
125F	1 1/4"	9.10
150125F	1 1/4" MPT x 1 1/2" Adapter	10.90
150F	1 1/2"	9.10
200F	2"	11.90
300F	3"	31.25
400F	4"	44.65



• Plug.

PART	DESCRIPTION	PRICE (C)
075PL	3/4"	8.15
100125PL	1" and 1 1/4" Couplers	7.85
150PL	1 1/2"	10.50
200PL	2"	11.85
300PL	3"	24.75
400PLUG	4"	35.05



• Cap.

PART	DESCRIPTION	PRICE (C)
075CAP	3/4"	17.25
100125CAP	1"	19.00
150CAP	1 1/2"	23.25
200CAP	2"	28.30
300CAP	3"	47.50
400CAP	4"	68.60



• 90° Part A.

PART	DESCRIPTION	PRICE (C)
150A-90	1 1/2"	16.20
200A-90	2"	18.50



• 90° Part C.

PART	DESCRIPTION	PRICE (C)
150C-90	1 1/2"	33.35
200C-90	2"	34.45



• 90° Part D.

PART	DESCRIPTION	PRICE (C)
150D-90	1 1/2"	33.35
200D-90	2"	34.45



• 90° and 45° Part F.

PART	DESCRIPTION	PRICE (C)
200F-90	2" 90°	17.35
200F45	2" 45°	32.60



PART	DESCRIPTION	PRICE (C)
M303D	3" Full Flange x 3" Female Coupler	62.40



PART	DESCRIPTION	PRICE (C)
303B200A	3" Coupler x 2" Adapter	84.80



PART	DESCRIPTION	PRICE (C)
300F200F	3" Adapter x 2" Adapter	74.60



PART	DESCRIPTION	PRICE (C)
300FF	3" Adapter x 3" Adapter	74.60

Banjo Camlock/Manifold/Sweep Fittings



PART	DESCRIPTION	PRICE (C)
200B90	2" 90° Female Coupler x 2" MNPT	41.40



PART	DESCRIPTION	PRICE (C)
201B	2" Female Coupler x 2" Extended MNPT	28.30



PART	DESCRIPTION	PRICE (C)
303B	3" Female Coupler x 3" Extended MNPT	60.90

Sweep Features:

- Direct Replacement for Standard 90° Flanged Couplings
- Easy ON/OFF Hose Connections
- Improved Flow for Maximum GPM
- Quick and Easy Assembly
- Positive Seals
- 360° Orientation



Flange X Flange Sweep

PART	DESCRIPTION	PRICE (C)
M100SWP90	1" x 1"	20.40
M200SWP90	2" Std. x 2" Std.	23.15
M220200SWP90	2" Full Port x 2" Std. Port	25.00
M220SWP90	2" Full Port x 2" Full Port	21.35
M300SWP90	3" x 3"	97.90
M300220SWP90	3" x 2" Full Port	97.90



Flange X Male Adapter Sweep

PART	DESCRIPTION	PRICE (C)
M220ASWP90	2" FP x 2" Male Adapter	21.35
M300ASWP90	3" x 3" Male Adapter	107.70



Flange X Male NPT Sweep

PART	DESCRIPTION	PRICE (C)
M220MPTSWP90	2" FP x 2" Male NPT	23.45
M300MPTSWP90	3" x 3" Male NPT	107.70



Full Port Flange X Hose Barb w/ 1/4" Gauge Port

PART	DESCRIPTION	PRICE (C)
M100BRB-SWPG90	1" FP x 1" Hose Shank w/ 1/4" Gauge Port	23.00



Flange X Flange Sweep with 1/4" Gauge Port

PART	DESCRIPTION	PRICE (C)
M100SWPG90	1" x 1" w/ 1/4" Gauge Port	25.35
M220SWPG90	2" FP x 2" FP w/ 1/4" Gauge Port	24.65
M300SWPG90	3" x 3" w/ 1/4" Gauge Port	107.70



Flange X Hose Shank Sweep

PART	DESCRIPTION	PRICE (C)
M100BRBSWP90	1" x 1" Hose Shank	22.15
M100125BRBSWP90	1" x 1 1/4" Hose Shank	25.00
M220BRBSWP90	2" FP x 2" Hose Shank	50.35
M300BRBSWP90	3" x 3" Hose Shank	97.90



Hose Barb Sweep

- Male NPT x Hose Barb Elbow

PART	DESCRIPTION	PRICE (C)
HB075SW90	3/4" NPT x 3/4" Barb	6.50
HB100SW90	1" NPT x 1" Barb	8.40
HB125SW90	1 1/4" NPT x 1 1/4" Barb	13.40
HB150SW90	1 1/2" NPT x 1 1/2" Barb	14.25
HB200SW90	2" NPT x 2" Barb	15.15
HB300SW90	3" NPT x 3" Barb	51.40



90° Male Adapter Sweep

- Male NPT x Male Adapter Elbow
- Improves flow
- Reduced back pressure on pump seal

PART	DESCRIPTION	PRICE (C)
200FSW90	2" Male Adapter x 2" Male NPT	18.80
300FSW90	3" Male Adapter x 3" Male NPT	51.25



Features

- Positive Seals
- Quick & Easy Assembly
- Easy On/Off Hose Connections
- 360° Orientation
- 1" & 2" fittings pressure to 150 P.S.I. at 70 Degree
- 3" fittings pressure to 125 P.S.I. at 70 Degree



Flanged Couplings

PART	DESCRIPTION	PRICE (C)
M100CPG	1" x 1" Flange Coupling	7.95
M200CPG	2" x 2" Standard Port Flange Coupling	19.00
M220CPG	2" x 2" Full Port Flange Coupling	21.30
M300CPG	3" x 3" Full Port Flange Coupler	25.10



90° Flanged Couplings

PART	DESCRIPTION	PRICE (C)
M100CPG90	1" x 1" 90°	11.05
M200CPG90	2" x 2" 90°	18.55
M200CPG90SH	2" x 2" Full Standard Port 90° Short	18.55
M220CPG90	2" x 2" Full Port Flange 90°	16.85
M300CPG90	3" Flange x 3" Flange 90 Degree	79.90



45° Flanged Couplings

PART	DESCRIPTION	PRICE (C)
M100CPG45	1" x 1" 45° Degree	16.45
M200CPG45	2" x 2" Standard Port 45°	19.40
M220CPG45	2" x 2" Full Port Flange 45°	23.40
M300CPG45	3" x 3" Flange 45°	95.55



Flanged Reducer Couplings

PART	DESCRIPTION	PRICE (C)
M200100CPG	2" x 1" Flange Reducing Coupling	21.55
M220100CPG	2" Full Port x 1" Reducing Flange	23.70
M220200CPG	2" Full Port x 2" Reducing Flange	23.70
M300200CPG	3" x 2" Reducing Flange	55.25
M300220CPG	3" x 2" Full Port Reducing Flange	50.20



Flanged Tee

PART	DESCRIPTION	PRICE (C)
M100TEE	1" Flanged Tee	10.20
M200100TEE	2" x 1" Flanged Tee	20.50
M200TEE	2" Flanged Tee	19.50
M200100TEEB	2" x 1" Standard Port w/Bracket	27.30
M220100TEE	2" Full Port x 2" x 1" Flanged Tee	21.65
M220TEE	2" Full Port Flanged Tee	19.50
M300TEE	3" Flanged Tee	91.70



Flanged 3" Full Port Check Valve

- 150 PSI Maximum; 1 – 2 PSI spring
- 316 Stainless Steel spring; EPDM gasket
- One piece glass-reinforced Polypropylene construction

PART	DESCRIPTION	PRICE (C)
MCV301	3" Full Port Flanged Poly Check Valve	72.15

Other sizes of Flanged Check Valves available – Please Inquire.



Flanged Y Couplings

PART	DESCRIPTION	PRICE (C)
M220Y45	2" FP X 2" FP x 2" FP Flanged 45°	94.65
M220YG45	2" FP X 2" FP x 2" FP Flanged 45° with 1/4" gauge port	112.90



Flange X Female NPT Thread

PART	DESCRIPTION	PRICE (C)
M100050FPT	1" Flange x 1/2" FPT Adapter	3.75
M100075FPT	1" Flange x 3/4" FPT Adapter	3.75
M100FPT	1" Flange x 1" FPT Adapter	7.00
M200FPT	2" Flange x 2" FPT Adapter	20.30
M220FPT	2" Full Port Flange x 2" FPT Adapter	32.70
M300FPT	3" Flange x 3" FPT Adapter	52.70



Flange X NPT Thread Poly

PART	DESCRIPTION	PRICE (C)
M100075MPT	1" Flange x 3/4" MPT	3.75
M100MPT	1" Flange x 1" MPT	3.75
M100125MPT	1" Flange x 1 1/4" MPT	3.75
M200125MPT	2" Flange x 1 1/4" MPT	7.00
M200150MPT	2" Flange x 1 1/2" MPT	7.00
M200MPT	2" Flange x 2" MPT	7.00
M220MPT	2" Flange x 2" MPT Thread	7.00
M300MPT	3" Flange x 3" MPT	19.50



Flange Plugs (solid & w/gauge port)

PART	DESCRIPTION	PRICE (C)
M100PLG	1" Flange Plug	3.75
M200PLG	2" Flange Plug	7.00
M220PLG	2" Full Port Flange Plug	8.90
M300PLG	3" Flange Plug	23.70
M100PLG025	1" Flange x 1/4" FPT	16.40
M200PLG025	2" Std Port Flange Plug x 1/4" FPT	21.20
M200PLG038	2" Std Port Flange Plug x 3/8" FPT	23.15
M200PLG050	2" Flange Plug x 1/2" FPT	21.20
M200PLG075	2" Std Port Flange Plug x 3/4" FPT	21.20
M200PLG100	2" Flange Plug x 1" FPT	21.20
M220PLG075	2" Full Port Flange Plug x 3/4" FPT	32.30
M300PLG075	3" Flange Plug x 3/4" FPT	38.35
M300PLG100	3" Flange Plug x 1" FPT	39.50

Manifold Fittings



Flanged Cross

PART	DESCRIPTION	PRICE (C)
M100CR	1" Flanged Cross	29.85
M200CR	2" Flanged Cross	48.65
M220CR	2" Full Port Flanged Cross	53.55
M300CR	3" Full Port Flanged Cross	107.65



Flange X Male QDC

PART	DESCRIPTION	PRICE (C)
M100A	1" Flange x 1" Male Camlock	9.65
M200A	2" Standard Port Flange x 2" Male Camlock	12.90
M220A	2" Full Port Flange x 2" Male Camlock	14.20
M300A	3" Flange x 3" Male Camlock	27.50



Flange X Hose Barb

PART	DESCRIPTION	PRICE (C)
M100075BRB	1" Flange x 3/4" Hose Barb	3.25
M100BRB	1" Flange x 1" Hose Barb	3.25
M100125BRB	1" Flange x 1 1/4" Hose Barb	3.25
M200100BRB	2" Flange x 1" Hose Barb	7.95
M200125BRB	2" Flange x 1 1/4" Hose Barb	8.25
M200150BRB	2" Flange x 1 1/2" Hose Barb	7.25
M200BRB	2" Flange x 2" Hose Barb	7.95
M220150BRB	2" Full Port Flange x 1 1/2" Hose Barb	7.95
M220BRB	2" Full Port Flange x 2" Hose Barb	7.25
M300220BRB	3" Flange x 2" Hose Barb	24.40
M300BRB	3" Flange x 3" Hose Barb	22.05



Flange X Hose Barb With 90° Elbow

PART	DESCRIPTION	PRICE (C)
M100075BRB90	1" Flange x 3/4" Barb 90°	3.95
M100BRB90	1" Flange x 1" Barb 90°	3.95
M100125BRB90	1" Flange x 1 1/4" Barb 90°	3.95
M200100BRB90	2" Flange x 1" Barb 90°	14.65
M200125BRB90	2" Flange x 1 1/4" Barb 90°	14.65
M200150BRB90	2" Flange x 1 1/2" Barb 90°	13.35
M200BRB90	2" Flange x 2" Barb 90°	14.65
M220150BRB90	2" Full Port Flange x 1 1/2" Barb 90°	14.65
M220BRB90	2" Full Port Flange x 2" Barb 90°	14.65
M300220BRB90	3" Flange x 2" Barb 90°	24.25
M300BRB90	3" Flange x 3" Barb 90°	58.90



Flange X Male NPT Thread - 316 SS

PART	DESCRIPTION	PRICE (C)
M100MPTSS	1" Flange x 1" MPT	42.15
M200125MPTSS	2" Standard Port Flange x 1 1/4" MPT	72.25
M200150MPTSS	2" Standard Port Flange x 1 1/2" MPT	66.20
M200MPTSS	2" Standard Port Flange x 2" MPT	92.00
M220150MPTSS	2" Full Port Flange x 1 1/2" MPT	96.10
M220MPTSS	2" Full Port Flange x 2" MPT	95.25
M300MPTSS	3" Flange x 3" MPT	165.05



Flange X Socket Weld - 316 SS

PART	DESCRIPTION	PRICE (C)
M100SWFSS	1" Flange x 1" Socket Weld	42.20
M200SWFSS	2" Std Port Flange x 2" Socket Weld	116.00
M220SWFSS	2" Full Port Flange x 2" Socket Weld	112.60
M300SWFSS	3" Flange x 3" Socket Weld	189.30



Worm Gear Clamp Flange Gasket Flange Gasket w/ Rib Skirted Flange Gasket

Flange Clamps & Gaskets for Banjo Manifold Fittings

Flange Clamps		
<i>Available in 1", 2", and 3" with different Torque Ratings (IN/LBS); Stainless Steel Construction</i>		
PART	DESCRIPTION	PRICE (C)
FC100	100 Series Worm Gear Clamp - 50-60 IN/LBS	12.15
FC200	200 Series Worm Gear Clamp - Standard Port - 90-100 IN/LBS	14.15
FC220	220 Series Worm Gear Clamp - Full Port - 90-100 IN/LBS	14.70
FC300	300 Series Worm Gear Clamp - 90-100 IN/LBS	20.10
FC220TB	2" Full Port Hi-Torque T-Bolt Flange Clamp - 100 IN/LBS	43.10
FC300TB	3" Full Port Hi-Torque T-Bolt Flange Clamp - 100 IN/LBS	45.05
FC220B	2" Full Port Bolted Flange Clamp - 150 IN/LBS	68.60
FC300B	3" Full Port Bolted Flange Clamp - 150 IN/LBS	77.30
Flange Gaskets		
<i>Available in 1", 2" Std. Port, 2" Full Port, and 3" in either EPDM or Viton (FKM)</i>		
PART	DESCRIPTION	PRICE (C)
M100G	100 Series Flange Gasket - EPDM	3.10
M100GV	100 Series Flange Gasket - Viton	9.05
150G	200 Series Standard Port Flange Gasket - EPDM	1.50
150GV	200 Series Standard Port Flange Gasket - Viton	16.35
200G	Order Part # G2 (220 Series Full Port Flange Gasket - EPDM)	1.45
200GV	220 Series Full Port Flange Gasket - EPDM	25.35
300G	Order Part # G3 (300 Series Flange Gasket - EPDM)	2.10
300GV	300 Series Flange Gasket - Viton	34.80
Flange Gaskets with Rib		
<i>Rib on gasket keeps gasket in place during assembly of manifold fittings</i>		
PART	DESCRIPTION	PRICE (C)
M101G	100 Series Flange Gasket w/ Rib - EPDM	2.60
M201G	200 Series Flange Gasket w/ Rib - EPDM	3.05
M221G	220 Series Full Port Flange Gasket w/ Rib - EPDM	3.30
M301G	300 Series Flange Gasket w/ Rib - EPDM	3.55
Skirted Flange Gaskets		
<i>Skirted flange gasket aligns with manifold flange for positive and secure fit</i>		
PART	DESCRIPTION	PRICE (C)
M102G	1" & 1 1/4" Skirted Flange Gasket - EPDM	3.20
M202G	1 1/2" Skirted Flange Gasket - EPDM	3.70
M222G	2" Skirted Flange Gasket - EPDM	4.05
M302G	3" Skirted Flange Gasket - EPDM	5.70