

HYPRO®



1502 Series Roller Pumps

- 6 roller
- 27 GPM 50 PSI @ 540, 56 GPM 50 PSI @ 1000.
- 540 or 1000 RPM.

PART	DESCRIPTION	PRICE (€)
1502C	Cast Iron	1116.15
1502N	Ni-Resist	1683.65
1502XL	Silver Cast	2410.70



1700 Series Roller Pumps

- 5 roller.
- 50 PSI.
- 20 GPM-540 RPM.

PART	DESCRIPTION	PRICE (€)
1700C	Cast Iron	690.35
1700N	Ni-Resist	1370.65
1700XL	Silver Cast	1924.20



6500 Series Roller Pumps

- 6 roller.
- 8 GPM at 540-50 PSI, 16 GPM at 1000-50 PSI.
- 540 or 1000 RPM.

PART	DESCRIPTION	PRICE (€)
6500C	Cast Iron	333.85
6500N	Ni-Resist	764.50
6500XL	Silver Cast	1055.50



7560 Series Roller Pump

- 8 roller.
- 50 PSI.
- 11 GPM-540 RPM, 22 GPM-1000 RPM.


PART	DESCRIPTION	PRICE (€)
7560C	Cast Iron	436.10
7560N	Ni-Resist	867.30
7560XL	Silver Cast	1258.20



7700 Series Roller Pumps

- 7 roller.
- 12 GPM @ 50 PSI.
- 540 RPM.

PART	DESCRIPTION	PRICE (€)
7700C	Cast Iron	443.20
7700N	Ni-Resist	848.30
7700XL	Silver Cast	1288.60



4101N-AEH Roller Pump

- 12 V DC Motor.
- Super rollers and Viton seals.
- 1/3 HP.
- 50 PSI maximum.
- 6 GPM @ 25 PSI, 17 AMP.
- 7.5 GPM open flow.

PART	DESCRIPTION	PRICE (€)
4101N-AEH	Ni-Resist	1216.20
4101XL-AEH	XL Silver Cast	1476.85

Note: For Parts, see Parts Section



4101 Series Roller Pumps

- 4 roller pump.
- 3/4" inlet/outlet.
- 5/8" stainless steel shaft.

PART	DESCRIPTION	PRICE (€)
4101C	Cast Iron	308.25
4101N	Ni-Resist	554.55

Roller Pump Accessory Selection Guide

DESCRIPTION	1500 SERIES	1700 SERIES	6500 SERIES	7560 SERIES	7700 SERIES	4000 SERIES
540 rpm 1 3/8" Forged Steel PTO Adapter	1320-0076	1320-0076	1320-0077	1320-0076	1320-0076	----
1000 rpm 1 3/8" Forged Steel PTO Adapter	1320-0078	1320-0078	1320-0079	1320-0078	----	1320-0079
1000 rpm 1 3/4" Forged Steel PTO Adapter	1320-0080	1320-0080	----	1320-0080	----	----
540 rpm 1 1/8" Forged Steel Quick Coupler	1323-0072	1323-0072	1323-0074	1323-0072	1323-0072	----
1000 rpm 1 3/8" Forged Steel Quick Coupler	1323-0073	1323-0073	1323-0075	1323-0073	----	----
Multi-Speed 1 3/8" Forged Steel Quick Coupler	1323-0076	1323-0076	1323-0077	1323-0076	1323-0076	1323-0077
Steel Shaft Adapter 3/4" x 5/8"	----	----	1320-0015	----	----	1320-0015
Steel Shaft Adapter 5/8" x 5/8"	----	----	1320-0016	----	----	1320-0016
Repair Kits	3430-0387 3430-0386	3430-0437	3430-0380	3430-0381	3430-0384	3430-0390
Torque Arm Kit	----	3430-0540	3430-0540	3430-0540	3430-0540	----
Base Kits	3420-0004	3420-0010	3420-0023	3420-0003	3420-0010	3420-0024* 3420-0025**
Hydraulic Flange Kit	----	----	----	3430-0636	----	----


NOTE: * For electric motor drive 3 1/2" shaft centerline (4001, 4101) ** For gas engine drive 4 3/16" shaft centerline (4101 only).

FOR A PRICE LIST OF HYPRO ROLLER PUMPS PARTS, SEE BACK OF CATALOGUE.



Everflo 1.0 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing and valve plate.
- Viton® Valves and Santoprene Diaphragm.
- 40 PSI maximum pressure; 1.0 GPM maximum flow.
- Honeywell™ Micro Demand Switch.
- Maximum fluid temperature 60° C (140° F).
- Self-priming to 4 feet.
- 3/8" hose barb inlet and outlet ports.
- 12 Volt DC; maximum 4.0 Amps.
- Round-Up® ready.




PART	DESCRIPTION	PRICE (G)
EF1000	1.0 GPM 12-Volt Diaphragm Pump	62.35



Everflo 2.2 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing and valve plate.
- Viton® Valves and Santoprene Diaphragm.
- Zinc-plated steel fasteners.
- 70 PSI maximum pressure; 2.2 GPM maximum flow.
- Honeywell™ Micro Demand Switch.
- Maximum fluid temperature 60° C (140° F).
- Self-priming to 8 feet.
- 3/8" Female NPT inlet and outlet ports.
- 12 Volt DC; maximum 8.0 Amps.
- Round-Up® ready.




PART	DESCRIPTION	PRICE (G)
EF2200	2.2 GPM 12-Volt Diaphragm Pump	123.55
EF2200-KIT	Complete Head Repair Kit for EF2200	71.95



Everflo 3.0 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing and valve plate.
- Viton® Valves and Santoprene Diaphragm.
- Zinc-plated steel fasteners.
- 60 PSI maximum pressure; 3.0 GPM maximum flow.
- Honeywell™ Micro Demand Switch.
- Maximum fluid temperature 60° C (140° F).
- Self-priming to 8 feet.
- 1/2" Female NPT inlet and outlet ports.
- 12 Volt DC; maximum 10.0 Amps.
- Round-Up® ready.




PART	DESCRIPTION	PRICE (G)
EF3000	3.0 GPM 12-Volt Diaphragm Pump	162.70
EF3000-KIT	Complete Head Repair Kit for EF3000	96.55



Everflo 4.0 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing and valve plate.
- Viton® Valves and Santoprene Diaphragm.
- Zinc-plated steel fasteners.
- 60 PSI maximum pressure; 4.0 GPM maximum flow.
- Honeywell™ Micro Demand Switch.
- Maximum fluid temperature 60° C (140° F).
- Self-priming to 8 feet.
- 1/2" Female NPT inlet and outlet ports.
- 12 Volt DC; maximum 13.0 Amps.
- Round-Up® ready.




PART	DESCRIPTION	PRICE (G)
EF4000	4.0 GPM 12-Volt Diaphragm Pump	189.85
EF4000-KIT	Complete Head Repair Kit for EF4000	112.70



Everflo 5.5 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing and valve plate.
- Viton® Valves and Santoprene Diaphragm.
- Zinc-plated steel fasteners.
- 60 PSI maximum pressure; 5.5 GPM maximum flow.
- Honeywell™ Micro Demand Switch.
- Maximum fluid temperature 60° C (140° F).
- Self-priming to 8 feet.
- 1/2" Female NPT inlet and outlet ports.
- 12 Volt DC; maximum 17.0 Amps.
- Round-Up® ready.




PART	DESCRIPTION	PRICE (G)
EF5500	5.5 GPM 12-Volt Diaphragm Pump	278.10
EF5500-KIT	Complete Head Repair Kit for EF5500	164.45



Everflo 7.0 GPM 12-Volt Diaphragm Pump

- Polypropylene pump housing & fiberglass-reinforced polypropylene pump manifold.
- Viton Valves and Santoprene Diaphragm.
- 60 PSI maximum pressure; 7.0 GPM maximum flow.
- Honeywell Micro Demand Switch.
- Maximum fluid temperature 60°C (140°F).
- Self-priming to 12 feet.
- 1/2" Female Inlet and Outlet ports.
- 12 Volt DC; maximum 23.0 Amps.
- Approved for Roundup / other Ag chemicals.



PART	DESCRIPTION	PRICE (G)
EF7000	7.0 GPM 12-Volt Diaphragm Pump	495.30
EF7000-KIT	Complete Head Repair Kit for EF7000	CALL



3 GPM 12 Volt

PSI	GPM	AMPS
10	2.80	5.3
20	2.69	5.5
30	2.36	6.7
40	2.05	7.7



- 45 PSI switch.
- Viton® valves.
- Santoprene® diaphragm.
- 1/2" 14 National American Straight Pipe Thread

PART	DESCRIPTION	PRICE (F)
2088-343-135	Pump, 12 Volt, 3 GPM, 45 PSI	213.30
234-3926	1/2" 90° Swivel Connector	1.60
234-3916	3/8" 90° Swivel Connector	1.60
234-2926	1/2" Straight Swivel Connector	1.60
234-2916	3/8" Straight Swivel Connector	1.70



1.4 GPM 12 V Pump

- 60 PSI switch.
- Viton® valves and Santoprene® diaphragm.
- 3/8" NPT(F) ports.

PSI	GPM	AMPS
20	1.26	5.0
40	1.14	6.2
60	1.02	7.3

PART	DESCRIPTION	PRICE (F)
8000-543-236	60 PSI, Pump	180.15
8000-543-238	100 PSI, Not shown	187.35



3.0 GPM 24-Volt Pump

- 45 PSI Demand switch.
- Santoprene® valves and diaphragm.
- 1/2" 14 National American Straight Pipe Thread inlet and outlet ports; use 234-series connectors.

PART	DESCRIPTION	PRICE (F)
2088-474-144	3.0 GPM 24V Pump	216.85



1/4" FNPT Port

PSI	GPM	AMPS
10	2.79	5.8
30	2.26	8.3
50	1.69	10.1

3 GPM 12 Volt

- 3.3 GPM Open Flow.
- Viton® Valves, Santoprene® Diaphragm.
- 1/4" FNPT Port for relief valve or pressure gauge.
- 1/2" 14 National American Straight Pipe Thread.

PART	DESCRIPTION	PRICE (F)
2088-343-500	12 Volt Pump	204.25



1/4" FNPT Port

1.8 GPM 12 V Pump

- Viton® valves and Santoprene® diaphragm
- 3/8" FNPT ports.
- 1/4" FNPT gauge or valve port
- No pressure control switch

PART	DESCRIPTION	PRICE (F)
8001-244-290	12 Volt Pump	176.95



1.4 GPM By-Pass 12 V Pump

- 45 PSI internal by-pass.
- Viton® valves and Santoprene® diaphragm.
- 3/8" NPT(F) ports.

PSI	GPM	AMPS
20	1.30	4.0
30	1.11	4.7
40	0.69	5.2
60	0.18	5.5

PART	DESCRIPTION	PRICE (F)
8000-543-250	By-Pass Pump	187.70



Heat Sinks – Available in 3" & 5" Lengths

- Mounts to standard SHURflo pump motor.
- Cools pump motor in continuous-duty applications

PART	DESCRIPTION	PRICE (F)
34-006	3" (7.6cm) Heat Sink	27.70
34-007	5" (12.7cm) Heat Sink	29.35



PSI	GPM	AMPS
10	4.7	9.0
20	4.3	11.8
30	4.1	12.4
40	3.8	14.0
50	3.6	15.4

ShurFlo 5.3 GPM 12 Volt Pump

- 5.3 GPM open flow; 3.8 GPM @ 40 PSI.
- 60 PSI pressure switch built in.
- Viton valves; Santoprene diaphragm.
- 1/2" Female NPT Inlet and Outlet ports.

PART	DESCRIPTION	PRICE (F)
5059-1310-D011	12 Volt Pump	291.75



PART	PSI	GPM	AMPS
8020-503-250	10	1.4	.37
	20	1.3	.44
	30	1.1	.50
	40	0.8	.56
2088-394-144	10	2.4	.55
	20	2.2	.60
	30	1.9	.65
	40	1.6	.70

115 Volt Pumps

- 3/8" ports.
- Internal relief 45 PSI.
- Viton® valves and Santoprene® diaphragm.
- No pressure switch.

PART	DESCRIPTION	PRICE (F)
8020-503-250	By-Pass Pump, 115V	272.85
2088-394-144	115V, 45 PSI Demand Switch	327.80
2088-394-154	115V, 45 PSI Demand Switch, Flying Leads	301.45



115 V Pumps


- 236 Series
- 1.4 GPM open flow (1.0 GPM @ 30 PSI).
- 60 PSI pressure switch.

238 Series

- 1.6 GPM open flow (1.0 GPM @ 50 PSI).
- 100 PSI pressure switch.

PART	DESCRIPTION	PRICE (F)
8020-513-236	60 PSI	272.75
8020-833-238	100 PSI	312.90


12 V Pump Parts



8000

Shurflo 8000 Series 12 V Pump Parts


REF	PART	DESCRIPTION	PRICE (F)
1	-	Complete Pump	CALL
2	94-375-05	Switch Kit 60 PSI	43.30
3	94-374-05	Check Valve Assembly Viton	15.75
4	94-379-00	Upper Housing	26.60
5	94-391-09	By-Pass Valve Kit	64.20
5	94-390-05	Valve Kit Viton	52.05
6	94-395-05	Diaphragm Viton – optional	71.70
6	94-395-06	Diaphragm Santoprene – standard	26.25
7	94-385-03	Drive Assembly	32.50
8		Motor 12 V	N/A



2088


Shurflo 2088 Series 12 V Pump Parts

REF	PART	DESCRIPTION	PRICE (F)
1	-	Complete Pump	CALL
2	94-231-30	Upper Housing	22.25
3	94-230-36	Switch Assembly	35.70
4	94-237-05	Check Valve Assembly	30.95
5	94-232-05	Valve Assembly	68.20
6	94-238-03	Diaphragm Santoprene	46.85
7		Motor 12 V	N/A



Everflo EF2200 12-Volt Diaphragm Pump Parts

REF	PART	DESCRIPTION	PRICE (G)
1	N/A	Motor	N/A
2	EF780254	Base Plate Assembly	14.25
3	EF784062	Diaphragm Assembly	59.65
4	EF778279	Valve Plate Assembly	22.55
5	EF787161	Pump Head Assembly	22.30
	EF787418	QA Pump Head Assembly	35.75
6	EF788026	Pressure Switch Assembly	33.90



Everflo EF5500 12-Volt Diaphragm Pump Parts

REF	PART	DESCRIPTION	PRICE (G)
1	N/A	Motor	N/A
2	EF780254	Base Plate Assembly	14.25
3	EF787530	Diaphragm Assembly	117.65
4	EF780509	Valve Plate Assembly	68.85
5	EF787165	Pump Head Assembly	20.95
	EF787419	QA Pump Head Assembly	53.70
6	EF788690	Pressure Switch Assembly	36.65