

Hoses and Clamps



Flexogen Hose

- Lifetime Consumer replacement policy. Standard garden hoses fittings.

PART	DESCRIPTION	PRICE (I)
FLEX-1/2-50	1/2" X 50'	34.95
FLEX-3/4-75	3/4" X 75'	94.60
FLEX-3/4-100	3/4" X 100'	126.75



Weeper Hose

PART	DESCRIPTION	PRICE (G)
WEEPER50	50'	39.40



Farm Red Hose

PART	DESCRIPTION	PRICE (G)
FARMHOSE	5/8" x 90'	70.05



Golf Hose – 1" I.D. Professional Grade

- 1" NPSM Straight thread fittings.
- 125 PSI; -4°C to 65°C rated.

PART	DESCRIPTION	PRICE (I)
GOLFHOSE50	1" X 50'	186.45
GOLFHOSE100	1" X 100'	246.35



Lay-Flat PVC Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCL1	1" I.D.	1.20
PVCL112	1 1/2" I.D.	.70
PVCL2	2" I.D.	.85
PVCL3	3" I.D.	1.25
PVCL4	4" I.D.	2.95
PVCL6	6" I.D.	5.05



Nylon Reinforced (NRV) Hose

PART	DESCRIPTION	PRICE/FT. (F)
NRV14	1/4" I.D.	.60
NRV38	3/8" I.D.	1.45
NRV12	1/2" I.D.	1.10
NRV58	5/8" I.D.	1.50
NRV34	3/4" I.D.	1.70
NRV1	1" I.D.	2.65
NRV114	1 1/4" I.D.	4.90
NRV112	1 1/2" I.D.	7.50
NRV2	2" I.D.	11.00



PVC Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCS34	3/4" I.D.	1.55
PVCS1	1" I.D.	1.65
PVCS114	1 1/4" I.D.	2.40
PVCS112	1 1/2" I.D.	2.45
PVCS2	2" I.D.	3.35
PVCS2.5	2 1/2" I.D.	7.50
PVCS3	3" I.D.	6.65
PVCS4	4" I.D.	10.95



Clear Vinyl Hose

PART	DESCRIPTION	PRICE/FT. (F)
CLEAR14	1/4" I.D.	.35
CLEAR38	3/8" I.D.	.80
CLEAR12	1/2" I.D.	.60
CLEAR58	5/8" I.D.	1.35
CLEAR34	3/4" I.D.	1.55
CLEAR10	1" I.D.	2.15



Braided Sprayer Hose - Per Foot

PART	DESCRIPTION	PRICE (F)
SPR1BR1/2	2 Spiral, 1/2" 150 PSI	1.70
SPR2BR3/8	4 Spiral, 3/8" 250 PSI	1.80
SPR2BR1/2	4 Spiral, 1/2" 250 PSI	2.50
SPR2BR3/4	4 Spiral, 3/4" 250 PSI	3.75
SPR2BR1	4 Spiral, 1" 200 PSI	4.10



Rubber Discharge Hose

PART	DESCRIPTION	PRICE/FT. (F)
RD114	1 1/4" I.D.	6.00
RD112	1 1/2" I.D.	6.55
RD2	2" I.D.	8.20
RD3	3" I.D.	12.35
RD4	4" I.D.	16.15



Rubber/Wire Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
RS114	1 1/4" I.D.	8.70
RS112	1 1/2" I.D.	8.80
RS2	2" I.D.	9.85
RS3	3" I.D.	15.50
RS4	4" I.D.	22.65



High Pressure PVC Hose - Yellow

PART	DESCRIPTION	PRICE/FT. (F)
HP38-600	3/8" 600 PSI	2.10
HP12-600	1/2" 600 PSI	2.65
HP34-600	3/4" 600 PSI	6.65



Hose Cutter

PART	PRICE (G)
0725-0005	13.75
0725-0006 BLADE	9.45

Ratchet Clamps

- Ideal for use with LDPE thin wall tubing.
- Secure lock teeth.



PART	DESCRIPTION	PRICE (F)
RATCHETCLAMP-15	.590-.630" OD	.35
RATCHETCLAMP-18	.670-.750" OD	.35
RATCHETCLAMP-20	.749-.827" OD	.40



Stainless Steel Gear Clamps

PART	MIN.	MAX.	AVERAGE	PRICE (E)
HAS4M	1/4"	5/8"	3/8"	.55
HAS5M	5/16"	7/8"	1/2"	.60
HAS6M	7/16"	7/8"	5/8"	1.95
HAS6	3/8"	3/4"	5/8"	1.15
HAS8	1/2"	1"	3/4"	1.20
HAS10	9/16"	1 1/8"	7/8"	1.25
HAS12	11/16"	1 1/4"	15/16"	1.25
HAS16	5/8"	1 1/2"	1"	1.30
HAS20	13/16"	1 3/4"	1 1/8"	1.35
HAS24	1 1/16"	2"	1 1/2"	1.45
HAS28	1 7/16"	2 3/8"	1 15/16"	1.50
HAS32	1 9/16"	2 1/2"	2"	1.55
HAS36	1 13/16"	2 9/4"	2 1/4"	1.60
HAS40	2 1/16"	3"	2 1/2"	1.65
HAS44	2 3/16"	3 1/4"	2 13/16"	1.70
HAS52	2 13/16"	3 3/4"	3 3/16"	1.85
HAS64	3 9/16"	4 1/2"	4"	2.10
HAS72	4 1/8"	5"	4 1/2"	2.15
HAS88	5 1/8"	6"	5 1/2"	2.35
HAS96	5 5/8"	6 1/2"	6"	2.45
HAS104	6 1/8"	7"	6 1/2"	2.65



Stainless Steel Super Clamps

- Stainless steel T-bolt with silver plated nut to prevent seizing with nylon lock nut.
- 360° sealing surface.
- Ideal for high torque applications.
- Strong, positive connections.
- 3 spot welds for extra strength.

PART	DESCRIPTION	PRICE (G)
TC120	1.20" / 1.34"	11.90
TC130	1.30" / 1.70"	13.15
TC150	1.50" / 1.75"	13.25
TC162	1.62" / 1.87"	13.10
TC181	1.81" / 2.06"	12.00
TC193	1.93" / 2.18"	13.25
TC206	2.06" / 2.40"	13.85
TC218	2.18" / 2.50"	12.40
TC224	2.24" / 2.55"	13.85
TC231	2.31" / 2.62"	12.90
TC250	2.50" / 2.81"	13.85
TC287	2.87" / 3.18"	13.85
TC312	3.12" / 3.49"	14.20
TC331	3.31" / 3.62"	13.45
TC343	3.43" / 3.75"	13.45
TC425	4.25" / 4.56"	16.05
TC438	4.38" / 4.76"	26.70
TC456	4.56" / 4.94"	26.70



Dramm Tripod Impulse Sprinkler

Designed to water over gardens, the Dramm Tripod Impulse Sprinkler elevates watering over 5 feet in height.

- Features a brass impulse sprinkler head; adjustable for part and full-circle patterns.
- Retractable riser adjusts from 38" to 63" in height.
- Waters an area up to 70 feet in diameter.
- Retractable spikes in folding tripod base holds securely when watering.

PART	DESCRIPTION	PRICE (I)
DRAMM-TRIPOD	Tripod Impulse Sprinkle	69.85



Comfort Grip Nozzle

- Vinyl-molded cushion comfort grip.
- Ideal for cold or hot water use.
- Male GH outlet x Female GH inlet.

PART	PRICE (G)
593	10.80



Insulated Brass Twist Nozzle

- Insulated rubber grip over solid brass nozzle body ideal for both hot and cold-water use.
- Adjustable pattern from stream to fine spray wide cone; simply twist the grip.

PART	DESCRIPTION	PRICE (G)
528T-RUBBER	Insulated Twist	12.95



Pro Fireman Nozzle

- Heavy-Duty Metal construction.
- Adjustable pattern, lever ON/OFF.
- Rated to 250 PSI. Female GH inlet.

PART	DESCRIPTION	PRICE (G)
50503	Pro Fireman Nozzle	39.95



Insulated Pistol Grip Nozzle

- Molded insulated grip – for spraying hot or cold water.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
572TFR	Insulated Grip Nozzle	12.05



Zinc Pistol Grip Nozzle

- Medium-duty zinc spray nozzle with trigger lock feature.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
573L	Zinc Spray Nozzle	7.25



Zinc "Y" Shut-Off Splitter Valve

- Sturdy Zinc construction.
- "Y" shut-off splitter, 1 x FGH, 2 x MGH.
- Resists Temps. Up to 160°F.

PART	DESCRIPTION	PRICE (G)
15	Zinc "Y" Shut-Off	9.10



Zinc Water Shut-Off Valve

- Sturdy Zinc construction.
- Male GH x Female GH threads.
- Compact handle resists breakage.

PART	DESCRIPTION	PRICE (G)
05VL	Zinc Shut-Off	6.85



Nylon "Y" Shut-off Connectors

- Durable, rustproof polymer.
- Not good for high temperatures.
- Twin shut-off valves.
- Cap type valve handles resist breakage.
- Full ball and retainer rings reduce leakage, even at low pressure.

PART	PRICE (G)
17	5.50




Female

Male

Brass Quick Connector Set

- Allows the most water flow of any quick connector systems.
- Use with 07V or 05V water shut-off valves for on/off water flow control.
- Features a push-pull ring to connect/disconnect hose and hose end attachments easily.
- Easily attaches to nozzle /sprinkler for quick connection to hose.
- Heavy-duty solid brass construction for long life.
- Incl. 1 male and 1 female connector.

PART	DESCRIPTION	PRICE (G)
09QC	Connector Set	13.65
09QCM	Male Connector Only	4.55
09QCF	Female Connector Only	9.10



Female

Male

Hose End Quick Connector Set

- Easily connects hose to sprinkler, nozzle or other hose end accessories.
- Durable, polymer construction.
- Interchangeable with most polymer quick connector systems.
- Includes 1 female hose end connector with shut-off and 2 male hose end adapters.

PART	DESCRIPTION	PRICE (G)
29Q	Connector Set	5.70



Rubber Hose Washers

PART	DESCRIPTION	PRICE (G)
01RW	10 Pack	1.55



Dramm Fan Spray

- Heavy-duty zinc & brass construction.
- Female GH thread; easy-to-use shut-off and ergonomic insulated grip.
- Great for seedlings.

PART	DESCRIPTION	PRICE (F)
DRAMM-FANSPRAY	Fan Spray	14.40



Dramm Hose Washers – Pro Grade

- EPDM rubber for durability.
- Fits standard 3/4" garden hoses.

PART	DESCRIPTION	PRICE (F)
DRAMM-WASHER	12-Pack	4.40



GHFT075A



GHMT075B



GHFT075D



GHMT075F

3/4" Banjo Brand Cam-lock Garden Hose Thread Fittings

- Quick and simple way to connect and disconnect your garden hose and all other watering accessories.
- Never have to use pliers to attach or tighten another garden hose or accessory again!
- Durable, rustproof yellow fiberglass re-reinforced poly construction.
- Fits all standard 3/4" male and female garden hose threads (GHT).
- Standard 3/4" opening inside diameter.

PART	DESCRIPTION	PRICE (F)
GHFT075A	3/4" Adapter x Female GHT	8.25
GHMT075F	3/4" Adapter x Male GHT	8.25
GHMT075B	3/4" Coupler x Male GHT	17.40
GHFT075D	3/4" Coupler x Female GHT	17.40

Hose Accessories



Hozon Syphon Mixer

- Accurately applies fertilizer, pesticides and other water soluble chemicals for use in the greenhouse, lawn and garden.
- Sturdy Poly body, in-line check valve.

PART	DESCRIPTION	PRICE (F)
HOZON	Injector	24.00

Note: All chemical mixes should be diluted according to the manufacturer's recommended concentration



FOGG-IT Fog Nozzles

PART	DESCRIPTION	PRICE (F)
FOGG	Super Fine	15.35
FOGGF	Fine	15.35
FOGGL	Low Volume	15.35
FOGGH	Heavy	15.35



Heavy Brass Hose Couple Set

- Individual male or female fittings also sold separately – please inquire.

PART	DESCRIPTION	PRICE (G)
HC38	3/8"	8.55
HC12	1/2"	8.35
HC58	5/8"	8.40
HC34	3/4"	8.70
HC10	1"	33.40



Adapter Coupler

PART	DESCRIPTION	PRICE (G)
#03	1/2 NPT x Hose	4.15
#04	3/4 NPT x Hose	4.65



Swivel Connector

PART	DESCRIPTION	PRICE (G)
#01	1/2 NPT x Hose	4.95
#02	3/4 NPT x Hose	5.15
#06	Hose x Hose	5.00



Water Breaker

PART	DESCRIPTION	PRICE (F)
170PL	Plastic	6.80
170AL	Aluminum	16.55
400PL	Plastic	7.90
400AL	Aluminum	24.40
1000PL	Plastic	18.80



Water breaker not included.

Extension

PART	DESCRIPTION	PRICE (F)
DRAMM2	2'	14.65
DRAMM3	3'	16.55
DRAMM4	4'	17.65



03V

PART	DESCRIPTION	PRICE (G)
03V	Single Outlet Brass Shut-Off	7.85



13


PART	DESCRIPTION	PRICE (G)
13	Double Outlet Brass Shut-Off	16.50



Brass Shut-Off

- Extra large handles are easy to grip and turn.
- EZ-on connector assures connection to faucet.
- Heavy-duty brass construction.

PART	DESCRIPTION	PRICE (G)
44GFL	Four Outlet Brass Shut-Off	20.25



GH in/out

PART	DESCRIPTION	PRICE (F)
74VALVE	Dramm 74 GH Ball Valve	23.95
300	Brass GH Valve	32.30



Male NPT x Female Hose Adapter

PART	DESCRIPTION	PRICE (G)
#07	1/2"	3.95
#09	3/4"	4.35



Female NPT x Male Hose Adapter

PART	DESCRIPTION	PRICE (G)
#08	1/2"	3.05
#10	3/4"	4.15



Adapter Nipple

PART	DESCRIPTION	PRICE (G)
#05	3/8 NPT x Hose	3.80
#11	1/2 NPT x Hose	3.90
#12	3/4 NPT x Hose	4.70
#13A	Hose x Hose	4.20



Male Swivel Adapter

PART	DESCRIPTION	PRICE (G)
#14	3/8 NPT x Hose	5.20
#15	1/2 NPT x Hose	5.25
#17	1/4 NPT x Hose	4.90



20R Adapter

PART	DESCRIPTION	PRICE (I)
20R	1" FNPT x MGHT	16.60
HW1	Gasket for 20R	2.05



Hose Nozzle

PART	DESCRIPTION	PRICE (G)
FN100	1" Nozzle	26.25
FN112	1 1/2" Nozzle	20.50
FN200	2" Nozzle	99.95
FN100-G	Gasket – FN100	1.65
FN112-G	Gasket – FN112	1.75
FN200-G	Gasket – FN200	2.75



Socket

Socket

PART	DESCRIPTION	PRICE (E)
QCS14	1/4" Socket Only	7.00
QCS38	3/8" Socket Only	9.10
QCS12	1/2" Socket Only	13.65



Male

Male Plug

PART	DESCRIPTION	PRICE (E)
QCP14	1/4" Plug Only	3.30
QCP38	3/8" Plug Only	4.30
QCP12	1/2" Plug Only	5.20



Female

Female Plug

PART	DESCRIPTION	PRICE (E)
QCP14F	1/4" Fem. Plug Only	3.75
QCP38F	3/8" Fem. Plug Only	4.05
QCP12F	1/2" Fem. Plug Only	7.55

Quick Coupler Socket O-Rings

PART	DESCRIPTION	PRICE (E)
QC14-OR	O-Ring - 1/4" Socket	.55
QC38-OR	O-Ring - 3/8" Socket	.55
QC12-OR	O-Ring - 1/2" Socket	.65

Greenhouse Watering & Spray Equipment

Dramm Corporation manufactures a complete line of professional greenhouse tools and equipment including hose-end watering tools, irrigation systems, chemical application equipment, and most recently, environmental controls. **Dramm** is the most respected name within the industry. Even-Spray stocks a wide range of **Dramm** watering equipment to meet your growing needs.



Fog-It Nozzles

- Designed for misting seedlings or raising humidity.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
FOGG	½ GPM Super Fine Nozzle	15.35
FOGGF	1 GPM Fine Nozzle	15.35
FOGGL	2 GPM Low Volume Nozzle	15.35
FOGGH	4 GPM High Volume Nozzle	15.35

All Dramm watering products – shut-offs, extensions, breakers, and nozzles - are sold separately so that you can customize your equipment to your specifications!



Dramm Extension Wands

- Light-weight aluminum w/ padded foam comfort grip.
- Female GH x Male GH Thread.

PART	DESCRIPTION	PRICE(F)
DRAMM50-80	50" – 80" Extendable Wand	40.95
DRAMM16	16" Extension Wand	13.45
DRAMM2	24" Extension Wand	14.65
DRAMM30	30" Extension Wand	15.90
DRAMM3	36" Extension Wand	16.55
DRAMM4	48" Extension Wand	17.65
DRAMMB-36	36" Hanging Basket Wand	17.10
DRAMMB-48	48" Hanging Basket Wand	18.25



Dramm Hose-end Accessories

- Filter recommended for use with seedling nozzles.
- Ring protects 400, 750, 1000 series water breakers.

PART	DESCRIPTION	PRICE(F)
DRAMM-ILF175	Filter w/ 80 mesh screen	28.05
DRAMM-ILFE175	80 mesh screen only	9.45
DRAMM-ILFE080	Optional 200 mesh screen	9.45
400RING	Rubber protective ring	2.45



Water Breakers

- A wide range of water breakers to choose from.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
400PL-RPR	Poly Breaker w/ Ring - 11gpm	9.75
400PL	Poly Breaker – 11gpm	7.90
400AL	Aluminum Breaker – 11gpm	24.40
750PL	Poly Breaker w/ Ring – 7gpm	19.50
1000PL	Poly Seedling Breaker – 7gpm	18.80
1000PL-N	Poly Seedling Breaker – 7gpm narrow pattern	18.80
1000PL-W	Poly Seedling Breaker – 7gpm wide pattern	18.80
170PL	Poly Breaker – 7gpm	6.80
170AL	Aluminum Breaker – 7gpm	16.55
480PL	Poly Seedling Breaker – 7gpm	8.80



Seedling Nozzle

- Designed for seedlings, cuttings, delicate plants.
- Hollow cone fine droplet pattern; GH

PART	DESCRIPTION	PRICE(F)
510C	Seedling Nozzle 1/2 GPM @ 40 PSI	11.65



Dramm Watering Can

- 5-Litre capacity; long-lasting rust-proof poly.
- Extra long spout with detachable brass rose.

PART	DESCRIPTION	PRICE(G)
DRAMMWATERCAN	5-Liter watering can	29.70



Dramm Trigger Series Shut-Off Valves

- All valves feature Female GH inlets x Male GH Outlets with soft, yet durable rubber grips.
- 65C and 14700 rated at 11 GPM @ 40 PSI.
- 74800 rated at 16 GPM @ 40 PSI.

PART	DESCRIPTION	PRICE(F)
65C	Squeeze Trigger Valve – 11 gpm	20.30
14700	Easy Slide Thumb Valve – 11 gpm	21.60
74800	Easy Slide Thumb Valve – 16 gpm	23.95

DRAMM



Shut-off Valves

- All models feature Female GH x Male GH thread.
- 74VALVE, 300, 075HGB Valves – full port flow.

PART	DESCRIPTION	PRICE(F)
74VALVE	Dramm HD Poly Valve	23.95
300	Dramm Brass Valve	32.30
075HGB	Brass GH x GH Valve	29.85
DRAMMVALVE-QAV	Dramm Poly Valve	7.20



MS20-100 Chemical Sprayer

- Includes 100' hose, Gun, Cart/Tank, & Hose Reel.
- Up to 0.5 GPM; Maximum pressure to 500 PSI.

PART	DESCRIPTION	PRICE(I)
MS20-100	20 Gallon Hydraulic Sprayer 120V	CALL