

Greenhouse Ornamental Fungicides











| PRODUCT | Application Method(s) | Medicinal Crops | Anthracoese | Black Spot | Blights | Botrytis | Damping Off | Downy Mildew | Fusarium | Leaf Spot | Phytophthora Root Rot | Powdery Mildew | Pythium | Rhizoctonia | Rust | Sclerotinia |
|---|-----------------------|---|-------------|------------|---------|----------|-------------|--------------|----------|-----------|-----------------------|----------------|---------|-------------|------|-------------|
| Actinovate AG (BIO-fungicide) | F | | | | | | | | • | | • | • | • | • | | |
| Aliette WDG | F/D | | • | | | | | | | | • | | • | | | |
| Supra Captan 80WDG | F | | | • | | • | • | | | • | | | • | | | |
| Compass 50WG | F/D | | | • | • | • | | | | | | • | | • | | |
| Cueva Commercial | F | | • | • | • | | | | | • | • | • | | | • | |
| Cyclone | F |  | | • | | | | | | | | • | | | | |
| Decree 50 WDG | F | | | | | • | | | | | | | | | | |
| Forum | F | | | | | | | • | | | | | | | | |
| Heritage Maxx | F/D | | • | | | • | | • | | • | | • | • | • | | |
| Medallion | D | | | | | | | | • | | | | | • | | |
| MiiStop (BIO-fungicide) | F |  | | | | | | | | | | • | | | | |
| Micora | | | | | | | | • | | | | | | | | |
| MycoStop (BIO-fungicide) | F/D | | | | | • | • | | • | | • | | • | | | |
| Nova 40W | F | | | • | | | | | | | | • | | | | • |
| Phostrol | F/D | | | | | | • | | | | • | | • | | | |
| Phyton 27 | F/D | | | • | | • | | | | • | | • | | • | | |
| Presidio Fungicide 4SC | F | | | | | | | • | | | | | | | | |
| Prestop WG (BIO-fungicide) | F/D |  | | | | • | • | | • | | • | | • | • | | |
| Previcur N (BIO-fungicide) | F/D | | | | | | • | | | | • | | • | | | |
| Pristine WG | F | | | | | | | | | | | • | | | | |
| PureSpray FX | F |  | | | | | | | | | | • | | | | |
| Regalia Maxx (BIO-fungicide) | F |  | | | | | | | | | | • | | | | |
| Rhapsody ASO (BIO-fungicide) | F/D | | • | • | • | • | | | | • | • | • | • | • | | • |
| RootShield PLUS WP (BIO-fungicide) | D |  | | | | | | | • | | • | | • | • | | |
| RootShield WP (BIO-fungicide) | D |  | | | | | | | • | | | | • | • | | |
| Senator 50 SC | F/D | | | • | | • | • | | • | • | | • | | • | | |
| Subdue Maxx | D | | | | | | • | | | | • | | • | | | |
| Truban 25EC | D | | | | | | • | | | | • | | • | | | |
| SuffOil-X | F |  | | | | | | | | | | • | | | | |
| Vegol Crop Oil | F |  | | | | | | | | | | • | | | | |
| ZeroTol (BIO-fungicide) | F/D |  | | | | | | | • | • | • | | | • | | |



Chart information intended for quick reference only.

ALWAYS consult complete product label for mixing and application instructions, proper usage rates, intended crops, and safe handling / storage information.

For beneficial insect / biological control compatibility, see our Biological Pest Control section in this catalogue or call our office for assistance.

Greenhouse Ornamental Fungicides



Actinovate AG Bio-Fungicide

- Registered for suppression of Fusarium Wilt, Pythium Root Rot, and Rhizoctonia Root & Crown Rot on specific Greenhouse-grown ornamentals. Consult product label for details.
- Apply as thorough foliar spray; avoid run-off.
- Rate: 50 gr / 100L of water; interval varies by crop.
- 510-gram package.
- PCP: 34041



Aliette WDG Fungicide

- Systemic fungicide used for the control of Pythium and Phytophthora on Greenhouse container-grown ornamentals and bedding plants.
- Can be applied as a foliar or drench; crops vary, so please consult full label.
- Foliar Rate: 28gr / 100m² in sufficient water for proper coverage. Max. 3 apps every 14 – 30 days.
- Drench Rate: 360gr / 380L water to cover 36m²; max 3 apps at 30-day intervals.
- 2.26kg Bag
- PCP: 24458



Compass 50 WG

- Trifloxystrobin 50%
- Registered as an outdoor foliar spray to control Powdery Mildew and Scab as well as an indoor soil drench for control of Rhizoctonia Root Rot.
- Translaminar mode of action into plant leaf.
- Rate (Foliar Spray): 14 to 21 grams per 100 L
- Rate (Soil Drench): 3.8 grams per 100 litres
- 454-gram container.
- PCP: 27527



Cueva Fungicide

- Copper Octanoate 1.8%
- Broad spectrum copper-based fungicide for the control of many diseases including blights, leaf spot, and powdery mildew.
- Effective at low rates during the growing season or during plant dormancy.
- Rate: 0.5 – 2.0% solution on 5 to 10 day intervals – consult label for crops and specific rates.
- 10 litre jug.
- PCP: 31825



Cyclone Fungicide / Bactericide

- Lacto-fermented liquid fungicide and bactericide registered for suppression of powdery mildew on greenhouse ornamentals and on greenhouse cannabis produced commercially indoors. Also effective against Black Spot on roses.
- Applied as a foliar application.
- Ornamental Rate: 20 ml / 10L of water every 7 days.
- REI up to 4 hours or when dry.
- 10 litre jug.
- PCP: 30459



Micora Fungicide

- For control or suppression of Downey Mildew and suppression of Phytophthora Foliar Blight on GH-grown ornamentals.
- Applied as a foliar spray; thorough coverage is required for proper results.
- Rate: 30 – 60 ml / 100 litres of water every 7 – 14 days. Max. of 2 consecutive applications.
- 1-Litre container.
- PCP: 30759



MilStop Foliar Fungicide

- A foliar-applied fungicide registered to control or suppress Powdery Mildew on field-grown vegetables or greenhouse-grown ornamentals.
- Active: Potassium Bicarbonate 85%
- Rate: 280 – 560 grams per 1,000 m². Use sufficient water to thoroughly cover foliage and stems.
- 2.27 kg pail or 11.35 kg bag.
- PCP: 28095



MYCOSTOP Bio-Fungicide

- Used for the preventative suppression of damping-off, root and crown rot, and wilt caused by Fusarium and Pythium on greenhouse ornamentals and vegetables.
- Applied as a water suspension by spraying or drenching the surface of the growing media or by drip irrigation.
- Rate (Pot plants): 2 – 5 mg in 20-50 ml per plant; repeat every 3 to 6 weeks.
- Rate (Seedlings): 2 - 10 g/100m² after seedling emergence.
- 25 Gram
- PCP: 26265



Nova 40W

- Water-soluble pouches for ease of use.
- Locally systemic spray formula.
- Controls Rust and Powdery Mildew on certain greenhouse vegetable and ornamental crops including peppers, roses, geraniums, and poinsettias. Can be used on a wide range of outdoor ornamentals.
- Rate: 28-34 grams/100 L water (412-500 L/140 g pouch).
- 560-gram re-sealable bag (4x140 gram).
- PCP# 22399.

Greenhouse Ornamental Fungicides



Phostrol Fungicide

- Mono-and Dibasic Sodium, Potassium and Ammonium Phosphites 53.6%
- Registered for suppression of Phytophthora Root Rot on greenhouse and outdoor grown ornamentals.
- Foliar Rate: 2.9 – 5.8ml/ L water every 30 days.
- Drench rate: 1.2 – 5.6ml/ L water every 30 days.
- Also registered for use on a wide range of field-grown crops and turf – consult label.
- 10 litre jug.
- PCP: 30449.



PRESTOP WG Biological Fungicide

- Water-dispersible Granule formulation registered for use on a variety of greenhouse-grown crops including bedding plants, vegetable, herbs, and Cannabis.
- Listed diseases include Pythium, Rhizoctonia, Damping-Off, Phytophthora, Botrytis and more. See label for specific crop/disease-controlled details.
- Versatile – Pre-treat media, drench soil, foliar spray, or hydroponic. Consult label for rate based on
- 100-Gram and 1-kg sizes.
- PCP: 32404



Regalia Maxx Bio-Fungicide

- A plant extract engineered to induce the plants' natural defense mechanisms against certain fungal and bacterial diseases when applied to actively growing tissues in the treated leaf area, buds, and fruit.
- For suppression of Powdery Mildew on ornamentals.
 - Ornamental Foliar Rate: 2.5 ml per litre of water.
 - Can be used on greenhouse or outdoor grown ornamentals, select food crops, and indoor commercially-grown Cannabis.
 - 3.75 litre jug
 - PCP: 30199



Rhapsody ASO Bio-Fungicide

- A broad spectrum, preventative bio-fungicide for use on ornamentals to suppress Powdery Mildew, Botrytis Blight, Leaf Spot, Anthracnose, Black Spot, Rhizoctonia, Pythium, and Phytophthora.
- OMRI certified for organic growing.
- Registered for use on field grown food crops.
- Foliar Rate: 1 – 2 litres/ 100L water every 7 – 28 days. Thorough coverage required.
- Drench Rate: 1 – 2 litres/ 100L water.
- 9.46 L jug.
- PCP: 28627



RootShield PLUS WP Bio-Fungicide

- Provides suppression of root rot caused by Pythium, Rhizoctonia, Fusarium, and Phytophthora.
- Provides up to 10 weeks per app of protection, healthier roots, and increased root mass potential.
- Contains two active ingredients (Trichoderma harzianum, strain T-22 and Trichoderma virens, strain G-41)
- Drench Rate: 30 – 60 grams / 100L water per 10m² of soil surface.
- 1.36kg and 13.6kg sizes.
- PCP: 30539



Senator 50 SC Systemic Fungicide

- New liquid version of the popular Senator WP.
- Thiophanate-Methyl 500g/L
- Registered for Powdery Mildew, Botrytis, Leaf Spot as well as Stem, Crown, & Root Rot caused by Fusarium and Rhizoctonia in Greenhouse grown ornamentals.
- Spray/Sprenc or soil drench – consult label.
- Rate: 9.1 - 11.9 ml per litre of water.
- 10 litre jug
- PCP: 32096



Subdue MAXX

- Easy-to-mix micro-emulsion concentrate.
- Used as a soil drench to control root and stem diseases (Pythium and Phytophthora) on outdoor and greenhouse grown foliage and bedding plants.
- Also controls Phytophthora Root Rot on outdoor and greenhouse grown conifers.
- Drench Rate: 24-40 ml/1000 L per 200 m².
- 1-litre plastic bottle.
- PCP: 27055.



Truban Fungicide

- 30% Wettable powder or 25% EC formulas.
- Controls Damping-Off root and stem diseases caused by Pythium and Phytophthora in nursery and ornamental plants.
- Applied as a soil drench or dry pre-plant mix into soils.
- Wettable powder also registered for turfgrass.
- WP Rate: 150-225 grams in 600 L up to 600-900 grams in 1200 L water per 100 m².
- EC Rate: 120-600 ml. in 506-950 L water per 100 m².
- PCP# 11460 (WP) or 12222 (EC).



ZeroTol Bio-Fungicide / Algaecide

- Provides control of Fusarium Leaf Spot and Rhizoctonia and suppression of Alternaria Leaf Spot and Xanthomonas on bedding plants and non-edible crops.
- Also treats algae on wood and non-porous surfaces in greenhouses.
- Fungicide Rate: 10 ml/11-19 L of water per 100 m².
- Algaecide Rate: 3.3 – 20 ml/1 L of water.
- 9.46 Litre Drum
- PCP: 29508