


# Hoses and Clamps



### Flexogen Hose

- Lifetime Consumer replacement policy. Standard garden hoses fittings.

PART	DESCRIPTION	PRICE (I)
FLEX-1/2-50	1/2" X 50'	34.95
FLEX-3/4-75	3/4" X 75'	94.60
FLEX-3/4-100	3/4" X 100'	126.75



### Weeper Hose

PART	DESCRIPTION	PRICE (G)
WEEPER50	50'	39.40



### Farm Red Hose

PART	DESCRIPTION	PRICE (G)
FARMHOSE	5/8" x 90'	70.05



### Golf Hose – 1" I.D. Professional Grade

- 1" NPSM Straight thread fittings.
- 125 PSI; -4°C to 65°C rated.

PART	DESCRIPTION	PRICE (I)
GOLFHOSE50	1" X 50'	186.45
GOLFHOSE100	1" X 100'	246.35



### Lay-Flat PVC Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCL1	1" I.D.	1.20
PVCL112	1 1/2" I.D.	.70
PVCL2	2" I.D.	.85
PVCL3	3" I.D.	1.25
PVCL4	4" I.D.	2.95
PVCL6	6" I.D.	5.05



### Nylon Reinforced (NRV) Hose

PART	DESCRIPTION	PRICE/FT. (F)
NRV14	1/4" I.D.	.60
NRV38	3/8" I.D.	1.45
NRV12	1/2" I.D.	1.10
NRV58	5/8" I.D.	1.50
NRV34	3/4" I.D.	1.70
NRV1	1" I.D.	2.65
NRV114	1 1/4" I.D.	4.90
NRV112	1 1/2" I.D.	7.50
NRV2	2" I.D.	11.00



### PVC Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCS34	3/4" I.D.	1.55
PVCS1	1" I.D.	1.65
PVCS114	1 1/4" I.D.	2.40
PVCS112	1 1/2" I.D.	2.45
PVCS2	2" I.D.	3.35
PVCS2.5	2 1/2" I.D.	7.50
PVCS3	3" I.D.	6.65
PVCS4	4" I.D.	10.95



### Clear Vinyl Hose

PART	DESCRIPTION	PRICE/FT. (F)
CLEAR14	1/4" I.D.	.35
CLEAR38	3/8" I.D.	.80
CLEAR12	1/2" I.D.	.60
CLEAR58	5/8" I.D.	1.35
CLEAR34	3/4" I.D.	1.55
CLEAR10	1" I.D.	2.15



### Braided Sprayer Hose - Per Foot

PART	DESCRIPTION	PRICE (F)
SPR1BR1/2	2 Spiral, 1/2" 150 PSI	1.70
SPR2BR3/8	4 Spiral, 3/8" 250 PSI	1.80
SPR2BR1/2	4 Spiral, 1/2" 250 PSI	2.50
SPR2BR3/4	4 Spiral, 3/4" 250 PSI	3.75
SPR2BR1	4 Spiral, 1" 200 PSI	4.10



### Rubber Discharge Hose

PART	DESCRIPTION	PRICE/FT. (F)
RD114	1 1/4" I.D.	6.00
RD112	1 1/2" I.D.	6.55
RD2	2" I.D.	8.20
RD3	3" I.D.	12.35
RD4	4" I.D.	16.15



### Rubber/Wire Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
RS114	1 1/4" I.D.	8.70
RS112	1 1/2" I.D.	8.80
RS2	2" I.D.	9.85
RS3	3" I.D.	15.50
RS4	4" I.D.	22.65



### High Pressure PVC Hose - Yellow

PART	DESCRIPTION	PRICE/FT. (F)
HP38-600	3/8" 600 PSI	2.10
HP12-600	1/2" 600 PSI	2.65
HP34-600	3/4" 600 PSI	6.65



### Hose Cutter

PART	PRICE (G)
0725-0005	13.75
0725-0006 BLADE	9.45

### Ratchet Clamps

- Ideal for use with LDPE thin wall tubing.
- Secure lock teeth.



PART	DESCRIPTION	PRICE (F)
RATCHETCLAMP-15	.590-.630" OD	.35
RATCHETCLAMP-18	.670-.750" OD	.35
RATCHETCLAMP-20	.749-.827" OD	.40



### Stainless Steel Gear Clamps

PART	MIN.	MAX.	AVERAGE	PRICE (E)
HAS4M	1/4"	5/8"	3/8"	.55
HAS5M	5/16"	7/8"	1/2"	.60
HAS6M	7/16"	7/8"	5/8"	1.95
HAS6	3/8"	3/4"	5/8"	1.15
HAS8	1/2"	1"	3/4"	1.20
HAS10	9/16"	1 1/8"	7/8"	1.25
HAS12	11/16"	1 1/4"	15/16"	1.25
HAS16	5/8"	1 1/2"	1"	1.30
HAS20	13/16"	1 3/4"	1 1/8"	1.35
HAS24	1 1/16"	2"	1 1/2"	1.45
HAS28	1 7/16"	2 3/8"	1 15/16"	1.50
HAS32	1 9/16"	2 1/2"	2"	1.55
HAS36	1 13/16"	2 3/4"	2 1/4"	1.60
HAS40	2 1/16"	3"	2 1/2"	1.65
HAS44	2 3/16"	3 1/4"	2 13/16"	1.70
HAS52	2 13/16"	3 3/4"	3 3/16"	1.85
HAS64	3 9/16"	4 1/2"	4"	2.10
HAS72	4 1/8"	5"	4 1/2"	2.15
HAS88	5 1/8"	6"	5 1/2"	2.35
HAS96	5 5/8"	6 1/2"	6"	2.45
HAS104	6 1/8"	7"	6 1/2"	2.65



### Stainless Steel Super Clamps

- Stainless steel T-bolt with silver plated nut to prevent seizing with nylon lock nut.
- 360° sealing surface.
- Ideal for high torque applications.
- Strong, positive connections.
- 3 spot welds for extra strength.

PART	DESCRIPTION	PRICE (G)
TC120	1.20" / 1.34"	11.90
TC130	1.30" / 1.70"	13.15
TC150	1.50" / 1.75"	13.25
TC162	1.62" / 1.87"	13.10
TC181	1.81" / 2.06"	12.00
TC193	1.93" / 2.18"	13.25
TC206	2.06" / 2.40"	13.85
TC218	2.18" / 2.50"	12.40
TC224	2.24" / 2.55"	13.85
TC231	2.31" / 2.62"	12.90
TC250	2.50" / 2.81"	13.85
TC287	2.87" / 3.18"	13.85
TC312	3.12" / 3.49"	14.20
TC331	3.31" / 3.62"	13.45
TC343	3.43" / 3.75"	13.45
TC425	4.25" / 4.56"	16.05
TC438	4.38" / 4.76"	26.70
TC456	4.56" / 4.94"	26.70



**Dramm Tripod Impulse Sprinkler**

Designed to water over gardens, the Dramm Tripod Impulse Sprinkler elevates watering over 5 feet in height.

- Features a brass impulse sprinkler head; adjustable for part and full-circle patterns.
- Retractable riser adjusts from 38" to 63" in height.
- Waters an area up to 70 feet in diameter.
- Retractable spikes in folding tripod base holds securely when watering.

PART	DESCRIPTION	PRICE (I)
DRAMM-TRIPOD	Tripod Impulse Sprinkle	<b>69.85</b>



**Comfort Grip Nozzle**

- Vinyl-molded cushion comfort grip.
- Ideal for cold or hot water use.
- Male GH outlet x Female GH inlet.

PART	PRICE (G)
593	<b>10.80</b>



**Insulated Brass Twist Nozzle**

- Insulated rubber grip over solid brass nozzle body ideal for both hot and cold-water use.
- Adjustable pattern from stream to fine spray wide cone; simply twist the grip.

PART	DESCRIPTION	PRICE (G)
528T-RUBBER	Insulated Twist	<b>12.95</b>



**Pro Fireman Nozzle**

- Heavy-Duty Metal construction.
- Adjustable pattern, lever ON/OFF.
- Rated to 250 PSI. Female GH inlet.

PART	DESCRIPTION	PRICE (G)
50503	Pro Fireman Nozzle	<b>39.95</b>



**Insulated Pistol Grip Nozzle**

- Molded insulated grip – for spraying hot or cold water.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
572TFR	Insulated Grip Nozzle	<b>12.05</b>



**Zinc Pistol Grip Nozzle**

- Medium-duty zinc spray nozzle with trigger lock feature.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
573L	Zinc Spray Nozzle	<b>7.25</b>



**Zinc "Y" Shut-Off Splitter Valve**

- Sturdy Zinc construction.
- "Y" shut-off splitter, 1 x FGH, 2 x MGH.
- Resists Temps. Up to 160°F.

PART	DESCRIPTION	PRICE (G)
15	Zinc "Y" Shut-Off	<b>9.10</b>



**Zinc Water Shut-Off Valve**

- Sturdy Zinc construction.
- Male GH x Female GH threads.
- Compact handle resists breakage.

PART	DESCRIPTION	PRICE (G)
05VL	Zinc Shut-Off	<b>6.85</b>



**Nylon "Y" Shut-off Connectors**

- Durable, rustproof polymer.
- Not good for high temperatures.
- Twin shut-off valves.
- Cap type valve handles resist breakage.
- Full ball and retainer rings reduce leakage, even at low pressure.

PART	PRICE (G)
17	<b>5.50</b>




Female

Male

**Brass Quick Connector Set**

- Allows the most water flow of any quick connector systems.
- Use with 07V or 05V water shut-off valves for on/off water flow control.
- Features a push-pull ring to connect/disconnect hose and hose end attachments easily.
- Easily attaches to nozzle /sprinkler for quick connection to hose.
- Heavy-duty solid brass construction for long life.
- Incl. 1 male and 1 female connector.

PART	DESCRIPTION	PRICE (G)
09QC	Connector Set	<b>13.65</b>
09QCM	Male Connector Only	<b>4.55</b>
09QCF	Female Connector Only	<b>9.10</b>



Female

Male

**Hose End Quick Connector Set**

- Easily connects hose to sprinkler, nozzle or other hose end accessories.
- Durable, polymer construction.
- Interchangeable with most polymer quick connector systems.
- Includes 1 female hose end connector with shut-off and 2 male hose end adapters.

PART	DESCRIPTION	PRICE (G)
29Q	Connector Set	<b>5.70</b>



**Rubber Hose Washers**

PART	DESCRIPTION	PRICE (G)
01RW	10 Pack	<b>1.55</b>



**Dramm Fan Spray**

- Heavy-duty zinc & brass construction.
- Female GH thread; easy-to-use shut-off and ergonomic insulated grip.
- Great for seedlings.

PART	DESCRIPTION	PRICE (F)
DRAMM-FANSPRAY	Fan Spray	<b>14.40</b>



**Dramm Hose Washers – Pro Grade**

- EPDM rubber for durability.
- Fits standard 3/4" garden hoses.

PART	DESCRIPTION	PRICE (F)
DRAMM-WASHER	12-Pack	<b>4.40</b>



GHFT075A



GHMT075B



GHFT075D



GHMT075F

**3/4" Banjo Brand Cam-lock Garden Hose Thread Fittings**

- Quick and simple way to connect and disconnect your garden hose and all other watering accessories.
- Never have to use pliers to attach or tighten another garden hose or accessory again!
- Durable, rustproof yellow fiberglass re-enforced poly construction.
- Fits all standard 3/4" male and female garden hose threads (GHT).
- Standard 3/4" opening inside diameter.

PART	DESCRIPTION	PRICE (F)
GHFT075A	3/4" Adapter x Female GHT	<b>8.25</b>
GHMT075F	3/4" Adapter x Male GHT	<b>8.25</b>
GHMT075B	3/4" Coupler x Male GHT	<b>17.40</b>
GHFT075D	3/4" Coupler x Female GHT	<b>17.40</b>



# Hose Accessories



### Hozon Syphon Mixer

- Accurately applies fertilizer, pesticides and other water soluble chemicals for use in the greenhouse, lawn and garden.
- Sturdy Poly body, in-line check valve.


PART	DESCRIPTION	PRICE (F)
HOZON	Injector	24.00

Note: All chemical mixes should be diluted according to the manufacturer's recommended concentration



### Water Breaker

PART	DESCRIPTION	PRICE (F)
170PL	Plastic	6.80
170AL	Aluminum	16.55
400PL	Plastic	7.90
400AL	Aluminum	24.40
1000PL	Plastic	18.80



### GH in/out

PART	DESCRIPTION	PRICE (F)
74VALVE	Dramm 74 GH Ball Valve	23.95
300	Brass GH Valve	32.30



### 20R Adapter

PART	DESCRIPTION	PRICE (I)
20R	1" FNPT x MGHT	16.60
HW1	Gasket for 20R	2.05



### Hose Nozzle

PART	DESCRIPTION	PRICE (G)
FN100	1" Nozzle	26.25
FN112	1 1/2" Nozzle	20.50
FN200	2" Nozzle	99.95
FN100-G	Gasket - FN100	1.65
FN112-G	Gasket - FN112	1.75
FN200-G	Gasket - FN200	2.75



### FOGG-IT Fog Nozzles

PART	DESCRIPTION	PRICE (F)
FOGG	Super Fine	15.35
FOGGF	Fine	15.35
FOGGL	Low Volume	15.35
FOGGH	Heavy	15.35



### Extension

PART	DESCRIPTION	PRICE (F)
DRAMM2	2'	14.65
DRAMM3	3'	16.55
DRAMM4	4'	17.65

### Male NPT x Female Hose Adapter

PART	DESCRIPTION	PRICE (G)
#07	1/2"	3.95
#09	3/4"	4.35



### Female NPT x Male Hose Adapter

PART	DESCRIPTION	PRICE (G)
#08	1/2"	3.05
#10	3/4"	4.15



### Heavy Brass Hose Couple Set

- Individual male or female fittings also sold separately - please inquire.

PART	DESCRIPTION	PRICE (G)
HC38	3/8"	8.55
HC12	1/2"	8.35
HC58	5/8"	8.40
HC34	3/4"	8.70
HC10	1"	33.40



### 03V

PART	DESCRIPTION	PRICE (G)
03V	Single Outlet Brass Shut-Off	7.85

### Socket

PART	DESCRIPTION	PRICE (E)
QCS14	1/4" Socket Only	7.00
QCS38	3/8" Socket Only	9.10
QCS12	1/2" Socket Only	13.65



### Adapter Nipple

PART	DESCRIPTION	PRICE (G)
#05	3/8 NPT x Hose	3.80
#11	1/2 NPT x Hose	3.90
#12	3/4 NPT x Hose	4.70
#13A	Hose x Hose	4.20



### Adapter Coupler

PART	DESCRIPTION	PRICE (G)
#03	1/2 NPT x Hose	4.15
#04	3/4 NPT x Hose	4.65



### 13

PART	DESCRIPTION	PRICE (G)
13	Double Outlet Brass Shut-Off	16.50

### Male Plug

PART	DESCRIPTION	PRICE (E)
QCP14	1/4" Plug Only	3.30
QCP38	3/8" Plug Only	4.30
QCP12	1/2" Plug Only	5.20



### Swivel Connector

PART	DESCRIPTION	PRICE (G)
#01	1/2 NPT x Hose	4.95
#02	3/4 NPT x Hose	5.15
#06	Hose x Hose	5.00



### Brass Shut-Off

- Extra large handles are easy to grip and turn.
- EZ-on connector assures connection to faucet.
- Heavy-duty brass construction.

PART	DESCRIPTION	PRICE (G)
44GFL	Four Outlet Brass Shut-Off	20.25

### Male Swivel Adapter

PART	DESCRIPTION	PRICE (G)
#14	3/8 NPT x Hose	5.20
#15	1/2 NPT x Hose	5.25
#17	1/4 NPT x Hose	4.90



### Female Plug

PART	DESCRIPTION	PRICE (E)
QCP14F	1/4" Fem. Plug Only	3.75
QCP38F	3/8" Fem. Plug Only	4.05
QCP12F	1/2" Fem. Plug Only	7.55

### Quick Coupler Socket O-Rings

PART	DESCRIPTION	PRICE (E)
QC14-OR	O-Ring - 1/4" Socket	.55
QC38-OR	O-Ring - 3/8" Socket	.55
QC12-OR	O-Ring - 1/2" Socket	.65

# Greenhouse Watering & Spray Equipment

**Dramm Corporation** manufactures a complete line of professional greenhouse tools and equipment including hose-end watering tools, irrigation systems, chemical application equipment, and most recently, environmental controls. **Dramm** is the most respected name within the industry. Even-Spray stocks a wide range of **Dramm** watering equipment to meet your growing needs.



### Fog-It Nozzles

- Designed for misting seedlings or raising humidity.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
FOGG	½ GPM Super Fine Nozzle	15.35
FOGGF	1 GPM Fine Nozzle	15.35
FOGGL	2 GPM Low Volume Nozzle	15.35
FOGGH	4 GPM High Volume Nozzle	15.35

All Dramm watering products – shut-offs, extensions, breakers, and nozzles - are sold separately so that you can customize your equipment to your specifications!



### Dramm Extension Wands

- Light-weight aluminum w/ padded foam comfort grip.
- Female GH x Male GH Thread.

PART	DESCRIPTION	PRICE(F)
DRAMM50-80	50" – 80" Extendable Wand	40.95
DRAMM16	16" Extension Wand	13.45
DRAMM2	24" Extension Wand	14.65
DRAMM30	30" Extension Wand	15.90
DRAMM3	36" Extension Wand	16.55
DRAMM4	48" Extension Wand	17.65
DRAMMB-36	36" Hanging Basket Wand	17.10
DRAMMB-48	48" Hanging Basket Wand	18.25



### Dramm Hose-end Accessories

- Filter recommended for use with seedling nozzles.
- Ring protects 400, 750, 1000 series water breakers.

PART	DESCRIPTION	PRICE(F)
DRAMM-ILF175	Filter w/ 80 mesh screen	28.05
DRAMM-ILFE175	80 mesh screen only	9.45
DRAMM-ILFE080	Optional 200 mesh screen	9.45
400RING	Rubber protective ring	2.45



### Water Breakers

- A wide range of water breakers to choose from.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
400PL-RPR	Poly Breaker w/ Ring - 11gpm	9.75
400PL	Poly Breaker – 11gpm	7.90
400AL	Aluminum Breaker – 11gpm	24.40
750PL	Poly Breaker w/ Ring – 7gpm	19.50
1000PL	Poly Seedling Breaker – 7gpm	18.80
1000PL-N	Poly Seedling Breaker – 7gpm narrow pattern	18.80
1000PL-W	Poly Seedling Breaker – 7gpm wide pattern	18.80
170PL	Poly Breaker – 7gpm	6.80
170AL	Aluminum Breaker – 7gpm	16.55
480PL	Poly Seedling Breaker – 7gpm	8.80



### Seedling Nozzle

- Designed for seedlings, cuttings, delicate plants.
- Hollow cone fine droplet pattern; GH

PART	DESCRIPTION	PRICE(F)
510C	Seedling Nozzle 1/2 GPM @ 40 PSI	11.65



### Dramm Watering Can

- 5-Litre capacity; long-lasting rust-proof poly.
- Extra long spout with detachable brass rose.

PART	DESCRIPTION	PRICE(G)
DRAMMWATERCAN	5-Liter watering can	29.70



### Dramm Trigger Series Shut-Off Valves

- All valves feature Female GH inlets x Male GH Outlets with soft, yet durable rubber grips.
- 65C and 14700 rated at 11 GPM @ 40 PSI.
- 74800 rated at 16 GPM @ 40 PSI.

PART	DESCRIPTION	PRICE(F)
65C	Squeeze Trigger Valve – 11 gpm	20.30
14700	Easy Slide Thumb Valve – 11 gpm	21.60
74800	Easy Slide Thumb Valve – 16 gpm	23.95

# DRAMM



### Shut-off Valves

- All models feature Female GH x Male GH thread.
- 74VALVE, 300, 075HGB Valves – full port flow.

PART	DESCRIPTION	PRICE(F)
74VALVE	Dramm HD Poly Valve	23.95
300	Dramm Brass Valve	32.30
075HGB	Brass GH x GH Valve	29.85
DRAMMVALVE-QAV	Dramm Poly Valve	7.20



### MS20-100 Chemical Sprayer

- Includes 100' hose, Gun, Cart/Tank, & Hose Reel.
- Up to 0.5 GPM; Maximum pressure to 500 PSI.

PART	DESCRIPTION	PRICE(I)
MS20-100	20 Gallon Hydraulic Sprayer 120V	CALL