



# Landscape Drip Irrigation

**The Drip Mate® Professional and Sprinkler Conversion Kits come complete with instructions and all of the essential micro-drip components needed to install an efficient drip irrigation system. Use in home and landscaped gardens, container plants, nurseries, and flower beds.**

**Even-Spray stocks an extensive selection of drip irrigation supplies from Antelco to help you with your drip irrigation plans.**

### Drip Mate Professional Drip Kit

- Connects directly to a hose tap or can be made to adapt to an existing sprinkler system.
- Constructed from UV-stabilized materials for long life.

#### Kit Includes:

- 50 feet of 5/8" Mainline Tubing (0.600 ID.)
- 50 feet of 1/4" tubing.
- 25 Shrubber 360° Spikes with adjustable flow.
- Snap-On Tap Adapter.
- Snap-On Filter
- Ratchet Clamp
- Figure 8 End Closure (2).



- Goof Plug (rack of 10).
- Key Punch tool.
- Elbow.
- Tee

PART	DESCRIPTION	PRICE (G)
DRIPPROKIT	Drip Mate Pro Professional Drip Kit	<b>75.00</b>

### Drip Mate Conversion Kit

- Easily convert an in-ground sprinkler outlet to a micro-drip system for flower beds and containers.
- Constructed from UV-stabilized materials for long life.

#### Kit Includes:

- 9-Outlet pressure regulating Micro manifold with plugs.
- 100 feet of 1/4" tubing.
- 9 Shrubber 360° Spikes with adjustable flow.



#### Drip Mate Conversion Kit Set-Up Tips:

- Do not exceed more than 10 feet of 1/4" tubing or loss of flow will result at head.
- Shrubber 360° Spike heads have a flow range of 0 to 12 gallons per hour.

PART	DESCRIPTION	PRICE (G)
DRIPCONVKIT	Drip Mate Sprinkler Conversion Kit	<b>60.65</b>



### Mechanical Shut-Off Water Timer

- Automatically turns water OFF.
- 2 functions: timed automatic "OFF"; manual "ON".
- Run time from 1 to 120 minutes.
- No batteries required.
- Female GH Inlet and Male GH Outlet.

PART	DESCRIPTION	PRICE (G)
200GTM	Mechanical Water Timer	<b>21.20</b>



### Micro Fittings, Adapters, and Tools

- Micro fittings with single barb connections
- UV-stabilized materials for long life

PART	DESCRIPTION	PRICE (F)
ADAPTER	.18" Barb X 10-32 UNF-Thread	<b>.30</b>
DRIPCOUPLER	.16" Barb X .16" Barb (hypodermic)	<b>.30</b>
DRIPTEE	.18" Brb X .18" Barb X .18" Barb	<b>.50</b>
GOOFPLUG	Goof Plugs (rack of 10)	<b>.95</b>
JOINER	.18" Barb X .18" Barb	<b>.30</b>
KEYPUNCH	Key Punch Hole Tool	<b>1.75</b>



### Gilmour Dual Zone Electronic Water Timer

- Automatically turns both port ON / OFF.
- Run time of 1 to 360 minutes with programmable start time and rain delay sensor.
- Requires 2 AA batteries (not included).

PART	DESCRIPTION	PRICE(G)
400GTD	Electronic Water Timer – 2 Zone	<b>71.85</b>



### Thin Wall Poly Pipe Fittings – Insert or Compression

- Both style fitting for use with .520" ID / .620 OD and .600" ID / .700" OD thin wall main line poly pipe.

PART	DESCRIPTION	PRICE (F)
<b>Insert Style Fittings</b>		
COUPLING-13MM	Insert Coupling – 13mm	<b>.75</b>
TEE-13MM	Insert Tee – 13mm	<b>1.40</b>
ELBOW-13MM	Insert Elbow – 13mm	<b>1.25</b>
MA-13MMX1/2MNPT	13mm Insert x 1/2" MNPT	<b>1.00</b>
COUPLING-16MM	Insert Coupling – 16mm	<b>.90</b>
TEE-16MM	Insert Tee – 16mm	<b>1.60</b>
ELBOW-16MM	Insert Elbow – 16mm	<b>1.30</b>
MA-16MMX1/2MNPT	16mm Insert x 1/2" MNPT	<b>1.00</b>
<b>Compression Style Fittings</b>		
COMP-COUP-1/2	Coupler – 1/2" / .620 OD	<b>1.55</b>
COMP-TEE-1/2	Tee – 1/2" / .620 OD	<b>2.35</b>
COMP-ELB-1/2	Elbow – 1/2" / .620 OD	<b>2.30</b>
COMP-COUP-5/8	Coupler – 5/8" / .700 OD	<b>1.90</b>
COMP-TEE-5/8	Tee – 5/8" / .700 OD	<b>2.75</b>
COMP-ELB-5/8	Elbow – 5/8" / .700 OD	<b>2.35</b>

### Distribution and Emitter Tubing

- Used for both outdoor or greenhouse irrigation installations.



PART	DESCRIPTION	PRICE
BL-TUBE-0100	Thin Wall Poly Tubing – 100' .520" ID X .620" OD	<b>CALL</b>
BL-TUBE-1000	Thin Wall Poly Tubing – 1000' .520" ID X .620" OD	<b>CALL</b>
POL-1/2X50	1/2" (0.520") ID Thin Wall Poly Pipe – 50' roll	<b>25.50(G)</b>
POL-5/8X50	5/8" (0.600") ID Thin Wall Poly Pipe – 50' roll	<b>29.75(G)</b>
DRIPTUBE.14-FT	1/4" Heavy Duty Drip Tube – 0.14" ID/0.272" OD per FT.	<b>.55(G)</b>
DRIPTUBE.15-100	1/4" Thin Wall Drip Tube – 0.15" ID/0.225" OD 100' roll	<b>24.15(G)</b>
DRIPTUBE.15-50	1/4" Thin Wall Drip Tube – 0.15" ID/0.225" OD 50' roll	<b>15.35(G)</b>
DRIPTUBE.15-FT	1/4" Thin Wall Drip Tube – 0.15" ID/0.225" OD per FT.	<b>30(G)</b>
DRAMMTUBE-42	42" Long Drip Tube for Greenhouse Use	<b>.40(F)</b>
DRAMMTUBING	0.130" ID / 0.192" OD Drip Tube for Greenhouse per FT.	<b>.25(F)</b>
BLUETUBE	0.075" Blue Dribble Tube for Greenhouse use. per FT.	<b>.30(F)</b>
EYELET	Brass insert eyelet for 0.075" Blue Dribble Tube	<b>.15(K)</b>

### Miracle Punch

- For pipe up to 3/4" outside diameter.



PART	DESCRIPTION	PRICE (F)
PUNCHBW	Miracle Hole Punch	<b>39.55</b>
PUNCH-MICRO	Punch for thin wall pipe – not shown	<b>12.35</b>

# Irrigation Pipe and Accessories



### Irritec K-Drop Micro Irrigation System

- Ideal for irrigating plants with roots developed in an inert substrate.
- Assembles to allow for distribution to four plants; watering and fertilization is done efficiently.
- Emitter outlet barb for 0.125" ID micro tube.
- Arrow dripper up to 0.69 GPH @ 15 PSI.

PART	DESCRIPTION	PRICE(J)
ID-AID1006	6" Angle Arrow Dripper	.50
ID-WPC8BBN	2 GPH Emitter w/ barb/barrel outlet	.80
ID-MAN4TI	Stackable, Upright 4-Way Manifold	.35
ID-125TUBE-1000	0.125" ID x 1,000' Micro Tube (/ roll)	CALL



### 6" Micro-Tube Locator Stake – 3 MM

- 100 Degree angle bend – inlet barb to 6" tall spike.
- Inlet barb works with both 0.125" and 0.170" tube.

PART	DESCRIPTION	PRICE (F)
ID-MICRODRIP-6	6" Micro Locator Stake	.20



### Asta PC Spike 1 GPH Dripper

Designed for landscape and nursery applications. Targets water where you need it most – at the plant's root zone.

- Pressure Compensating (PC) spike dripper has sealed turbulent flow path and diaphragm to maintain uniform discharge over a wide range of pressures.
- 1 Gallon per Hour flow.
- Operating pressure: 5 – 50 PSI.
- UV Stabilized materials.
- Inlet: 0.16" Barb

PART	DESCRIPTION	PRICE (F)
ASTA-DRIP-1GPH	1 GPH Asta Dripper	1.60



### Thin-Wall Poly Drip Pipe – ¾" I.D.

Because of the thin-wall nature of this pipe, it is ideal for use as a distribution tube with drip emitters in landscape settings, row garden applications, and overhead irrigation in greenhouses and nurseries.

- ¾" Nominal inside diameter, nominal wall thickness 0.060", and 0.940" average outer diameter.
- Rated to maximum working pressure of 55 PSI.

PART	DESCRIPTION	PRICE (H)
POLDRIP-34-100	¾" I.D. X 100' Thin-wall Poly Drip Pipe	CALL
POLDRIP-34-200	¾" I.D. X 200' Thin-wall Poly Drip Pipe	CALL
POLDRIP-34-400	¾" I.D. X 400' Thin-wall Poly Drip Pipe	CALL



### 100 PSI Premium-Grade HD Poly Irrigation Pipe

- 100 PSI working pressure @ 23°C; 300 PSI burst strength.

PART	DESCRIPTION	WALL THICKNESS	I.D.	PRICE (H)
POL100-12	½" X 100'	0.070"	0.622"	CALL
POL100-12-400	½" X 400'	0.070"	0.622"	CALL
POL100-34	¾" X 100'	0.085"	0.824"	CALL
POL100-34-400	¾" X 400'	0.085"	0.824"	CALL
POL100-1	1" X 100'	0.108"	1.049"	CALL
POL100-300	1" X 300'	0.108"	1.049"	CALL
POL100-114	1¼" X 100'	0.143"	1.380"	CALL
POL100-114-300	1¼" X 300'	0.143"	1.380"	CALL
POL100-112	1½" X 100'	0.166"	1.610"	CALL
POL100-112-250	1½" X 250'	0.166"	1.610"	CALL
POL100-2	2" X 100'	0.214"	2.067"	CALL
POL100-2-200	2" X 200'	0.214"	2.067"	CALL

# Hunter®



PLD Maximum Line Length Chart		0.4 GPH		
Pressure (PSI)	Emitter Spacing Maximum Lateral Length (FT)			
	12"	18"	24"	
15.0	344	475	594	
20.0	479	660	823	
25.0	509	703	879	
30.0	535	742	928	
35.0	584	808	1010	
40.0	627	868	1086	
45.0	646	894	1119	

### Professional Landscape Drip Line

Applies water slowly and evenly for consistent and accurate distribution. Water soaks in gradually, easily reaching the targeted plant root zone. Great for landscape settings or row crop type applications.

- Pressure compensating emitters with built-in check valves ensure balanced flow over all terrain.
- Three choices of emitter spacings – 12", 18", and 24" to meet any type of irrigation application.
- Kink-resistant and flexible – can work in virtually any creative landscape planting design.

PART	DESCRIPTION	PRICE (E)
PLD-12-FOOT	PLD 12" Spacing Drip Line @ 0.4 GPH (250' roll = 100 GPH total volume).	CALL
PLD-18-FOOT	PLD 18" Spacing Drip Line @ 0.4 GPH (250' roll = 67 GPH total volume).	CALL
PLD-24-FOOT	PLD 24" Spacing Drip Line @ 0.4 GPH (250' roll = 50 GPH total volume).	CALL
PLD-MB12	Hose Barb x ½" Male NPT Adapter	CALL
PLD-MB34	Hose Barb x ¾" Male NPT Adapter	CALL
PLD-CPL	Hose Barb x Hose Barb Straight Coupler	CALL
PLD-ELB	Hose Barb x Hose Barb 90° Elbow	CALL
PLD-TEE	Hose Barb x Hose Barb x Hose Barb Tee	CALL
PLD-ENDCAP	Drip Line End Cap – removable cap to allow flushing of drip line	CALL
PLD-YLS120	¾" Y-Strainer w/ Flush Cap – 120-Mesh filter element	CALL



### Big Gulp PRO Manual Water Pump

- Manually pumps water at 12+ Gallons / Minute
- 36" Tall with 72" discharge hose and Mud Guard

PART	DESCRIPTION	PRICE (K)
BIG-GULP-PRO	Big Gulp Pro Manual Water Pump	59.95



# Underground Sprinkler Components



### Stainless Steel Clamps

PART	MIN.	MAX.	AVERAGE	PRICE (€)
HAS4M	1/4"	5/8"	3/8"	.55
HAS5M	5/16"	7/8"	1/2"	.60
HAS6M	7/16"	7/8"	5/8"	1.95
HAS6	3/8"	3/4"	5/8"	1.15
HAS8	1/2"	1"	3/4"	1.20
HAS10	9/16"	1 1/8"	7/8"	1.25
HAS12	1 1/16"	1 1/4"	1 5/16"	1.25
HAS16	5/8"	1 1/2"	1"	1.30
HAS20	13/16"	1 3/4"	1 1/8"	1.35
HAS24	1 1/16"	2"	1 1/2"	1.45
HAS28	1 7/16"	2 3/8"	1 15/16"	1.50
HAS32	1 9/16"	2 1/2"	2"	1.55
HAS36	1 13/16"	2 3/4"	2 1/4"	1.60
HAS40	2 1/16"	3"	2 1/2"	1.65
HAS44	2 3/16"	3 1/4"	2 13/16"	1.70
HAS52	2 13/16"	3 3/4"	3 3/16"	1.85
HAS64	3 9/16"	4 1/2"	4"	2.10
HAS72	4 1/4"	5"	4 1/2"	2.15
HAS88	5 1/8"	6"	5 1/2"	2.35
HAS96	5 5/8"	6 1/2"	6"	2.45
HAS104	6 1/8"	7"	6 1/2"	2.65

### Oetiker Clamps

PART	DESCRIPTION	PRICE (€)
271	3/4" - Standard	.45
346	1" - Standard	.45

### Crimp Tool

PART	DESCRIPTION	PRICE (€)
CT108	For Oetiker Clamp Installation	21.70

### Insert Tees

PART	SIZE	PRICE (€)
IT12	1/2"	1.10
IT34	3/4"	1.35
IT1	1"	1.65
IT114	1 1/4"	2.25
IT112	1 1/2"	3.30
IT2	2"	4.65

### Insert Elbow

PART	SIZE	PRICE (€)
IE12	1/2"	.90
IE34	3/4"	1.05
IE1	1"	1.20
IE114	1 1/4"	1.45
IE112	1 1/2"	2.50
IE2	2"	3.50

### Reducing Insert Tee

PART	SIZE	PRICE (€)
RT3412	3/4" x 1/2"	1.90
RT112	1" x 1/2"	2.25
RT134	1" x 3/4"	2.25
RT11412	1 1/4" x 1/2"	2.90
RT11434	1 1/4" x 3/4"	2.90
RT1141	1 1/4" x 1"	2.90
RT11212	1 1/2" x 1/2"	5.05
RT1121	1 1/2" x 1"	5.05
RT11234	1 1/2" x 3/4"	5.05
RT112114	1 1/2" x 1 1/4"	5.05
RT21	2" x 1"	11.35
RT2112	2" x 1 1/2"	18.80
RT2114	2" x 1 1/4"	18.30

### Male Insert Elbow

PART	SIZE	PRICE (€)
ME12	1/2"	1.20
ME34	3/4"	1.65
ME1	1"	2.20
ME114	1 1/4"	3.65
ME112	1 1/2"	4.15
ME2	2"	8.00

### Combination Elbows

PART	SIZE	PRICE (€)
CE12	1/2" x 1/2"	1.85
CE3412	3/4" x 1/2"	1.90
CE34	3/4"	1.95
CE112	1" x 1/2"	1.75
CE134	1" x 3/4"	2.00
CE11412	1 1/4" x 1/2"	7.25
CE11434	1 1/4" x 3/4"	3.35
CE1141	1 1/4" x 1"	6.50
CE1121	1 1/2" x 1"	8.15
CE2112	2" x 1 1/2"	14.45
CE114	1 1/4"	3.25
CE1234	1 1/2" x 3/4"	3.90

### PVC Threaded Elbows

PART	SIZE	PRICE (€)
PVCE34	3/4"	3.95
PVCE1	1"	8.40
PVCE1	1"	6.85

### PVC Threaded Tees

PART	SIZE	PRICE (€)
PVCT34	3/4"	7.90
PVCT1	1"	10.95

### Cut-off Nipples

PART	SIZE	PRICE (€)
CN12	1/2"	2.00
CN34	3/4"	2.70

### Swing Joint - Male NPT X Male NPT

PART	DESCRIPTION	PRICE (€)
SJ12-6	1/2" X 1/2" X 6" long	2.90
SJ12-12	1/2" X 1/2" X 12" long	3.55
SJ34-6	3/4" X 3/4" X 6" long	2.95
SJ34-12	3/4" X 3/4" X 6" long	4.55

### Bulk Swing Joint Pipe & Fittings

PART	DESCRIPTION	PRICE (€)
RB-SPXFLEX100	Swing Joint Pipe 100' coil	54.40
FPA0500	Straight Barb X 1/2" MNPT	.60
FPA0750	Straight Barb X 3/4" MNPT	.60
FPE0500	Elbow Barb X 1/2" MNPT	.60
FPE0750	Elbow Barb X 3/4" MNPT	.60

### Reducing Insert Coupler

PART	SIZE	PRICE (€)
RI3412	3/4" x 1/2"	.80
RI112	1" x 1/2"	.80
RI134	1" x 3/4"	.80
RI11434	1 1/4" x 3/4"	2.45
RI1141	1 1/4" x 1"	1.10
RI11234	1 1/2" x 3/4"	3.00
RI1121	1 1/2" x 1"	2.85
RI112114	1 1/2" x 1 1/4"	1.75
RI21	2" x 1"	4.05
RI2114	2" x 1 1/4"	3.75
RI2112	2" x 1 1/2"	3.60

### Male Adapter

PART	SIZE	PRICE (€)
MA12	1/2"	.60
MA34	3/4"	.65
MA1	1"	.95
MA114	1 1/4"	1.20
MA112	1 1/2"	1.40
MA2	2"	2.55

### Female Insert Adapter

PART	SIZE	PRICE (€)
FA12	1/2"	3.55
FA34	3/4"	3.90
FA1	1"	4.25
FA114	1 1/4"	5.30
FA112	1 1/2"	6.65
FA2	2"	11.25

### Plated Stl. Male Coupler

PART	SIZE	PRICE (€)
GMA1/2	1/2"	3.70
GMA3/4	3/4"	4.25
GMA1	1"	5.25
GMA11/4	1 1/4"	7.00
GMA11/2	1 1/2"	8.25
GMA2	2"	10.15

### Plated Stl. Insert Adapter

PART	SIZE	PRICE (€)
GIC1/2	1/2"	3.70
GIC3/4	3/4"	4.35
GIC1	1"	5.20
GIC114	1 1/4"	6.80
GIC112	1 1/2"	8.15
GIC2	2"	11.10
GIC3	3"	23.25
GIC4	4"	36.75

### Insert Plug

PART	SIZE	PRICE (€)
IP12	1/2"	1.45
IP34	3/4"	1.55
IP1	1"	2.05
IP114	1 1/4"	2.60
IP112	1 1/2"	2.80
IP2	2"	5.00

### Brass Gate Valves

PART	SIZE	PRICE (€)
GV012	1/2"	12.30
GV034	3/4"	15.95
GV100	1"	22.80
GV114	1 1/4"	33.70
GV112	1 1/2"	44.50
GV200	2"	64.10
GV300	3"	183.50
GV400	4"	289.65

### Hose Bib Taps

3/4" FNPT x Male GH

PART	SIZE	PRICE (€)
HOSEBIB3/4	3/4"	11.30

### Brass Ball Valves

PART	SIZE	PRICE (€)
BV014	1/4"	6.60
BV038	3/8"	7.25
BV012	1/2"	9.35
BV034	3/4"	13.20
BV100	1"	21.75
BV114	1 1/4"	38.75
BV112	1 1/2"	54.25
BV200	2"	78.65
BV300	3"	236.80
BV400	4"	389.15

### Combination Tee

PART	SIZE	PRICE (€)
CT3412	3/4" x 1/2"	2.40
CT3434	3/4" x 3/4"	2.85
CT112	1" x 1/2"	3.10
CT134	1" x 3/4"	3.10
CT1	1" x 1"	3.35
CT11412	1 1/4" x 1/2"	4.25
CT11434	1 1/4" x 3/4"	4.65
CT1141	1 1/4" x 1"	4.95
CT11212	1 1/2" x 1/2"	13.90
CT11234	1 1/2" x 3/4"	7.70
CT1121	1 1/2" x 1"	16.40
CT234	2" x 3/4"	9.20

### Insert Coupling

PART	SIZE	PRICE (€)
IC12	1/2"	.85
IC34	3/4"	1.00
IC1	1"	1.05
IC114	1 1/4"	1.55
IC112	1 1/2"	1.80
IC2	2"	3.40

### PVC Nipples

PART	SIZE	PRICE (€)
PVCN1/212	1/2" x 12"	4.25
PVCN1/218	1/2" x 18"	CALL
PVCN1/224	1/2" x 24"	CALL
PVCN1	1" x Close	1.40
PVCN12C	1/2" x Close	1.10

PVC Nipple  
PVC Nipple Close

