



Homestead 3-PT. Sprayers

Features:

- Category I or II Hitch configuration available
- Sprayers come complete with Hypro Cast Series Roller Pump
- TeeJet manual 17Y Selector Valve for boom control standard on all models. Optional electric boom control upgrade is available
- 4 Point stand for ease of storage when not in use
- 1 Year Sprayer Warranty

1. Select Your Sprayer – PLEASE SPECIFY 540 or 1000 RPM

PART	DESCRIPTION	PRICE (I)
HOMESTEAD	50 US Gallon 3-PT. Sprayer	CALL
HOMESTEAD-HD110	110 US Gallon 3-PT. Heavy Duty Sprayer	CALL
HOMESTEAD-HD150	150 US Gallon 3-PT. Heavy Duty Sprayer	CALL

2. Select Your Optional Equipment

Homestead sprayer options give you the flexibility to customize your sprayer the way you need it. Five boom sizes (12' & 18' for 55 gallon sprayer) and 20', 30', & 45' for the 110 and 150 US gallon HD models or go boomless with your choice of either Hypro XT Series or Boominator™ spray nozzles.

PART	DESCRIPTION	PRICE (I)
BOOM12	Boom – 12 Foot Spray Pattern (20" spacing)	CALL
BOOM18	Boom – 18 Foot Spray Pattern (20" spacing)	CALL
BOOM20	Boom – 20 Foot Spray Pattern (20" spacing)	CALL
BOOM30	Boom – 30 Foot Spray Pattern (20" spacing)	CALL
BOOM45	Boom – 45 Foot Spray Pattern (20" spacing)	CALL
BOOMLESSHYPRO	Boomless kit w/ Hypro XT (Stainless) Nozzles	CALL
BOOMLESSBOOM	Boomless kit w/ Boominator™ Nozzles	CALL
ATVHR-H	Hose Reel, 30' Hose, Spray Wand, & Bracket	CALL
HOMESTEAD-EC	Electric Boom Control Upgrade	CALL



Homestead ATV Skid Mount Sprayers

Choose from two tank sizes (50 & 100 US Gallon) with either a Honda-driven Ace pump or a 12 V electric pump. Units as listed below do not include the boom, but you can order either the 12' or 18' wide standard boom or the boomless spray tip booms as indicated in the Homestead 3-PT sprayer above.

- 4 HP Honda engine with Ace Centrifugal pump (57 PSI max / 22 GPM max) or Delavan 12 Volt Electric pump (100 PSI max / 7 GPM).
- High quality plumbing parts from TeeJet and Banjo used.
- All units built standard with Manual controls (TeeJet Shut-off & regulating valves) and Hose Reel with Spray Wand with 30' of hose.
- The **ATV100EC** comes with TeeJet 744E Controller and a 3 bank of 430 Series valves.

PART	DESCRIPTION	PRICE (I)
ATV50	50 Gallon ATV Sprayer – 4 HP Honda / Ace Pump – NO BOOM	CALL
ATV100	100 Gallon ATV Sprayer – 4 HP Honda / Ace Pump – NO BOOM	CALL
ATV100EC	100 Gallon ATV Sprayer – 4 HP Honda / Ace Pump – NO BOOM	CALL
ATV100E	100 Gallon ATV Sprayer – 12V Electric Pump – NO BOOM	CALL



WorkHorse 25 Gallon Deluxe ATV Boomless Sprayer

- 25 US gallon poly tank with large fill mouth.
- Quick-detach 2-Nozzle spray boom with check valves and strainers.
- 12-Volt demand pump; 4.0 GPM – 45 PSI maximum pressure.
- 24 Foot total spray coverage.
- Shut-off valves to spray right or left side independently.
- Boom adjustable to 3 different heights.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- ATV mounting straps included.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV25BL	25 Gallon ATV Boomless Sprayer	676.70



WorkHorse 25 Gallon Deluxe Tow Behind Sprayer

- 25 US gallon poly tank with large fill mouth.
- 2-Nozzle break-away style boom with 80 inch spray coverage.
- 12-Volt demand pump; 2.0 GPM – 60 PSI maximum pressure.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- 4.10/3.50 x 6 Pneumatic tires.
- Heavy duty corrosion resistant frame.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-LG25DTS	25 Gallon Tow Behind Sprayer	606.20



Folds up for storage or transportation.

Shown mounted to WorkHorse Spot Sprayer - Sprayer not included.

Deluxe 7 Nozzle ATV Boom Kit

- Attaches / detaches to the WorkHorse Spot Sprayer using a Quick Mount system to convert unit for use on an ATV.
- 7-Nozzle fold-out boom w/ flat fan style spray tips, check valves, and strainers.
- Provides up to 140 inch total spray coverage.
- Spring loaded boom arms fold easily for storage or travel between spray sites.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV007BK	7 Nozzle ATV Boom Kit	263.75



Deluxe 2 Nozzle ATV Boom Kit

- Attaches / detaches to the WorkHorse Spot Sprayer using a Quick Mount system to convert unit for use on an ATV.
- 2-Nozzle boom w/ check valves and strainers provides up to 80 inch total spray coverage.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-ATV002BK	2 Nozzle ATV Boom Kit	121.25



WorkHorse 25 Gallon Deluxe Spot Sprayer

- 25 US gallon poly tank with large fill mouth.
- Boom Ready – Add either the 2 nozzle or deluxe 7 nozzle boom kit.
- 12-Volt Demand pump; 2.0 GPM – 60 PSI maximum pressure.
- Deluxe pistol grip w/ 15' of hose and adjustable spray tip.
- Pressure gauge (adjustable pressure from 0 to 60 PSI).
- 8-Foot wiring harness with battery clips and switch.
- In-line Shut-off for quick On/OFF spraying.
- 2 Year Manufacturer's warranty from date of manufacture.

PART	DESCRIPTION	PRICE (H)
WH-LG25DSS	25 Gallon Spot Sprayer	329.30

WorkHorse Sprayer Parts and Accessories

- Need a part from your WorkHorse Sprayer? We can help!

PART	DESCRIPTION	PRICE
WH-101CA	Optional 12-Volt Car Power Adapter Kit	17.75(E)
WH-600117	In-line Strainer w/ Check Valve	4.20(H)
WH-600122	Y-Valve w/ Shut-Offs – FGH x MGH x MGH threads	8.25(H)
WH-600133	Spray Tank Lid – all models	12.95(H)
WH-600151	Spray Wand Clip	3.75(H)
WH-600156	Spray Wand & 15' Hose Assembly – complete	61.80(H)
WH-600185	Elbow Fitting – 3/8" Hose Barb x Quick Disconnect (QD)	2.75(H)
WH-600248	Boomless Spray Nozzle – left side	60.80(H)
WH-600249	Boomless Spray Nozzle – right side	60.80(H)
WH-600211	Quick Disconnect (QD) Fitting – 2.0 GPM pump only	8.85(H)
WH-600212	Quick Disconnect (QD) Fitting – 4.0 GPM pump only	8.85(H)
WH-600216	In-line Shut-Off Valve – FGH x MGH thread	6.95(H)
WH-600223	Elbow Fitting – 3/8" hose barb x QD (4.0 GPM pump only)	16.75(H)
WH-640451	2.2 GPM 12-Volt Remco Pump	172.15(H)
WH-630031	5.0 GPM 12-Volt Remco Pump	307.00(H)
WH-600132	WorkHorse 25 US Gallon Tank w/ 6" Lid	131.85(H)



WorkHorse 40 & 60 Gallon Deluxe Tow Behind Sprayers

- 40 US gallon model features 2.2 GPM / 60 PSI max. Remco 12-Volt demand pump, 3-Section 5-nozzle boom w/ 110° fan spray tips; covers approx. 100".
- 60 US gallon model features 5.0 GPM / 60 PSI max. Remco 12-Volt demand pump, 3-Section 7-nozzle boom w/ 110° fan spray tips; covers approx. 140".
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.
- H.D. corrosion resistant frame; poly tank includes drain and 5" tethered lid.

PART	DESCRIPTION	PRICE (H)
WH-LG425DTS	40 Gallon Tow Sprayer w/ 5-nozzle boom	1198.35
WH-LG657DTS	60 Gallon Tow Sprayer w/ 7-nozzle boom	1369.40



WorkHorse 40 Gallon 3-Point Sprayer

- 40 US gallon poly tank with drain and large fill mouth – 5 inch tethered lid.
- 5-Nozzle boom with standard 110° flat fan spray tips – 100" total spray coverage.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 12-Volt demand Remco pump: 2.2 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial grade fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG4253PT	40 Gallon 3-Point 5-Nozzle Sprayer w/ spray gun	1127.85



WH-BK007HM Boom Shown
(also sold separately)

WorkHorse 40 or 60 Gallon Hitch Mount Skid Sprayer

- 40 or 60 Gallon poly tank with drain and large fill mouth; 5" tethered lid.
- Deluxe pistol spray grip with 25' of hose and adjustable brass tip.
- 12-Volt Remco Demand Pump: 2.2 GPM - 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI); pressure gauge included.
- 8' Wiring harness with battery clips, ON/OFF switch with commercial-grade fuse.
- 40-Gallon model includes a 5-Nozzle heavy-duty folding boom (100" coverage) with exclusive hitch mount design featuring 300 degrees of adjustability; fits standard 2" hitch receiver.
- 60-Gallon model, same as above except with 7-Nozzle boom (140" coverage).

PART	DESCRIPTION	PRICE (H)
WH-UTV425HM	40 Gallon Hitch Mount Skid Sprayer	1085.55
WH-UTV627HM	60 Gallon Hitch Mount Skid Sprayer	1311.10



WorkHorse 60 Gallon Boomless Hitch Mount Sprayer

- 60 US gallon poly tank with drain and 5" tethered lid.
- 2-Nozzle boomless tip quick detach spray boom – 24' total spray coverage.
- Shut-off valves to spray left or right independently.
- 12-Volt demand Remco pump: 5.0 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.

PART	DESCRIPTION	PRICE (H)
WH-UTV65BLHM	60 USG Boomless Hitch Mount Sprayer w/ spray gun	1268.80



WorkHorse 60 Gallon Boomless 3-Point Sprayer

- 60 US gallon poly tank with drain and 5" tethered lid.
- 2-Nozzle boomless tip quick detach spray boom – 24' total spray coverage.
- Shut-off valves to spray left or right independently.
- 12-Volt demand Remco pump: 5.0 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI) – pressure gauge included.
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG65BL3PT	40 Gallon Boomless 3-Point Sprayer w/ spray gun	1987.40



WorkHorse 60 Gallon 3-Point Sprayer

- 60 US gallon poly tank with drain and large fill mouth – 5 inch tethered lid.
- 3-Section 7 nozzle boom with 110° fan spray tips covers approximately 140 inches.
- 12-Volt demand Remco pump: 2.2 GPM – 60 PSI maximum pressure.
- Adjustable pressure range (0 to 60 PSI).
- Deluxe pistol grip spray gun w/ 25' of hose and adjustable brass tip.
- 8-Foot wiring harness w/ battery clips and ON/OFF switch; commercial grade fuse.

PART	DESCRIPTION	PRICE (H)
WH-LG6573PT	60 Gallon 3-Point 7-Nozzle Sprayer w/ spray gun	1411.75