

# Hoses and Clamps



### Flexogen Hose

- Lifetime Consumer replacement policy. Standard garden hoses fittings.

PART	DESCRIPTION	PRICE (I)
FLEX-1/2-50	1/2" X 50'	<b>34.95</b>
FLEX-3/4-75	3/4" X 75'	<b>94.60</b>
FLEX-3/4-100	3/4" X 100'	<b>126.75</b>



### Weeper Hose

PART	DESCRIPTION	PRICE (G)
WEEPER50	50'	<b>39.40</b>



### Farm Red Hose

PART	DESCRIPTION	PRICE (G)
FARMHOSE	5/8" x 90'	<b>70.05</b>



### Golf Hose – 1" I.D. Professional Grade

- 1" NPSM Straight thread fittings.
- 125 PSI; -4°C to 65°C rated.

PART	DESCRIPTION	PRICE (I)
GOLFHOSE50	1" X 50'	<b>186.45</b>
GOLFHOSE100	1" X 100'	<b>246.35</b>



### Lay-Flat PVC Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCL1	1" I.D.	<b>1.20</b>
PVCL112	1 1/2" I.D.	<b>.70</b>
PVCL2	2" I.D.	<b>.85</b>
PVCL3	3" I.D.	<b>1.25</b>
PVCL4	4" I.D.	<b>2.95</b>
PVCL6	6" I.D.	<b>5.05</b>



### Nylon Reinforced (NRV) Hose

PART	DESCRIPTION	PRICE/FT. (F)
NRV14	1/4" I.D.	<b>.60</b>
NRV38	3/8" I.D.	<b>1.45</b>
NRV12	1/2" I.D.	<b>1.10</b>
NRV58	5/8" I.D.	<b>1.50</b>
NRV34	3/4" I.D.	<b>1.70</b>
NRV1	1" I.D.	<b>2.65</b>
NRV114	1 1/4" I.D.	<b>4.90</b>
NRV112	1 1/2" I.D.	<b>7.50</b>
NRV2	2" I.D.	<b>11.00</b>



### PVC Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
PVCS34	3/4" I.D.	<b>1.55</b>
PVCS1	1" I.D.	<b>1.65</b>
PVCS114	1 1/4" I.D.	<b>2.40</b>
PVCS112	1 1/2" I.D.	<b>2.45</b>
PVCS2	2" I.D.	<b>3.35</b>
PVCS2.5	2 1/2" I.D.	<b>7.50</b>
PVCS3	3" I.D.	<b>6.65</b>
PVCS4	4" I.D.	<b>10.95</b>



### Clear Vinyl Hose

PART	DESCRIPTION	PRICE/FT. (F)
CLEAR14	1/4" I.D.	<b>.35</b>
CLEAR38	3/8" I.D.	<b>.80</b>
CLEAR12	1/2" I.D.	<b>.60</b>
CLEAR58	5/8" I.D.	<b>1.35</b>
CLEAR34	3/4" I.D.	<b>1.55</b>
CLEAR10	1" I.D.	<b>2.15</b>



### Braided Sprayer Hose - Per Foot

PART	DESCRIPTION	PRICE (F)
SPR1BR1/2	2 Spiral, 1/2" 150 PSI	<b>1.70</b>
SPR2BR3/8	4 Spiral, 3/8" 250 PSI	<b>1.80</b>
SPR2BR1/2	4 Spiral, 1/2" 250 PSI	<b>2.50</b>
SPR2BR3/4	4 Spiral, 3/4" 250 PSI	<b>3.75</b>
SPR2BR1	4 Spiral, 1" 200 PSI	<b>4.10</b>



### Rubber Discharge Hose

PART	DESCRIPTION	PRICE/FT. (F)
RD114	1 1/4" I.D.	<b>6.00</b>
RD112	1 1/2" I.D.	<b>6.55</b>
RD2	2" I.D.	<b>8.20</b>
RD3	3" I.D.	<b>12.35</b>
RD4	4" I.D.	<b>16.15</b>



### Rubber/Wire Suction Hose

PART	DESCRIPTION	PRICE/FT. (F)
RS114	1 1/4" I.D.	<b>8.70</b>
RS112	1 1/2" I.D.	<b>8.80</b>
RS2	2" I.D.	<b>9.85</b>
RS3	3" I.D.	<b>15.50</b>
RS4	4" I.D.	<b>22.65</b>



### High Pressure PVC Hose - Yellow

PART	DESCRIPTION	PRICE/FT. (F)
HP38-600	3/8" 600 PSI	<b>2.10</b>
HP12-600	1/2" 600 PSI	<b>2.65</b>
HP34-600	3/4" 600 PSI	<b>6.65</b>



### Hose Cutter

PART	PRICE (G)
0725-0005	<b>13.75</b>
0725-0006 BLADE	<b>9.45</b>

### Ratchet Clamps

- Ideal for use with LDPE thin wall tubing.
- Secure lock teeth.



PART	DESCRIPTION	PRICE (F)
RATCHETCLAMP-15	.590-.630" OD	<b>.35</b>
RATCHETCLAMP-18	.670-.750" OD	<b>.35</b>
RATCHETCLAMP-20	.749-.827" OD	<b>.40</b>



### Stainless Steel Gear Clamps

PART	MIN.	MAX.	AVERAGE	PRICE (E)
HAS4M	1/4"	5/8"	3/8"	<b>.55</b>
HAS5M	5/16"	7/8"	1/2"	<b>.60</b>
HAS6M	7/16"	7/8"	5/8"	<b>1.95</b>
HAS6	3/8"	3/4"	5/8"	<b>1.15</b>
HAS8	1/2"	1"	3/4"	<b>1.20</b>
HAS10	9/16"	1 1/8"	7/8"	<b>1.25</b>
HAS12	11/16"	1 1/4"	15/16"	<b>1.25</b>
HAS16	5/8"	1 1/2"	1"	<b>1.30</b>
HAS20	13/16"	1 3/4"	1 1/8"	<b>1.35</b>
HAS24	1 1/16"	2"	1 1/2"	<b>1.45</b>
HAS28	1 7/16"	2 3/8"	1 15/16"	<b>1.50</b>
HAS32	1 9/16"	2 1/2"	2"	<b>1.55</b>
HAS36	1 13/16"	2 3/4"	2 1/4"	<b>1.60</b>
HAS40	2 1/16"	3"	2 1/2"	<b>1.65</b>
HAS44	2 3/16"	3 1/4"	2 13/16"	<b>1.70</b>
HAS52	2 13/16"	3 3/4"	3 3/16"	<b>1.85</b>
HAS64	3 9/16"	4 1/2"	4"	<b>2.10</b>
HAS72	4 1/8"	5"	4 1/2"	<b>2.15</b>
HAS88	5 1/8"	6"	5 1/2"	<b>2.35</b>
HAS96	5 5/8"	6 1/2"	6"	<b>2.45</b>
HAS104	6 1/8"	7"	6 1/2"	<b>2.65</b>



### Stainless Steel Super Clamps

- Stainless steel T-bolt with silver plated nut to prevent seizing with nylon lock nut.
- 360° sealing surface.
- Ideal for high torque applications.
- Strong, positive connections.
- 3 spot welds for extra strength.

PART	DESCRIPTION	PRICE (G)
TC120	1.20" / 1.34"	<b>11.90</b>
TC130	1.30" / 1.70"	<b>13.15</b>
TC150	1.50" / 1.75"	<b>13.25</b>
TC162	1.62" / 1.87"	<b>13.10</b>
TC181	1.81" / 2.06"	<b>12.00</b>
TC193	1.93" / 2.18"	<b>13.25</b>
TC206	2.06" / 2.40"	<b>13.85</b>
TC218	2.18" / 2.50"	<b>12.40</b>
TC224	2.24" / 2.55"	<b>13.85</b>
TC231	2.31" / 2.62"	<b>12.90</b>
TC250	2.50" / 2.81"	<b>13.85</b>
TC287	2.87" / 3.18"	<b>13.85</b>
TC312	3.12" / 3.49"	<b>14.20</b>
TC331	3.31" / 3.62"	<b>13.45</b>
TC343	3.43" / 3.75"	<b>13.45</b>
TC425	4.25" / 4.56"	<b>16.05</b>
TC438	4.38" / 4.76"	<b>26.70</b>
TC456	4.56" / 4.94"	<b>26.70</b>



**Dramm Tripod Impulse Sprinkler**

Designed to water over gardens, the Dramm Tripod Impulse Sprinkler elevates watering over 5 feet in height.

- Features a brass impulse sprinkler head; adjustable for part and full-circle patterns.
- Retractable riser adjusts from 38" to 63" in height.
- Waters an area up to 70 feet in diameter.
- Retractable spikes in folding tripod base holds securely when watering.

PART	DESCRIPTION	PRICE (I)
DRAMM-TRIPOD	Tripod Impulse Sprinkle	<b>69.85</b>



**Comfort Grip Nozzle**

- Vinyl-molded cushion comfort grip.
- Ideal for cold or hot water use.
- Male GH outlet x Female GH inlet.

PART	PRICE (G)
593	<b>10.80</b>



**Insulated Brass Twist Nozzle**

- Insulated rubber grip over solid brass nozzle body ideal for both hot and cold-water use.
- Adjustable pattern from stream to fine spray wide cone; simply twist the grip.

PART	DESCRIPTION	PRICE (G)
528T-RUBBER	Insulated Twist	<b>12.95</b>



**Pro Fireman Nozzle**

- Heavy-Duty Metal construction.
- Adjustable pattern, lever ON/OFF.
- Rated to 250 PSI. Female GH inlet.

PART	DESCRIPTION	PRICE (G)
50503	Pro Fireman Nozzle	<b>39.95</b>



**Insulated Pistol Grip Nozzle**

- Molded insulated grip – for spraying hot or cold water.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
572TFR	Insulated Grip Nozzle	<b>12.05</b>



**Zinc Pistol Grip Nozzle**

- Medium-duty zinc spray nozzle with trigger lock feature.
- Male GH outlet x Female GH inlet.

PART	DESCRIPTION	PRICE (G)
573L	Zinc Spray Nozzle	<b>7.25</b>



**Zinc "Y" Shut-Off Splitter Valve**

- Sturdy Zinc construction.
- "Y" shut-off splitter, 1 x FGH, 2 x MGH.
- Resists Temps. Up to 160°F.

PART	DESCRIPTION	PRICE (G)
15	Zinc "Y" Shut-Off	<b>9.10</b>



**Zinc Water Shut-Off Valve**

- Sturdy Zinc construction.
- Male GH x Female GH threads.
- Compact handle resists breakage.

PART	DESCRIPTION	PRICE (G)
05VL	Zinc Shut-Off	<b>6.85</b>



**Nylon "Y" Shut-off Connectors**

- Durable, rustproof polymer.
- Not good for high temperatures.
- Twin shut-off valves.
- Cap type valve handles resist breakage.
- Full ball and retainer rings reduce leakage, even at low pressure.

PART	PRICE (G)
17	<b>5.50</b>




Female

Male

**Brass Quick Connector Set**

- Allows the most water flow of any quick connector systems.
- Use with 07V or 05V water shut-off valves for on/off water flow control.
- Features a push-pull ring to connect/disconnect hose and hose end attachments easily.
- Easily attaches to nozzle /sprinkler for quick connection to hose.
- Heavy-duty solid brass construction for long life.
- Incl. 1 male and 1 female connector.

PART	DESCRIPTION	PRICE (G)
09QC	Connector Set	<b>13.65</b>
09QCM	Male Connector Only	<b>4.55</b>
09QCF	Female Connector Only	<b>9.10</b>



Female

Male

**Hose End Quick Connector Set**

- Easily connects hose to sprinkler, nozzle or other hose end accessories.
- Durable, polymer construction.
- Interchangeable with most polymer quick connector systems.
- Includes 1 female hose end connector with shut-off and 2 male hose end adapters.

PART	DESCRIPTION	PRICE (G)
29Q	Connector Set	<b>5.70</b>



**Rubber Hose Washers**

PART	DESCRIPTION	PRICE (G)
01RW	10 Pack	<b>1.55</b>



**Dramm Fan Spray**

- Heavy-duty zinc & brass construction.
- Female GH thread; easy-to-use shut-off and ergonomic insulated grip.
- Great for seedlings.

PART	DESCRIPTION	PRICE (F)
DRAMM-FANSPRAY	Fan Spray	<b>14.40</b>



**Dramm Hose Washers – Pro Grade**

- EPDM rubber for durability.
- Fits standard 3/4" garden hoses.

PART	DESCRIPTION	PRICE (F)
DRAMM-WASHER	12-Pack	<b>4.40</b>



GHFT075A



GHMT075B



GHFT075D



GHMT075F

**3/4" Banjo Brand Cam-lock Garden Hose Thread Fittings**

- Quick and simple way to connect and disconnect your garden hose and all other watering accessories.
- Never have to use pliers to attach or tighten another garden hose or accessory again!
- Durable, rustproof yellow fiberglass re-enforced poly construction.
- Fits all standard 3/4" male and female garden hose threads (GHT).
- Standard 3/4" opening inside diameter.

PART	DESCRIPTION	PRICE (F)
GHFT075A	3/4" Adapter x Female GHT	<b>8.25</b>
GHMT075F	3/4" Adapter x Male GHT	<b>8.25</b>
GHMT075B	3/4" Coupler x Male GHT	<b>17.40</b>
GHFT075D	3/4" Coupler x Female GHT	<b>17.40</b>



# Hose Accessories



### Hozon Syphon Mixer

- Accurately applies fertilizer, pesticides and other water soluble chemicals for use in the greenhouse, lawn and garden.
- Sturdy Poly body, in-line check valve.


PART	DESCRIPTION	PRICE (F)
HOZON	Injector	24.00

Note: All chemical mixes should be diluted according to the manufacturer's recommended concentration



### Water Breaker

PART	DESCRIPTION	PRICE (F)
170PL	Plastic	6.80
170AL	Aluminum	16.55
400PL	Plastic	7.90
400AL	Aluminum	24.40
1000PL	Plastic	18.80



### GH in/out

PART	DESCRIPTION	PRICE (F)
74VALVE	Dramm 74 GH Ball Valve	23.95
300	Brass GH Valve	32.30



### 20R Adapter

PART	DESCRIPTION	PRICE (I)
20R	1" FNPT x MGHT	16.60
HW1	Gasket for 20R	2.05



### Hose Nozzle

PART	DESCRIPTION	PRICE (G)
FN100	1" Nozzle	26.25
FN112	1 1/2" Nozzle	20.50
FN200	2" Nozzle	99.95
FN100-G	Gasket - FN100	1.65
FN112-G	Gasket - FN112	1.75
FN200-G	Gasket - FN200	2.75



### FOGG-IT Fog Nozzles

PART	DESCRIPTION	PRICE (F)
FOGG	Super Fine	15.35
FOGGF	Fine	15.35
FOGGL	Low Volume	15.35
FOGGH	Heavy	15.35



Water breaker not included.

### Extension

PART	DESCRIPTION	PRICE (F)
DRAMM2	2'	14.65
DRAMM3	3'	16.55
DRAMM4	4'	17.65



### Male NPT x Female Hose Adapter

PART	DESCRIPTION	PRICE (G)
#07	1/2"	3.95
#09	3/4"	4.35



### Female NPT x Male Hose Adapter

PART	DESCRIPTION	PRICE (G)
#08	1/2"	3.05
#10	3/4"	4.15



### Heavy Brass Hose Couple Set

- Individual male or female fittings also sold separately - please inquire.

PART	DESCRIPTION	PRICE (G)
HC38	3/8"	8.55
HC12	1/2"	8.35
HC58	5/8"	8.40
HC34	3/4"	8.70
HC10	1"	33.40



### 03V

PART	DESCRIPTION	PRICE (G)
03V	Single Outlet Brass Shut-Off	7.85



### Adapter Nipple

PART	DESCRIPTION	PRICE (G)
#05	3/8 NPT x Hose	3.80
#11	1/2 NPT x Hose	3.90
#12	3/4 NPT x Hose	4.70
#13A	Hose x Hose	4.20



### Socket

PART	DESCRIPTION	PRICE (E)
QCS14	1/4" Socket Only	7.00
QCS38	3/8" Socket Only	9.10
QCS12	1/2" Socket Only	13.65



### Male Plug

PART	DESCRIPTION	PRICE (E)
QCP14	1/4" Plug Only	3.30
QCP38	3/8" Plug Only	4.30
QCP12	1/2" Plug Only	5.20



### Adapter Coupler

PART	DESCRIPTION	PRICE (G)
#03	1/2 NPT x Hose	4.15
#04	3/4 NPT x Hose	4.65



### 13

PART	DESCRIPTION	PRICE (G)
13	Double Outlet Brass Shut-Off	16.50



### Female Plug

PART	DESCRIPTION	PRICE (E)
QCP14F	1/4" Fem. Plug Only	3.75
QCP38F	3/8" Fem. Plug Only	4.05
QCP12F	1/2" Fem. Plug Only	7.55



### Swivel Connector

PART	DESCRIPTION	PRICE (G)
#01	1/2 NPT x Hose	4.95
#02	3/4 NPT x Hose	5.15
#06	Hose x Hose	5.00



### Brass Shut-Off

- Extra large handles are easy to grip and turn.
- EZ-on connector assures connection to faucet.
- Heavy-duty brass construction.

PART	DESCRIPTION	PRICE (G)
44GFL	Four Outlet Brass Shut-Off	20.25

### Male Swivel Adapter

PART	DESCRIPTION	PRICE (G)
#14	3/8 NPT x Hose	5.20
#15	1/2 NPT x Hose	5.25
#17	1/4 NPT x Hose	4.90

### Quick Coupler Socket O-Rings

PART	DESCRIPTION	PRICE (E)
QC14-OR	O-Ring - 1/4" Socket	.55
QC38-OR	O-Ring - 3/8" Socket	.55
QC12-OR	O-Ring - 1/2" Socket	.65



**Dramm Misty Mist 360° Nozzles**

- Ideal for overhead mist propagation, irrigating plugs, or raising humidity levels.
- Misty Mist nozzles produce a 6 foot spray pattern when placed 5 feet above your greenhouse crop with 3 foot spacing.
- Available in three different GPM ratings to suit your specific needs.
- No moving parts; easy to maintain, simple to set up.
- Can be installed upright or inverted overhead or on greenhouse bench risers, as required.

**Misty Mist Nozzle Performance (Gallons / Minute)**

PART NUMBER	COLOUR	ORIFICE DIAMETER	36 PSI	73 PSI
MISTY-BW	Blue/White	1.0 mm	0.17	0.22
MISTY-RW	Red/White	1.25 mm	0.27	0.35
MISTY-BLK	Black/White	1.50 mm	0.39	0.50

PART	DESCRIPTION	PRICE(H)
MISTY-BW	Misty Mist Nozzle – Blue/White	<b>2.20</b>
MISTY-RW	Misty Mist Nozzle – Red/White	<b>2.20</b>
MISTY-BLK	Misty Mist Nozzle – Black/White	<b>2.20</b>



**Dramm Assembly Insert**

- Threaded gasket that provides quick installation and a leak-free seal for Dramm irrigation nozzles.
- 3/8" interior Whitworth tapered thread to match up with Misty Mist and Pin-Perfect nozzles. Also fits the Dramm No-Drip Riser Extension.
- USED WITH SCHEDULE 40 PVC ONLY; DO NOT use with schedule 80 PVC pipe.
- Easy to use – drill 7/16" hole in pipe, insert gasket into hole, and thread in your irrigation nozzle.
- Recommended for use at operating pressures up to 50 PSI.

PART	DESCRIPTION	PRICE(H)
MISTY-INSERT	Dramm Insert Assembly	<b>1.20</b>



**3/8" Whitworth Thread X 1/2" FNPT Riser Adapter**

- 1/2" Female NPT X 3/8" Whitworth Female Thread adapter allows for the use of Misty Mist and Perfect-Pin nozzles on a 1/2" diameter irrigation riser.

PART	DESCRIPTION	PRICE(H)
MISTY-ADPT	Riser Adapter 1/2" x 3/8" WW	<b>2.15</b>



**Rotor Rain G Mini Sprinkler**

- Low trajectory, large droplet mini sprinkler.
- 'C' Frame design for strength and high distribution uniformity.
- Full flow flipper suspended between two bearings for reliable performance.
- Rotor can be replaced with break-off spray deflector for close-in watering of immature crops.
- 1/2" Male NPT base; 0.055" Orifice size.
- Other sizes available by special order; please inquire.

**Rotor Rain Green Mini Sprinkler Performance**

PRESSURE (PSI)	FLOW (GPH)	DIAMETER (FT.)*	STREAM HEIGHT (FT.)
15	20.0	26.0	1.8
20	23.5	30.0	1.8
25	26.5	30.0	1.8
30	29.2	30.0	2.1

\*NOTE: Diameter based on sprinkler head 8" above ground.

PART	DESCRIPTION	PRICE(F)
ROTORAIN-G	Mini Rotor Sprinkler	<b>2.80</b>



**Dramm No-Drip Extension Check Valves**

- Helps control drip from overhead pipelines by shutting off when water pressure is below 11 PSI.
- Used primarily when Dramm irrigation nozzles (such as Pin-Perfect and Misty Mist) are installed on the bottom side of over crop PVC water lines.
- Can be used optionally on topside installations.
- Includes a built-in filter to help keep check valve and attached nozzle from clogging.

PART	DESCRIPTION	PRICE(H)
MISTY-EXTENSION	No-Drip Extension	<b>3.90</b>



**Dramm 11 Gram Emitter Weight**

- Barbed connection for secure fit.
- Zinc / Aluminum alloy – NO lead.
- Dual Port for even output.
- Use with 0.130" Dramm tubing.

PART	DESCRIPTION	PRICE(I)
DRAMMWEIGHT	Dramm Emitter Weight	<b>.50</b>



**Cooling / Misting Shrub Nozzles**

- Ideal for targeted irrigation or cooling applications.
- **SPJET** series feature bayonet tip and 0.16" "quick" thread for easy installation into SOFT poly pipe.
- **SN** series (not shown) features 10-32 UNF micro thread for installation into pre-drilled RIGID poly pipe.

PART	DESCRIPTION	PRICE
SPJET-15415	90° (1/4 circle) Shrub Nozzle	<b>.65(F)</b>
SPJET-15425	180° (1/2 circle) Shrub Nozzle	<b>.65(F)</b>
SN90	90° Shrub Nozzle (not shown)	<b>.50(E)</b>
SN180	180° Shrub Nozzle (not shown)	<b>.50(E)</b>



**24" Slimline 1/2 GPH Hanging Basket Assembly**

- Includes 2 LPH (0.5 GPH) emitter, 24" drop line, and easy-to-close shut-off weight.
- Simple, highly visible shut-off functionality.
- Available in other lengths and gallon ratings – please inquire

PART	DESCRIPTION	PRICE
ISO1HBA2W-24	HB Emitter Assembly – 24" w/ 0.5 GPH	<b>CALL</b>



**Pressure Compensating Drip Emitters**

- Available in 3 sizes – 1/2 GPH, 1 GPH, and 2 GPH.
- Silicon Diaphragm for longer life.
- Can be taken apart for inspection and cleaning.

PART	DESCRIPTION	PRICE(F)
EM5	EM-5 Emitter – 1/2 gallon / hour	<b>.95</b>
EM10	EM-10 Emitter – 1 gallons / hour	<b>.95</b>
EM20	EM-20 Emitter – 2 gallons / hour	<b>.95</b>

**NOTE: All Drip Tubing and Poly Pipe is located in our Landscape Irrigation section of the catalogue.**



# Greenhouse Watering & Spray Equipment

**Dramm Corporation** manufactures a complete line of professional greenhouse tools and equipment including hose-end watering tools, irrigation systems, chemical application equipment, and most recently, environmental controls. **Dramm** is the most respected name within the industry. Even-Spray stocks a wide range of **Dramm** watering equipment to meet your growing needs.



### Fog-It Nozzles

- Designed for misting seedlings or raising humidity.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
FOGG	½ GPM Super Fine Nozzle	15.35
FOGGF	1 GPM Fine Nozzle	15.35
FOGGL	2 GPM Low Volume Nozzle	15.35
FOGGH	4 GPM High Volume Nozzle	15.35

All Dramm watering products – shut-offs, extensions, breakers, and nozzles - are sold separately so that you can customize your equipment to your specifications!



### Dramm Extension Wands

- Light-weight aluminum w/ padded foam comfort grip.
- Female GH x Male GH Thread.

PART	DESCRIPTION	PRICE(F)
DRAMM50-80	50" – 80" Extendable Wand	40.95
DRAMM16	16" Extension Wand	13.45
DRAMM2	24" Extension Wand	14.65
DRAMM30	30" Extension Wand	15.90
DRAMM3	36" Extension Wand	16.55
DRAMM4	48" Extension Wand	17.65
DRAMMB-36	36" Hanging Basket Wand	17.10
DRAMMB-48	48" Hanging Basket Wand	18.25



### Dramm Hose-end Accessories

- Filter recommended for use with seedling nozzles.
- Ring protects 400, 750, 1000 series water breakers.

PART	DESCRIPTION	PRICE(F)
DRAMM-ILF175	Filter w/ 80 mesh screen	28.05
DRAMM-ILFE175	80 mesh screen only	9.45
DRAMM-ILFE080	Optional 200 mesh screen	9.45
400RING	Rubber protective ring	2.45



### Water Breakers

- A wide range of water breakers to choose from.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
400PL-RPR	Poly Breaker w/ Ring - 11gpm	9.75
400PL	Poly Breaker – 11gpm	7.90
400AL	Aluminum Breaker – 11gpm	24.40
750PL	Poly Breaker w/ Ring – 7gpm	19.50
1000PL	Poly Seedling Breaker – 7gpm	18.80
1000PL-N	Poly Seedling Breaker – 7gpm narrow pattern	18.80
1000PL-W	Poly Seedling Breaker – 7gpm wide pattern	18.80
170PL	Poly Breaker – 7gpm	6.80
170AL	Aluminum Breaker – 7gpm	16.55
480PL	Poly Seedling Breaker – 7gpm	8.80



### Seedling Nozzle

- Designed for seedlings, cuttings, delicate plants.
- Hollow cone fine droplet pattern; GH

PART	DESCRIPTION	PRICE(F)
510C	Seedling Nozzle 1/2 GPM @ 40 PSI	11.65



### Dramm Watering Can

- 5-Litre capacity; long-lasting rust-proof poly.
- Extra long spout with detachable brass rose.

PART	DESCRIPTION	PRICE(G)
DRAMMWATERCAN	5-Liter watering can	29.70



### Dramm Trigger Series Shut-Off Valves

- All valves feature Female GH inlets x Male GH Outlets with soft, yet durable rubber grips.
- 65C and 14700 rated at 11 GPM @ 40 PSI.
- 74800 rated at 16 GPM @ 40 PSI.

PART	DESCRIPTION	PRICE(F)
65C	Squeeze Trigger Valve – 11 gpm	20.30
14700	Easy Slide Thumb Valve – 11 gpm	21.60
74800	Easy Slide Thumb Valve – 16 gpm	23.95

# DRAMM



### Shut-off Valves

- All models feature Female GH x Male GH thread.
- 74VALVE, 300, 075HGB Valves – full port flow.

PART	DESCRIPTION	PRICE(F)
74VALVE	Dramm HD Poly Valve	23.95
300	Dramm Brass Valve	32.30
075HGB	Brass GH x GH Valve	29.85
DRAMMVALVE-QAV	Dramm Poly Valve	7.20



### MS20-100 Chemical Sprayer

- Includes 100' hose, Gun, Cart/Tank, & Hose Reel.
- Up to 0.5 GPM; Maximum pressure to 500 PSI.

PART	DESCRIPTION	PRICE(I)
MS20-100	20 Gallon Hydraulic Sprayer 120V	CALL