

LebanonTurf

Country Club[®]

Blended Fertilizer

8-4-24



With **HUMIC MAX** & **MESA**

| GUARANTEED ANALYSIS | | GUARANTEED MINIMUM ANALYSIS | |
|---|-----------|---|------------|
| Total Nitrogen (N) | 8% | Total Nitrogen (N) | 8% |
| 1.8% Ammoniacal Nitrogen | | 1.8% Ammoniacal Nitrogen | |
| 1.3% Water Insoluble Nitrogen* | | 1.3% Water Insoluble Nitrogen* | |
| 2.6% Urea Nitrogen | | 2.6% Urea Nitrogen | |
| 2.3% Other Water Soluble Nitrogen* | | 2.3% Other Water Soluble Nitrogen* | |
| Available Phosphate (P ₂ O ₅) | 4% | Available Phosphate (P ₂ O ₅) | 4% |
| Soluble Potash (K ₂ O) | 24% | Soluble Potash (K ₂ O) | 24% |
| Sulfur (S) | 9.0% | Sulfur (S) | 9.0% |
| 9.0% Combined Sulfur (S) | | 9.0% Combined Sulfur (S) | |
| Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash. | | Derived From: Ammonium Phosphate, Ammonium Sulfate, Methylene Ureas, Urea, Sulfate of Potash. | |
| *3.6% Slowly Available Nitrogen from Methylene Ureas. | | *3.6% Slowly Available Nitrogen from Methylene Ureas. | |
| NON PLANT FOOD/OTHER INGREDIENTS | | NON PLANT FOOD/OTHER INGREDIENTS | |
| Humic acids (derived from Leonardite)..... | 8% | Humic acids (derived from Leonardite)..... | 8% |
| PLANT FOOD INGREDIENTS | | PLANT FOOD INGREDIENTS | |
| Plant Food Fertilizer..... | 92% U.S.A | Plant Food Fertilizer..... | 92% CANADA |

Product contains humic acids which may aid in nutrient availability
 Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

| Lbs N/1,000 Sq. Ft. | Lbs. P/1,000 Sq. Ft. | Lbs. K/1,000 Sq. Ft. | Lbs Humic Acids/1,000 Sq. Ft. | Lbs Fert/1,000 Sq. Ft. | Lbs Required for One Acre | Sq. Ft. Coverage per bag |
|---------------------|----------------------|----------------------|-------------------------------|------------------------|---------------------------|--------------------------|
| 0.9 | 0.25 | 1.5 | 0.5 | 6.2 | 270 | 8,050 |
| 0.5 | 0.13 | 0.75 | 0.25 | 3.1 | 135 | 16,100 |

Application Rates:
 To feed at the rate of 1.5 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 6.2 lbs per 1,000 sq. ft. or 270 lbs. per acre. To feed at the rate of 1 lb. Potash (K₂O) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre.

| SUGGESTED SPREADER SETTINGS | | | |
|-----------------------------|--------------------------------------|--------------------------------------|--|
| Spreader | 1.5 # K ₂ O/1,000 sq. ft. | 1/2 # K ₂ O/1,000 sq. ft. | |
| Lebanon Turf | 4 3/4 | 4 3/4 | |
| Andersons AccuPro | M | I | |
| Earthway Rotary | 16 | 15 | |
| Gandy | 28 | 25 | |
| Lely | 6 1/2 II | 5 II | |
| Lesco (letter/numeric) | J/21 | I/16 | |
| PennMulch HVO | M | K | |
| ProScape SS | M | K | |
| Spyker | 4 3/4 | 4 1/4 | |
| Vicon | 26 | 23 | |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland, New Jersey, New York and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland, New Jersey, New York or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.

Hazard Statements
 Causes skin irritation.
 May be harmful if inhaled.
 May cause respiratory irritation.
 Causes eye irritation

Warning



Precautionary Statements
 Wash hands and exposed skin thoroughly after handling.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If in eyes, rinse with water and seek medical attention if symptoms persist.
 Take off contaminated clothing and wash before reuse.
 IF ON SKIN: Wash with plenty of soap and water.
 IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
 If skin irritation occurs: Get medical advice/attention.
 If eye irritation persists: Get medical advice/attention.
 Store locked up.
 Store in a well-ventilated place.
 Keep container tightly closed.
 Dispose of contents/container properly as required by law for waste pesticides.
 Keep out of reach of children
 Precautionary Statements for disposal - Dispose in accordance with all federal, state and local regulations.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

Do not apply to frozen ground

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Country Club, PennMulch, ProScape and the Lebanon Diamond are registered trademarks of Lebanon Seaboard Corporation.

Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 kg for 100 m², applied every 4 to 8 weeks during the local growing season.

Application Rates:
 To feed at the rate of 0.48 kg Potash (K₂O) Equivalent to 3.2 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Potash (K₂O) Equivalent to 2.1 kg of product per 100 sq. meters.

| SUGGESTED SPREADER SETTINGS | | | |
|-----------------------------|---|---|--|
| Spreader | 0.48 kg K ₂ O/100 m ² . | 0.24 kg K ₂ O/100 m ² . | |
| Lebanon Turf | 4 3/4 | 4 3/4 | |
| Andersons AccuPro | M | I | |
| Earthway Rotary | 16 | 15 | |
| Gandy | 28 | 25 | |
| Lely | 6 1/2 II | 5 II | |
| Lesco (letter/numeric) | J/21 | I/16 | |
| PennMulch HVO | M | K | |
| ProScape SS | M | K | |
| Spyker | 4 3/4 | 4 1/4 | |
| Vicon | 26 | 23 | |

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699 **22-37132** i/20

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
 1600 E. Cumberland St • Lebanon, PA 17042
 800-233-0628 • (717) 273-1685

50 Lbs. (22.7 kg) Net Weight