



COX 1/2" MANUAL WIND HOSE REEL

- All welded powder-coated steel "A" frame for superior strength and durability.
- Permanently lubricated self-aligning bearings for trouble-free and smooth rotation.
- Adjustable tension brake to prevent "free-wheeling" during operation.
- Long-handled locking pin to secure reel from rotation during transportation / storage.
- 3,000 PSI operating capacity.
- Solid brass machined 90° swivel with 1/2" FNPT port and Nitrile seals.
- Capacity: 325' of 1/2" ID hose; up to 450' of 3/8" ID hose (reducer required).

PART	DESCRIPTION
HR	Manual wind hose reel – 325' capacity, 1/2" brass swivel



COX 1" MANUAL WIND HOSE REEL

- All welded powder-coated steel "A" frame for superior strength and durability.
- Permanently lubricated self-aligning bearings for trouble-free and smooth rotation.
- Adjustable tension brake to prevent "free-wheeling" during operation.
- Long-handled locking pin to secure reel from rotation during transportation / storage.
- 3,000 PSI operating capacity.
- Nickel plated steel 90° swivel with 1" FNPT port and AFLAS seals.
- Capacity: 100' of 1" ID hose; up to 150' of 3/4" ID hose (reducer required).

PART	DESCRIPTION
HR1	Manual wind hose reel – 100' capacity, 1" brass swivel



COX 1/2" ELECTRIC WIND HOSE REEL

- All welded powder-coated steel "A" frame for superior strength and durability.
- Heavy-duty gear-driven reversible motor. 1/3 HP 12-volt DC (non-CSA).
- Permanently lubricated self-aligning bearings for trouble-free and smooth rotation.
- 3,000 PSI operating capacity.
- Solid brass machined 90° swivel with 1/2" FNPT port and Nitrile seals.
- Capacity: 325' of 1/2" ID hose; up to 450' of 3/8" ID hose (reducer required).

PART	DESCRIPTION
HRE	Electric wind hose reel – 325' capacity, 1/2" brass swivel



Hose not included

COX SWIVEL MOUNT SERIES HOSE REELS

- Professional grade heavy-duty steel construction with durable proprietary CPC™ powder coat process; solid one-piece heavy gauge steel frame.
- Unique hose control bar keeps hose from slipping off the disc from any direction.
- Adjustable tension brake to prevent "free-wheeling" during operation / transport.
- Maximum 4,000 PSI operating capacity.
- Optional 8-position swivel mount wall mount bracket with lock pin sold separately.

PART	DESCRIPTION
HRSM100	Swivel Mount Hose Reel – 100' capacity, 3/8" brass swivel
HRSM125	Swivel Mount Hose Reel – 125' capacity, 1/2" brass swivel
HRSM250	Swivel Mount Hose Reel – 250' capacity, 1/2" brass swivel



COX 12 VOLT HOSE REEL ACCESSORIES

For use with Cox 3/4" Electric Hose Reel (model # HRE).

PART	DESCRIPTION
HRCB	40 Amp Circuit Breaker
HRSOLENOID	Solenoid Switch
HRSWITCH	Push ON/OFF Switch



3/8 & 1/2"

3/4"

1"

HOSE REEL SWIVELS

PART	DESCRIPTION
HRS-3/8	3/8" Swivel – 3000 PSI
HRS-1/2	1/2" Swivel – 1250 PSI
HRS-3/4	3/4" Swivel – 1500 PSI
HRS-1	1" Swivel – 300 PSI



WALL MOUNT BRACKET

For use with Cox Swivel Mount Series hose reels. Pivoting base for wall mount only. As shown.

PART
HRSMBR-W



ROLLER BRACKET

For use with Cox 1/2" Hose Reels (HR & HRE models).

PART
HRROLLER

COX REEL SWIVEL REPAIR KITS

PART	DESCRIPTION
HRS-3/8KIT	Repair Kit for 3/8" Swivel
HRS-1/2KIT	Repair Kit for 1/2" Swivel
HRS-3/4KIT	Repair Kit for 3/4" Swivel

Other Cox hose reel models and accessories available by special order – please call us for further details!

Gas Engines **HONDA** ENGINES



HONDA GX160 SERIES ENGINE (5 1/2" HP)

PART	DESCRIPTION
GX 160U1HX6	Oil Alert 6:1
GX 160U1LX6	Oil Alert
GX 160UTQH6	Engine
GX 160UTQX6	Oil Alert
GX 160UQXC6	Oil Alert
GX 160UQXE6	Electric Oil Alert
GX 160U1RH6	Engine
GX 160UTTX6	Oil Alert



HONDA GX270 SERIES ENGINES (9 HP)

PART	DESCRIPTION
GX 270UHX26	Oil Alert
GX 270UTQA6	Oil Alert
GX 270UQAE6	Electric
GX 270UQH26	Engine
GX 270UQXC6	Oil Alert
GX 270UQXE6	Electric Oil Alert
GX 270URH26	Engine
GX 270UVXE6	Engine



HONDA GX340 SERIES ENGINES (11 HP)

PART	DESCRIPTION
GX 340U1HX6	Oil Alert
GX 340U1LX6	Oil Alert
GX 340U1QA6	Oil Alert
GX 340UQAE6	Electric Oil Alert
GX 340UVX16	Engine



HONDA GX390 SERIES ENGINES (13 HP)

PART	DESCRIPTION
GX 390UQXC6	Oil Alert
GX 390UTQA6	Oil Alert
GX 390UQAE6	Electric, Oil Alert
GX 390UQNE6	Electric, Oil Alert, 10 AMP



HONDA GX 630 ENGINE (20 HP)

PART	DESCRIPTION
GX 630RQXF	Electric, less muffler

Note: Muffler not included



HONDA GX690 ENGINE (24 HP)

PART	DESCRIPTION
GX 690RTXF	Electric, less muffler

Note: Muffler not included

MUFFLER FOR 20 AND 24 HP HONDA ENGINES

PART	DESCRIPTION
MUFFLER	Muffler – Honda 20/24 HP

PowerPro™ Gasoline Engines



HYPRO®



Features & Benefits:

- Available in multiple horsepower models for use in agriculture, industrial, and lawn & garden applications.
- Overhead valve for cleaner operation; flat head on 2.5 HP.
- Most common repair parts stock items for Even-Spray.
- Engines can be configured to various Hypro pumps models or sold individually.
- Supported with a one year warranty from Hypro.
- Dedicated technical and Hypro service support number – 1-800-769-3777.

POWERPRO GASOLINE ENGINES, RECOIL START

PART	HP	SHAFT TYPE
2549-0043	2.5	5/8" Keyed
2541-0046	6.5	5/8" Threaded
2541-0048	13.0	1" Keyed

POWEREASE GASOLINE ENGINES

- 7 HP 210cc Recoil start engine with Oil Alert and 3/4" keyed shaft.
- 15 HP 420cc Recoil start engine with Oil Alert and 1" keyed shaft.

PART	DESCRIPTION
POWEREASE7	7 HP, 3/4" Shaft
POWEREASE15	15 HP, 1" Shaft

Bayco General Catalogue website address - <https://baycogolf.com/wp-content/uploads/2023/03/Catalogue-2023.pdf>

Please Contact Our Office or Your Even-Spray Sales Representative for Current Bayco Pricing!

#222 LEVER AND FOOT EXTRACTION HOLE CUTTER

- Steel alloy construction for light weight and strength.
- Heat-treated cutting blades insure a clean cut hole.
- Hardwood T-handle.
- Available with straight or scalloped cutting blade – *PLEASE SPECIFY INSIDE OR OUTSIDE BEVEL.
- Replacement blades available separately.



PART	DESCRIPTION
222-*	Cup Cutter – Scalloped blade
223-*	Cup Cutter – Straight blade
220-IN	Scalloped Blade – inside bevel
220-OUT	Scalloped Blade – outside bevel
221-IN	Straight Edge Blade – inside bevel
221-OUT	Straight Edge Blade – outside bevel



#299 COLOUR-FLEX YARDAGE STAKES

- Highly visible yet non-intrusive design.
- Highly resilient, permanent coloured flexible material; easily seen from the fairway or rough.
- Sold individually (*Specify Blue, Red, White, or Yellow*).
- Installation kit includes mallet, auger bit, and extension tube.

PART	DESCRIPTION
299*	Colour-Flex Yardage Stake
299-01*	Replacement Flex Stake
299KIT	Installation Kit




3-STRAND BRAIDED ROPE

- 1/4" Diameter; sold in 1000 foot spools
- Available in Black (BK), Green (G), Yellow (Y), and Green/White (GW). Please specify when ordering.
- Can be used with 289 Series Green Rope Stakes.

PART	DESCRIPTION
287-**	3-Strand 1/4" x 1000' Rope
289-18	18" Tall Stake w/ 8" SS spike
289-24	24" Tall Stake w/ 8" SS spike

NOTE: 289 Stake prices for GREEN; other colours priced differently.



#1005 TUBE LOCK GREENS FLAGS

- Constructed of 400 denier solar max nylon to resist UV rays and mildew.
- Sewn to molded one-piece plastic tubes.
- Standard colours: yellow, blue, red; others by request.
- Specify flag colour when ordering.



PART	DESCRIPTION
1005-T-Blue	Tube Lock-style Greens Flag Blue
1005-T-Red	Tube Lock-style Greens Flag Red
1005-T-White	Tube Lock-style Greens Flag White

Custom Made Dye-Sublimated Flags!

Why Choose Dye Sublimation Flags?

- Unlimited Colour and Graphics Choices
- Photo Quality finish on fabric – more durable and more fade resistant than other prints
- 3 Fabric choices to suit your needs and budget – daily use to special events

Contact Us For Complete Details!



250 SERIES 6" TALL GREENS CUPS

- Available in either durable high-impact ABS Plastic construction or powder-coated, die-cast aluminum.
- High visibility white.

PART	DESCRIPTION
250PL-B	ABS Greens Cup – white
250AL	Aluminum Green Cup – white

CUP ACCESSORIES

PART	DESCRIPTION
205	Cup Setter – aluminum
210	1-Prong Cup Puller (not shown)



150 SERIES HOLLOW HEAD SAND TRAP RAKES

- Handle available in green (GR) or yellow (YE).
- Fiberglass handle - 7/8" diameter x 51" long.
- Rake head – UV stabilized high density poly.
- Octagon shaped rake head w/ diamond shaped teeth for ease of raking and reverse flat side for smoothing.

PART	DESCRIPTION
150**	Hollow Head Sand Trap Rake



#700 BALL WASHER

- Aluminum Alloy cast with Stainless Steel and Polymer internal parts.
- Powder-coated finish durable for years.
- Mounts to a 2" pipe.
- Capacity: 0.9 US Gallons (3.4 Litres).
- Available in 7 colours plus custom orders.



PART	DESCRIPTION
700BW	#700 Single Golf Ball Washer
701	Base for #700 Ball Washer
702A	Pipe for #700 Ball Washer 2" x 34"

SOIL SAMPLER TOOL

- Chrome-plated steel construction
- Side discharge for easy sample removal
- Diameter: 1"; Length: 20"

PART	DESCRIPTION
235	Soil Sampling Tool

ALUMINUM LEAF & LANDSCAPER RAKE

Superlight rake is ideal for smoothing, leveling, spreading materials, seeding, and even leaf clean up.

- Available in three rake head widths.
- 66" long handle with rubber end cap.
- Rounded rake tine tips and beveled back edge of blade for smooth grading.
- One piece heavy duty brace riveted to rake head.



PART	DESCRIPTION
114AL	24" Landscaper Rake
115AL	36" Landscaper Rake
116AL	48" Landscaper Rake



RUST-OLEUM WATER-BASED TURF MARKING PAINT

- 100% Water-based easy-clean-up formula is fast drying – less than 5 minutes!
- Produces bright, easy-to-see vivid lines.
- Inverted spray can design with easy-clean locking tip guaranteed not to clog.
- Use on turf, pavement, gravel, and more.
- Sold by the case (12 x 17 oz. Cans)

PART	DESCRIPTION
MARKING-W	White Marking Paint 12/cs
MARKING-R	Red Marking Paint 12/cs
MARKING-Y	Yellow Marking Paint 12/cs
MARKING-B	Blue Marking Paint 12/cs
MARKING-O	Alert Orange Marking Paint 12/cs

BAYCO *Golf* Golf Course Tools and Accessories



LIQUIDPRO™ WETTING AGENT APPLICATOR GUN

Now, with unmatched speed and uniformity, you can virtually “paint” your turf with liquid wetting agents, fertilizers, and micronutrients – can cover over 1,000 ft² in less than a minute.

- The perfect tool for syringing localized dry spots on greens and tees when using a boom sprayer is impractical.
- Includes the patented Precision™ Cloudburst™ nozzle constructed of aircraft aluminum and stainless steel that delivers up to 48 GPM @ 80 PSI!
- Adjustable and removable metering dial offers 10 additive settings including “water only”.
- Comes with a 1" FHT x 3/4" MHT brass adapter - LiquidPro™ works with both 3/4" and 1" hoses.
- Convenient 6-pack refill bottles means more time on the course spraying and less time refilling at the shop. Sold separately.

PART	DESCRIPTION
LIQUIDPRO	LiquidPro Applicator Gun with Cloudburst Nozzle
LIQUIDPRO-6	6-Pack of 946 ml Refill Bottles w/ Carry Tray
LIQUIDPRO-1	946 ml Refill Bottle Only



PELLETPRO™ APPLICATOR GUN

The PelletPro™ gun is designed to accept all wetting agent and nutrient tablets and provides a powerful, yet ultra-soft spray when watering or applying to tight, hydrophobic soils.

- 48 GPM capability gets the job done faster!
- Ultra Heavy-Duty – brass fittings, aircraft aluminum, stainless steel, and precision engineered glass-filled materials.
- Patented Precision™ Cloudburst™ nozzle delivers large droplets in an outstanding fan pattern.
- PelletPro™ rotates pellets at 1 revolution per second to evenly dissolve/apply wetting agent and nutrient products.

PART	DESCRIPTION
PELLETPRO	PelletPro Wetting Agent Applicator Gun



ACCUFORM ACCUSEED™ SPOT SEEDER

The Accuform AccuSeed is the perfect spot seeding tool.

- Specially designed Stainless-Steel spikes puncture turf 5/16" deep.
- Ideal seed to soil contact.
- Bentgrass seed filled into housing.
- Seed only released when spring-loaded head compresses.
- Minimal surface impact; little disruption to play.

PART	DESCRIPTION
13270	AccuSeed
13270-20	Replacement Bottom Plate


Bayco General Catalogue website address - <https://baycogolf.com/wp-content/uploads/2023/03/Catalogue-2023.pdf>

Please Contact Our Office or Your Even-Spray Sales Representative for Current Bayco Pricing!



TOWELS

- Part Number varies.
- Styles/colors vary, please see Bayco catalogue link for available options.



FLAGSTICKS

Part Number varies.
 • See options here: <https://www.paraide.com/search-results/?addsearch=flagsticks>
 and here: <https://baycogolf.com/product-category/around-the-green/>
 or contact your sales representative.



HEX PLUGGER 5"

Part Number #502105
 • Miltons's patented Hex-Pluggers
 • The turf repair tool that cuts plugs which form a solid pattern giving your turf repair immediate good looks and a fast recovery.
 • Five-inch model cuts a two-inch deep plug and is ideal for replacing damaged cup plugs.

SPRINKLER HEAD TRIMMER

Product Number #208-**
 • Sprinkler heads can easily become lost on the course leading to negative impacts on the functionality of the irrigation system.
 • Comes in 4,6,7,8 and 10" sizes
 • Easy to use.
 • Cleans edge around sprinkler heads.



BALL WASHER DETERGENT

- Product Number #718 and #718-T.
- 450 tablets/container.
- 1 tablet per ball washer.
- Convenient and portable.

Golf Course Tools and Accessories- Par Aide and Standard Golf

Please Contact Our Office or Your Even-Spray Sales Representative for Current Par Aide and Standard pricing!

Par Aide General Catalogue website address - <https://www.paraide.com/contact/request-a-catalog/>



DIRECTIONAL MARKERS
Product Number #12250-25

- Directional Markers are easy to place and remove.
- These 8-inch multipurpose markers are extremely helpful for guiding golfers in the right direction around the course.
- Bucket keeps product clean and easy to transport.
- Maintenance-free
- Sold in quantities of 25; includes carrying/storage bucket.



HIO HOLE CUTTER
Product Number #1003-1 inside bevel sharpened for sand greens
#1003-2 outside bevel sharpened- for push up greens.

- Perfectly round holes with clean edges.
- Easy on arms and shoulders – no twisting required.
- Easy for any crew member to operate.
- Powerful action works great on clay-based “push up” greens.
- Achieve uniform holes depth.
- Single-cut holes save time.



DURAFLEX SIGNS

Product Number #5610-**, #5620-**, #5630-**


- These incredibly popular, super durable signs are made from flexible molded resin, making them virtually unbreakable.
- They're held firmly in place by robust U-shaped stainless steel spikes, molded into the sign bodies.
- 3-D molded-in letters means printing will not scratch off.
- Clear-coated for fast and easy cleaning
- Large easy to read lettering
- See various options here; <https://www.paraide.com/products/course-markings/signage/dura-flex-signs/> or contact your sales representative for more information.
- Note on hold changers- inside bevel sharpened is for– Sand Greens, while outside bevel sharpened is for push-up greens.



360 DEGREE HOLE PAINTER

Product Number #911

- Uses a unique, patent pending nozzle that sprays 360 degrees all at once painting the top 1-inch above the cup bright white .
- Simple and easy to use.
- No “shadowing” of the paint.
- No dripping on the cup or overspray onto the green.
- Provides a consistent, professional finish every time.
- Greatly increases visibility of the cup.



SAFETY NET

Product Number #1100

- 6.5ft. X 6ft.
- Provides ample protection for employees doing work in the line of fire.
- Collapsible frame has aluminum uprights with fiberglass upper and lower cross pieces and heavy-duty step-in stakes that secure the uprights.
- Net is high-strength polypropylene with high-visibility safety yellow borders.
- Sets up in seconds.

Standard General Catalogue website address - <https://www.standardgolf.com/wp-content/uploads/2023/11/2024LRCatalog-English-noprice.pdf>

E-ZEE WHITE HOLE WHITENER SYSTEM

Product Number 55500 (KIT)

- Clean, crisp white holes made quick and easy.
- Simply insert paint can into tool and rotate.
- Specially formulated to maximize whiteness on dirt.
- Built-in shield protects cup and green from overspray
- One-piece patented design; no assembly required.
- No purging required between uses.
- Starter kit includes tool, plus one case of paint. (six 15-ounce (.42 kg) cans per case.)



GREENSKEEPER BALL MARK REPAIR TOOL

Product Number 27200

- Great time-saving, labor-saving tool for quick, near-flawless repairs on greens.
- 36” (91 cm) handle makes repairs fast and easy.
- Meticulously lifts dirt/grass into place in one motion.

TOUR PRO

- 20” (51 cm) and 25” (63 cm) heads ensure tracks are covered with minimum effort, while pioneering design generates tournament quality surfaces.
- When durability is a must, the exclusive Gator Grip Handle is your best option, available in both 60” (152 cm) and 72” (183 cm) lengths.
- A single self-tapping screw (included) is all you need for assembly.
- NEW: 25” (64 CM) head is available on the popular 60” (152 CM) Gator Grip Handle.



LEVELAWN PRO – Product number – 30” 29310, Product number - 36” 29320



- A great tool to “level your lawn”.
- When reseeding or raising low areas to match the elevation of the surrounding grass.
- Distributes application materials evenly and blends elevations to smooth lawn.
- Helps with top dressing by removing stones from the soil, breaks up small clods of sand or loam.
- Smooths soil for easy planting.
- The head comes in two sizes (30” or 36”) for different sized projects.
- The wood handle is 72” (183 cm) long.
- Now made with 2-piece wood handle.
- Made in the USA.



DRAG BRUSH

Product number 5200

- Helps control thatch when used before mowing.
- Extensions available for bigger jobs;
- Hinged and Weighted to help manage contours and uneven areas.
- 26” H x 54-1/2” W (66 cm x 138 cm).

WEED WAND

Product number 29700

- Precision chemical applications around flowerbeds, fragile plantings and other tight areas.
- Lightweight, 37” (94 cm) wand is designed to minimize spills, and for easy refills.
- 1-1/2” (3.8 cm) diameter applicator tips precisely control chemical flow and eliminate overspray.



Integrated Pest Management Tools



MEASURING JUGS

- Calibrated in Millilitres and U.S. Ounces.

PART	DESCRIPTION
MEASURE-1	1 Litre Capacity Jug
MEASURE-2	2 Litre Capacity Jug



RAIN GAUGE

- Measures up to 5" (127 mm) of rain.
- Poly spike can be post or fence-mounted (hardware not included) or simply inserted into the soil.
- Includes attractive Even-Spray logo!


PART	DESCRIPTION
RAINGAUGE	Rain Gauge



MIN / MAX THERMOMETER

- For measuring minimum, maximum, and present temperature in both °F and °C.
- Mercury filled for best accuracy.
- Ideal for greenhouse use.

PART	DESCRIPTION
MINMAX	Min / Max Thermometer



WATER SENSITIVE PAPER

Specially coated paper used to evaluate spray droplet density and distribution as well as penetration of spray into the canopy of plants.

- 3" x 1" card; 50 cards per package.
- Yellow paper is stained blue by exposure to aqueous spray droplets.

PART	DESCRIPTION
203011	Water Sensitive Paper – 50/pack



SP-6400 SOIL MOISTURE METER

- Analog meter measures any type of soil with just one calibration.
- Resistance-type sensor located at tip of 9" stainless steel probe.
- Indicates "0" (dry) to "10" (saturated).

PART	DESCRIPTION
SP-6400	Soil Moisture Meter – 9" probe



HANNA CHECKTEMP 4 WATERPROOF THERMOMETER

- Measures in both Fahrenheit and Celsius.
- Temp range: -50 to 300°C / -58 to 572°F
- CAL-Check to verify meter performance.
- Waterproof to IP67 standards.
- Auto shut-off and shake to wake feature.
- Includes two CR2032 3v batteries.

PART	DESCRIPTION
HI-151	Checktemp 4 Folding Thermometer



WIRELESS RAIN COLLECTOR W/ TEMPERATURE

- Unit displays cumulative total for past 24 hours or cumulative total for past 7 days.
- Collector can be placed up to 100 feet (30 meters) from the main unit.
- Includes indoor and outdoor wireless thermometers and rain alarm.
- LCD displays rainfall amounts in millimetres.

PART	DESCRIPTION
SP-3526WT1	Wireless Rain Collector



LIGHTSCOUT DLI 100 LIGHT METERS

- Available in both Greenhouse and Turf versions.
- Measures PAR light; simple one button operation.
- Runs for 24 hours; calculates your Daily Light Integral.
- Displays light intensity every 4 seconds.
- Batter included; water-resistant.



PART	DESCRIPTION
SP-3405G	Light Meter - Greenhouse
SP-3405G3	Light Meter - Greenhouse 3-pack
SP-3405T	Light Meter - Turf
SP-3405T3	Light Meter - Turf 3-pack

Integrated Pest Management Tools



EXTECH HUMIDITY / TEMPERATURE PEN
 Pocket-sized combo pen measures air temperature and relative humidity at the same time.

- Humidity 10 to 85% and -10 to 50°C readings range.
- Min/Max memory functions for display of both readings.
- Excellent for use in a greenhouse or outdoor setting such as a golf course.
- Includes LR44 battery and pocket clip.

PART	DESCRIPTION
XTECH-44550	Temp/Humidity Pen



EXTECH WATERPROOF THERMOMETER
 Pocket-sized thermometer measures temperatures of solids and liquids.

- 2.75" Stainless Steel probe.
- Switchable ranges from -40 to 200°C or -40 to 392°F.
- Convenient 5.9" long w/ pocket guard.
- Great for use as a soil thermometer in the greenhouse or in the field.
- Includes LR44 battery.

PART	DESCRIPTION
XTECH-39240	Thermometer



EXTECH DIAL STEM THERMOMETER
 5" Stainless Steel probe with 2" dial face digital thermometer.

- Dual temperature ranges from -50 to 300°C or -58 to 572°F.
- Basic accuracy of 1°C or 2°F.
- ON/OFF switch saves battery life; also has auto off after 1 hour of non-use.
- Includes 1.5V battery and protective plastic sheath with pocket clip.

PART	DESCRIPTION
XTECH-392050	Thermometer



HUMIDITY/TEMPERATURE DATALOGGER
 The RHT10 Datalogger with USB connectivity is the must have tool for your IPM reporting needs.

- Datalogs 32,000 readings (16,000 temperature, 16,000 humidity).
- Selectable sampling rate from 2 sec to 24 hour intervals.
- Includes long-life 3.6V Lithium battery and software for Windows® 98, 2000, XP, and Vista.

PART	DESCRIPTION
XTECH-RHT10	Datalogger



HANNA HI98129 PH/CONDUCTIVITY/TDS COMBO PEN
 This highly accurate, waterproof pH meter is able to measure EC/TDS in the low range (0 to 3999 µS/cm EC/ 0 to 2000 ppm TDS) and temperature. It also has an easy to read, LCD and an automatic shut-off. In addition, pH and EC/TDS readings are automatically temperature compensated (ATC) to prevent temperature-related variations in your measurements. For EC/TDS readings, the EC/TDS conversion factor (CONV) is selectable by the user, as well as the temperature compensation coefficient β (BETA).

FEATURES:

- Waterproof
- Replaceable pH electrode with extractable junction
- The included extendable cloth junction helps increase electrode life and the replaceable pH cartridge means that this tester does not need to be thrown away when the pH sensor is exhausted. The sturdy snap-in connector means there are no pins to bend or break!
- Automatic calibration and temperature compensation.
- Wide pH range – 0.00 to 14.00.
- EC Range – 0 to 3999 µS/cm.
- The graphite conductivity probe provides greater accuracy because it cannot be contaminated by salt deposits in the solution.


The exposed temperature sensor provides fast response times and guarantees highly accurate temperature compensated readings.

- Battery % level at startup with low battery indicator.
- Auto-off



PART	DESCRIPTION
HI-98129	Hanna HI-98129 pH/EC/TDS Combo Pen
HI-73127	Replacement pH Probe for HI-98129 Combo Pen
HI-7007	pH 7 Buffer Calibration Solution – 500 ml
HI-7004	pH 4 Buffer Calibration Solution – 500 ml
HI-7031	1413 Conductivity Calibration Solution – 500 ml
HI-7061	Meter Probe Cleaning Solution – 500 ml
HI-70300	Meter Probe Storage Solution – 500 ml

Integrated Pest Management Tools



FieldScout TDR Moisture Meters

Spectrum Tech's line up of TDR Soil Moisture Meters have become the turfgrass industry's gold standard when it comes to accurately measuring soil moisture levels across a full range of soil conditions. Available in two models to suit your agronomic needs and budget:

TDR 350 – measures volumetric water content in soil, displays EC of soil and surface temperature, GPS/GNSS-enabled + Bluetooth, compatible w/ FieldScout Mobile / SpecConnect Software. Includes Backlit display, Telescoping T-handle, and carrying case. Stainless Steel Probes sold separately.

TDR 250 – measures volumetric water content in soil. Includes Backlit display and T-handle. Carrying case and Stainless Steel Probes sold separately.

Contact your Even-Spray rep for more info!

PART	DESCRIPTION
SP-TDR-350	TDR 350 Meter w/ case
SP-TDR-250	TDR 250 Meter – no case
SP-TDR-ROD**	Stainless Steel Probes (Pair)
SP-6435TS	Optional Infrared Sensor (TDR 350)

** Rods sold in pairs separately in 1.5", 3", 4.8", and 8" lengths. Please specify.



WatchDog 3617ARS Soil/Air Temperature Station

- Install these mini data logging stations across multiple microclimates to study soil and air temperature trends.
- Logs 4,000 intervals set at 1 - 120 minutes apart.
- Operating Temperature: -30 to 60°C.
- Temperature Range: -40 to 85°C.
- Runs on a single CR2 battery (included) – 12-month life expectancy on battery.
- Ideal for golf course, nursery, and agricultural applications.
- Includes Model A125 Data Logger, External Temperature Sensor, and mini radiation shield.
- Requires the use of SpecWare 9 Pro software and the A-Series PC Connection Cable.

PART	DESCRIPTION
SP-3617ARS	Soil/Air Temp Logger Station

WatchDog B-Series Button Temp. Data Loggers

- Don't let their small size and price fool you!
- Water resistant (IP56) stainless steel case
 - Select measurement intervals from 1 to 120 minutes.
 - Log either 2000 or 8000 intervals depending on model chosen.
 - Range: -40 to 85°C
 - Internal sensors.
 - Integral non-replaceable battery.
 - SpecWare 9 Pro software and B-Series docking station are required.

PART	DESCRIPTION
SP-100 2K	Temp. Logger – 2000 intervals
SP-100 8K	Temp. Logger – 8000 intervals

WatchDog Data Logger Software & Accessories

SpecWare 9 Pro Software

- Compatible with Windows XP, Vista, and 7.
- Fully customizable reporting or choose from 13 standard versions.
- Choose your units of measurement, and language preferences.
- Free downloadable software updates.
- Use with A and B Series Dataloggers.
- Includes, CD, PC Interface cable, and manual.



PART	DESCRIPTION
SP-SPEC9PRO	SpecWare 9 Pro Software
SP-3661A	A-Series PC Cable – USB
SP-3655K1	B-Series Docking Station – USB



FieldScout Direct Soil EC Meter

Instant and accurate direct EC and Temperature measurements.

- Sample directly into ground soils, plug trays, pots, and solutions.
- 0 to 19.9 mS/cm (± 1% accuracy, 0.01 mS/cm res.)
- Automatic temp. compensation, waterproof.
- Includes carrying case, battery, and EC calibration solution.

PART	DESCRIPTION
SP-2265FS	Direct Soil EC Meter



FieldScout SoilStik™ pH Meter

Easy-to use, accurate portable meter with flat surface electrode measures pH in soils, semi-solids, solids, and in liquids. Simultaneous display of pH and temperature.

- pH Measurement Range: 0.00 to 14.00
- Temperature Measurement Range: -5°C to 90°C
- Accuracy: ±0.01 pH, ±1°C (1.8°F)
- Resolution: 0.01 pH, 0.1°
- Includes protective sensor cap, rinse bottle, two CR2032 batteries, pH 4 & 7 calibration solutions, and soft carry case.

PART	DESCRIPTION
SP-2105	SoilStik™ pH Meter

Greenhouse Watering & Spray Equipment

Dramm Corporation manufactures a complete line of professional greenhouse tools and equipment including hose-end watering tools, irrigation systems, chemical application equipment, and most recently, environmental controls. Dramm is the most respected name within the industry. Even-Spray stocks a wide range of Dramm watering equipment to meet your growing needs.



FOGG-IT NOZZLES

- Designed for misting seedlings or raising humidity.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
FOGG	½ GPM Super Fine Nozzle	17.70
FOGGF	1 GPM Fine Nozzle	17.70
FOGGL	2 GPM Low Volume Nozzle	17.70
FOGGH	4 GPM High Volume Nozzle	17.70

All Dramm watering products – shut-offs, extensions, breakers, and nozzles - are sold separately so that you can customize your equipment to your specifications!



DRAMM EXTENSION WANDS

- Light-weight aluminum w/ padded foam comfort grip.
- Female GH x Male GH Thread.

PART	DESCRIPTION	PRICE(F)
DRAMM50-80	50" – 80" Extendable Wand	46.50
DRAMM16	16" Extension Wand	13.65
DRAMM2	24" Extension Wand	15.00
DRAMM30	30" Extension Wand	16.40
DRAMM3	36" Extension Wand	17.10
DRAMM4	48" Extension Wand	18.45
DRAMMB-36	36" Hanging Basket Wand	17.75
DRAMMB-48	48" Hanging Basket Wand	19.10

DRAMM-ILF175



Replacement screens sold separately

DRAMM HOSE-END ACCESSORIES

- Filter recommended for use with seedling nozzles.
- Ring protects 400, 750, 1000 series water breakers.

PART	DESCRIPTION	PRICE(F)
DRAMM-ILF175	Filter w/ 80 mesh screen	33.35
DRAMM-ILFE175	80 mesh screen only	11.20
DRAMM-ILFE080	Optional 200 mesh screen	11.20
400RING	Rubber protective ring	2.90



WATER BREAKERS

- A wide range of water breakers to choose from.
- Female GH thread; volumes rated at 40 PSI.

PART	DESCRIPTION	PRICE(F)
400PL-RPR	Poly Breaker w/ Ring - 11gpm	11.35
400PL	Poly Breaker – 11gpm	8.70
400AL	Aluminum Breaker – 11gpm	28.85
750PL	Poly Breaker w/ Ring – 7gpm	21.85
1000PL	Poly Seedling Breaker – 7gpm	20.45
1000PL-N	Poly Seedling Breaker – 7gpm narrow pattern	20.45
1000PL-W	Poly Seedling Breaker – 7gpm wide pattern	20.45
170PL	Poly Breaker – 7gpm	7.35
170AL	Aluminum Breaker – 7gpm	19.30
480PL	Poly Seedling Breaker – 7gpm	10.40



SEEDLING NOZZLE

- Designed for seedlings, cuttings, delicate plants.
- Hollow cone fine droplet pattern; GH

PART	DESCRIPTION	PRICE(F)
510C	Seeding Nozzle 1/2 GPM @ 40 PSI	13.20



DRAMM WATERING CAN

- 5-Litre capacity; long-lasting rust-proof poly.
- Extra long spout with detachable brass rose.

PART	DESCRIPTION	PRICE(G)
DRAMMWATERCAN	5-Liter watering can	31.55



Dramm Trigger Series Shut-Off Valves

- All valves feature Female GH inlets x Male GH Outlets with soft, yet durable rubber grips.
- 65C and 14700 rated at 11 GPM @ 40 PSI.
- 74800 rated at 16 GPM @ 40 PSI.

PART	DESCRIPTION	PRICE(F)
65C	Squeeze Trigger Valve – 11 gpm	24.10
14700	Easy Slide Thumb Valve – 11 gpm	25.65
74800	Easy Slide Thumb Valve – 16 gpm	28.50

DRAMM



SHUT-OFF VALVES

- All models feature Female GH x Male GH thread.
- 74VALVE, 300, 075HGB Valves – full port flow.

PART	DESCRIPTION	PRICE(F)
74VALVE	Dramm HD Poly Valve	26.80
300	Dramm Brass Valve	35.20
075HGB	Brass GH x GH Valve	CALL
DRAMMVALVE-QAV	Dramm Poly Valve	8.45



MS20-100 CHEMICAL SPRAYER

- Includes 100' hose, Gun, Cart/Tank, & Hose Reel.
- Up to 0.5 GPM; Maximum pressure to 500 PSI.

PART	DESCRIPTION	PRICE(I)
MS20-100	20 Gallon Hydraulic Sprayer 120V	CALL



DRAMM Pruning Tools



DRAMM COMPACT SHEAR

- Fine point Stainless Steel blade for detailed work.
- Excellent for taking plant cuttings.

PART	DESCRIPTION	PRICE (H)
DRAMM-SHEAR	Compact Pruning Shear	18.35



DRAMM COMPACT BYPASS PRUNER

- Stainless Steel Blade.
- Designed for pruning woody stems 5/8" or less.
- Ergonomically-designed grip.

PART	DESCRIPTION	PRICE (H)
DRAMM-BYPASS	Compact Bypass Pruner	28.85

DRAMM PRUNING TOOL HOLSTER

- Attaches to belt with metal clip.
- Breathable mesh pocket; nylon and PVC construction.
- Fits most small pruning tools.



PART	DESCRIPTION	PRICE (H)
DRAMM-HOLSTER	Nylon Pruner Holster	12.00



FELCO HOLSTER FOR PRUNING SHEARS

For belt or pocket, high tension metal clip on back.

PART	PRICE (I)
FELCO910	24.10



FELCO 211 SERIES LOPPERS

These compact, lightweight loppers cut big and smoothly through branches up to 1 1/2" (35mm) in diameter. The F211 high-performance cutting head pulls in the branch while slicing through it, thanks to the hooked counter blade and variable radius on the blade. Precision, power, and comfort; what you should expect in a quality Felco product.

- Lightweight, durable I-Beam constructed handles with comfort grips and shock absorbers that protect wrists and hands.
- Available in three sizes to suit your pruning job needs.
- Replacement parts are available.

PART	DESCRIPTION	PRICE (I)
FELCO211-40	40cm / 15.7" Lopper	105.80
FELCO211-50	50cm / 19.7 Lopper	112.80
FELCO211-60	60cm / 23.6 Lopper	119.80



FELCO 2

- Length 8 1/2"
- Weight 8 1/2 oz.

PART	DESCRIPTION	PRICE (I)
FELCO2	Pruner - "The Original"	97.25
FELCO-F8	RH Pruner - Ergonomic Grip	93.55
FELCO-F9	LH Pruner - Ergonomic Grip	93.55

NOTE: RH = Right Hand LH = Left Hand



FELCO 31 SERIES ANVIL PRUNER

The anvil pruning shears that take no prisoners when cutting through hard or dead wood! The ultra-sharp Felco 31 will prove to be your greatest ally – whether you are left or right-handed.

- Can be used either left-handed or right-handed.
- Anvil design will cut branches up to .98" (25mm) in diameter.
- Ergonomic design of handle fits your hand perfectly.
- Ultra-sharp cutting blade

PART	DESCRIPTION	PRICE (I)
FELCO31	Felco 31 Anvil Pruner	81.75



FELCO 600 PRUNER

There is nothing ordinary about this patented blade design. The shape of the blade is thinner at the top and thicker at the bottom – where the teeth are. This unique feature keeps only the teeth in contact with the material to be cut. This prevents clogging and binding, since the sides of the blade never come in contact with the wood.

- Cuts branches up to 4" (10 cm) dia.
- 14" (35 cm) overall length.
- 6" (16 cm) blade, 4.9 oz. (140 g)

PART	DESCRIPTION	PRICE (I)
FELCO600	Saw	42.10
FELCO600-3	Blade	33.50

FELCO LUBRICANT SPRAY

The rapidly biodegradable Felco spray uses a 100% synthetic-based non-stick formula that remains stable with age and oxidation. Specially developed for cleaning all mechanical parts of gardening and workshop tools, it will never become resinous. The Felco spray protects all types of metals permanently against corrosion and provides an effective water-proof coating. Contains NO butane.



PART	DESCRIPTION	PRICE (I)
FELCOF980	Spray Lube 1.89 fl.oz.	23.25